



CPQ on Salesforce Summer 2020 SOAP

API Guide



Table of Contents

About this Guide.....	6
What's New	8
About Apttus Configure Price Quote	17
Apttus CPQ Model.....	17
Getting Started	18
API Supported Packages	18
Document Setup.....	18
API Standards and Development Platforms.....	18
Standards	19
Development Platforms.....	19
Field Types.....	19
Recommendations	20
Integrating Apttus with External Systems.....	20
Generating the Apttus Web Services WSDL.....	21
Connecting to Apttus	23
Generic API Operations in Salesforce (SOAP)	24
API Reference.....	50
Proposal Web Service.....	50
Retrieving Proposal Field Values from Account.....	50
Retrieving Proposal Field Values from Opportunity.....	56
Retrieving Field Values from Proposal	62
Creating Proposal Line Items from Opportunity.....	71
Updating a Proposal	73
Cloning Email Template.....	77
Cloning Document Templates	79
Getting the Proposal Document Output Format.....	81
Copying Attachments.....	85
Creating a Task After Proposal is Presented	87
Retrieving Name of the First Template.....	88
Retrieving Templates in a Proposal.....	89
Deleting an Email Template.....	90
Batch Update Service.....	91
Updating Category Hierarchy for a single Category	92
Updating Category Hierarchy for multiple Categories	93

CPQ Web Service(Apttus_CPQApi).....	94
Creating a Cart from a Quote	94
Retrieving Categories for a Price List	99
Retrieving Products and List Prices for a Price List.....	103
Retrieving Products and List Prices for a Price List and Category	110
Retrieving Products and List Prices For a Price List and Search Text.....	118
Retrieving Products and List Prices For a Price List Category and Search Text.....	136
Retrieving Option Groups, Options, and List Prices for a Price List Product	142
Adding Products to a Cart.....	153
Adding a Bundle to a Cart	159
Adding a Custom Bundle	167
Adding Options to a Bundle.....	173
Cloning Bundle Line Items on the Cart.....	179
Cloning Line Items on the Cart	184
Cloning Option Line Items on the Cart	189
Comparing Products	194
Associating Constraint Rules to a Cart	202
Applying Constraint Rules to a Cart	205
Applying Constraint Rules to Deleted Products.....	207
Adding Price Ramps to a Cart (CPQ Web Service).....	209
Computing the Net Price for a Bundle	214
Updating Price For A Cart.....	218
Price Breakup for a Cart or Specific Line Item.....	224
Removing a Bundle from a Cart	232
Removing Multiple Bundles from a Cart.....	236
Removing Line Items from the Cart	239
Removing Options from a Bundle	243
Retrieving Constraint Rules Results	246
Retrieving Incentives on the Cart	252
Retrieving Asset Line Items	262
Setting Incentives for Cart.....	271
Retrieving Incentives Applied on the Cart.....	272
Abandoning a Cart.....	273
Finalizing a Cart.....	277
Synchronizing a Cart.....	280
Updating Quote Terms.....	283
Modifying Assets (Deprecated).....	292
Computing Shipping for Cart Line Items.....	309
Computing Taxes for Cart Line Items.....	312

Adding a Miscellaneous Item to the Cart.....	316
CPQ Web Service (Apttus_Config2)	318
Creating Product Line Items	319
Registering Split Cart Parameters.....	323
Finalizing the Configuration Version.....	324
Finalizing the Configuration Version with Synchronization Tasks	327
Abandoning a Configuration.....	328
Cloning Primary Line Items.....	329
Creating Bundle Line Items	330
Batch Job Service.....	334
Splitting a Smart Cart.....	335
Updating Price for the Smart Cart.....	336
Finalizing Configuration in Smart Cart.....	337
Quote Collaboration Service	338
Adding Products to a Collaboration Request.....	338
Favorite Configuration Global Service	340
Creating Favorite Configuration.....	340
Quote/Proposal Config Web Service	344
Accepting a Quote	344
Asset Service.....	346
Fetching Asset Line Items	347
Getting a count of Asset Line Items	349
Swapping Assets	351
Getting a list of Products to be swapped with Assets.....	354
Terminating Assets	355
Renewing Assets	357
Incrementing Assets	359
Changing Assets.....	362
Merging Assets.....	363
Scenarios.....	366
Working with Products in the Shopping Cart.....	366
Searching Products	367
Configuring and Adding Products.....	367
Displaying Recommendations	369
Updating Price.....	369
Viewing Price Break-up Details.....	369
Adding Price Ramps to a Cart	370
Updating Taxes and Shipping for an Order	375
Creating and Updating Quote and Quote Line Items.....	386

Creating and Updating Order and Order Line Items	387
Asset Based Ordering.....	388
Finalizing the Cart	389
Updating Quote Terms to Modify Dates	389
Apttus Copyright Disclaimer	390

About this Guide

Apttus CPQ on Salesforce SOAP API Guide explains the SOAP APIs provided by Apttus Configuration, Pricing, and Quoting (CPQ).

Topic	Description
What's Covered	This guide walks the API developers through the list of SOAP APIs provided by Apttus.
Primary Audience	<ul style="list-style-type: none"> • API developers
IT Environment	Refer to the latest <i>CPQ on Salesforce Release Notes</i> for information on System Requirements and Supported Platforms.
Updates	For a comprehensive list of updates to this guide for each release, see the What's New topic.
Other Resources	<ul style="list-style-type: none"> • <i>CPQ on Salesforce Administrator Guide</i>: Refer to this guide for information on configuring Apttus CPQ. • <i>CPQ on Salesforce User Guide</i>: Refer to this guide for information on features and use cases of Apttus CPQ. • <i>CPQ on Salesforce Release Notes</i>: Refer to this document for information on system requirements and supported platforms, new features and enhancements, resolved issues, and known issues for a specific release.

This guide describes the following topics:

- [CPQ Web Service \(Apttus_Config2\)](#)
- [CPQ Web Service\(Apttus_CPQApi\)](#)
- [Batch Update Service](#)
- [Quote/Proposal Config Web Service](#)
- [Favorite Configuration Global Service](#)
- [Quote Collaboration Service](#)
- [Asset Service](#)
- [Batch Job Service](#)
- [Proposal Web Service](#)

Before using CPQ, you must be familiar with the following:

- Basic knowledge of Salesforce
- Basic knowledge of SOAP APIs

- Salesforce and Apttus terms and definitions

If you are new to Apttus CPQ, begin here: [Get Started](#) and [About Apttus Configure Price Quote](#).

What's New

The following table lists changes in the documentation to support each release.

Document	Topic	Description
Summer 2020 Rev A	Creating Favorite Configuration	Updated the sample code.
Summer 2020	Adding a Miscellaneous Item to the Cart	New topic. New API.
	Abandoning a Configuration	New topic. New API.
	Finalizing Configuration in Smart Cart	New topic. New API.
	Cloning Primary Line Items	New topic. New API.
	Creating Bundle Line Items	New topic. New API.
	Copying Attachments	New topic. New API.
	Creating a Task After Proposal is Presented	New topic. New API.
	Retrieving Name of the First Template	New topic. New API.
	Retrieving Templates in a Proposal	New topic. New API.
	Deleting an Email Template	New topic. New API.
	Updating a Proposal	Updated sample code.
	Retrieving Incentives on the Cart	Updated the topic with information about new parameters.
	Retrieving Incentives Applied on the Cart	New topic. New API.
	Setting Incentives for Cart	New topic. New API.
Spring 2020 Rev B	Integrating Apttus with External Systems	New topic for external integrations using the Apttus CPQ SOAP API.

Document	Topic	Description
	Generic API Operations in Salesforce (SOAP)	New topic describing examples of calling generic Salesforce SOAP methods for creating and retrieving common Salesforce objects referenced by Apttus APIs.
	CPQ Web Service(Apttus_CPQApi)	Renamed the topic from "CPQ Web Service". Updated the topic description.
	Creating a Cart from a Quote	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Retrieving Categories for a Price List	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Retrieving Products and List Prices for a Price List	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Retrieving Products and List Prices for a Price List and Category	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Retrieving Products and List Prices For a Price List and Search Text	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Retrieving Option Groups, Options, and List Prices for a Price List Product	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Adding Products to a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Adding a Bundle to a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Adding a Custom Bundle	Updated topic to include API signature and SOAP Response/Request XML for API integration.

Document	Topic	Description
	Adding Options to a Bundle	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Cloning Bundle Line Items on the Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Cloning Line Items on the Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Cloning Option Line Items on the Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Comparing Products	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Associating Constraint Rules to a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Applying Constraint Rules to Deleted Products	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Adding Price Ramps to a Cart (CPQ Web Service)	Updated the topic with API signature.
	Computing the Net Price for a Bundle	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Updating Price For A Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Price Breakup for a Cart or Specific Line Item	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.

Document	Topic	Description
	Removing a Bundle from a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Removing Multiple Bundles from a Cart	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Removing Line Items from the Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Removing Options from a Bundle	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Retrieving Constraint Rules Results	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Retrieving Incentives on the Cart	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Retrieving Asset Line Items	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Abandoning a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Finalizing a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Synchronizing a Cart	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Updating Quote Terms	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.

Document	Topic	Description
	Computing Shipping for Cart Line Items	Updated the topic with API signature.
	Computing Taxes for Cart Line Items	Updated the topic with API signature.
	CPQ Web Service (Apttus_Config2)	New topic.
	Creating Product Line Items	Moved the topic from "CPQ Web Service". Updated the topic with API signature.
	Registering Split Cart Parameters	Moved the topic from "CPQ Web Service". Updated topic to identify API as a global method and added signatures.
	Finalizing the Configuration Version	Moved the topic from "CPQ Web Service". Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Finalizing the Configuration Version with Synchronization Tasks	Moved the topic from "CPQ Web Service". Updated the topic with API signature.
	Batch Update Service	Updated the topic description.
	Updating Category Hierarchy for a single Category	Renamed the topic from "Updating a Specific Category".
	Updating Category Hierarchy for multiple Categories	Renamed the topic from "Updating Multiple Categories".
	Quote/Proposal Config Web Service	Updated the topic description.
	Accepting a Quote	Updated topic to include API signature, and SOAP Response/Request XML for API integration.

Document	Topic	Description
	Quote Collaboration Service	Renamed the topic from "Collaboration Structure". Updated the topic description.
	Adding Products to a Collaboration Request	Updated the topic with API signature.
	Favorite Configuration Global Service	New topic.
	Creating Favorite Configuration	Renamed the topic from "FavoriteConfiguration Web service". Updated the topic with API signature.
	Asset Service	Updated the topic description.
	Fetching Asset Line Items	Updated topic to identify API as a global method and added signatures.
	Getting a count of Asset Line Items	Updated topic to identify API as a global method and added signatures.
	Swapping Assets	Updated topic to identify API as a global method and added signatures.
	Getting a list of Products to be swapped with Assets	Updated topic to identify API as a global method and added signatures.
	Terminating Assets	Updated topic to identify API as a global method and added signatures.
	Renewing Assets	Updated topic to identify API as a global method and added signatures.
	Incrementing Assets	Updated the topic with API signature.
	Changing Assets	Updated topic to identify API as a global method and added signatures.
	Merging Assets	Updated topic to identify API as a global method and added signatures.
	Batch Job Service	Updated the topic description.
	Splitting a Smart Cart	Updated topic to identify API as a global method and added signatures.

Document	Topic	Description
	Updating Price for the Smart Cart	Updated topic to identify API as a global method and added signatures.
	Updating Price For A Cart	Updated topic to identify API as a global method and added signatures.
	Proposal Web Service	Updated the topic description.
	Retrieving Proposal Field Values from Account	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Retrieving Proposal Field Values from Opportunity	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Retrieving Field Values from Proposal	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Creating Proposal Line Items from Opportunity	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Updating a Proposal	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Cloning Email Template	Updated topic to include API signature and SOAP Response/Request XML for API integration.
	Cloning Document Templates	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
	Getting the Proposal Document Output Format	Updated topic to include API signature, SOAP Response/Request XML, and prerequisites for API integration.
Spring 2020	Cloning Bundle Line Items on the Cart	Updated the topic with a note about using the Line Number field instead of the Primary Line Number field.

Document	Topic	Description
	Batch Update Service	Renamed from the topic "BatchUpdate Web Service".
	Proposal Web Service	New topic.
	Adding a Custom Bundle	New topic. New API
	Retrieving Proposal Field Values from Account	New topic. New API
	Retrieving Proposal Field Values from Opportunity	New topic. New API
	Creating Proposal Line Items from Opportunity	New topic. New API
	Updating Proposal	New topic. New API
	Removing Options from a Bundle	New topic. New API
	Retrieving Field Values from Proposal	New topic. New API
	Getting the Proposal Document Output Format	New topic. New API
	Cloning Email Template	New topic. New API
	Cloning Document Templates	New topic. New API
	Creating Product Line Items	New topic. New API
	Finalizing the Configuration Version	New topic. New API
	Finalizing the Configuration Version with Synchronization Tasks	New topic. New API
	Merging Assets	New topic. New API
Winter 2019	Registering Split Cart Parameters	New topic. New API
	Batch Job Service	New topic.

Document	Topic	Description
	Splitting a Smart Cart	New topic. New API
	Updating Price for the Smart Cart	New topic. New API
Summer 2019	No updates	No new APIs are introduced in this release.
Spring 2019	Accepting a Quote	New topic. New API
	Adding Products to a Collaboration Request	New topic. New global method.
Winter 2018	No updates	No new APIs are introduced in this release. The guide is updated to reflect product name changes.

About Apttus Configure Price Quote


Apttus CPQ is designed to guide users to the best possible quotes for all products, pricing, and channels. In addition, by integrating quoting software with your contract processes, you can automate renewal quotes based on previously agreed upon pricing and terms.

Apttus CPQ gives you visibility and control of the quote-to-order phase of your sales process. Beginning in an opportunity, you can select products or services, configure and price them for simple or highly complex scenarios, and produce high-quality customer facing quotes and proposals. A proposal consists of configured products, a summary of the proposal, the price list associated with it, pricing for the configured products, associated opportunity, and shipping information.

Apttus CPQ is a web-based, on-demand application that is accessed through a standard web browser through the Internet.

Apttus CPQ Model

It is important to understand Apttus product and pricing objects and their relationships to each other in the overall application. Apttus CPQ is divided into two major areas - **Product Setup** and **Pricing Setup**. Products and Pricing are defined and customized based on how your organization wants to set up their configuration.



Getting Started

- [API Supported Packages](#)
This guide covers CPQ and Configuration and Pricing APIs.
- [Document Setup](#)
The Apttus CPQ and API reference Guide is divided into two sections: *API Reference* and *Scenarios*.
- [API Standards and Development Platforms](#)
Apttus APIs are based on Salesforce APIs and use the same standards and platforms.
- [Field Types](#)
Apttus APIs use a subset of the supported data and field types on Salesforce.

API Supported Packages

Refer to the *CPQ on Salesforce Release Notes* for the package details of the latest release.

Document Setup

The Apttus CPQ API reference Guide is divided into two sections: *API Reference* and *Scenarios*.

API Reference	The <i>API reference</i> section details the APIs that you can use to manipulate Apttus objects through API calls and passing parameters. The API reference section also includes some code samples.
Scenarios	The <i>Scenarios</i> section details examples of the APIs you require to complete a specific task such as, adding products and constraint rules to the cart. The scenarios are classified by theme. You can refer to the generic examples of scenarios to identify the calls you can use to achieve your objective.

API Standards and Development Platforms

Apttus APIs are based on Salesforce APIs and use the same standards and platforms

Standards

Name	Reference
Simple Object Access Protocol (SOAP) 1.1	http://www.w3.org/TR/2000/NOTE-SOAP-20000508
Web Service Description Language (WSDL) 1.1	http://www.w3.org/TR/2001/NOTE-wsdl-20010315
WS-I Basic Profile 1.1	http://www.ws-i.org/Profiles/BasicProfile-1.1-2004-08-24.html

Development Platforms

Apttus SOAP API works with standard SOAP development environments. For a list of compatible development platforms, see [Salesforce Developer Force API](#) details.

Field Types

Apttus APIs use a subset of the supported data and field types on Salesforce.

The following table lists the APIs that Apttus provides. For a comprehensive list of all field types supported by Salesforce, see [Salesforce Data Types](#).

Type	Description
Boolean	The Boolean field has a <i>true</i> (or 1) or <i>false</i> (or 0) value.
Data object	The Data Object field is an ID type and is represented by <i>CPQ.nndO</i> in this document.
Date	The Date field contains date values only and do not contain relevant time values. Time in a date field is always set to midnight in the UTC time zone. If you want a timestamp you must use a dateTime field.
Decimal	The Decimal field provides an exact numeric value and you can arbitrarily size the precision and scale of the value.

Type	Description
ID	The ID field is an alphanumeric field that acts like the primary key for a specific record associated with an object. The ID value includes a three-character code that identifies which object the record is associated with. The ID for a specific record does not change. For some objects, this field may also be a <code>referenceType</code> value, which contains the ID value for a related record. They are identified by field names ending in 'Id', such as <code>priceListId</code> . The ID field acts like foreign keys and their values can be changed using an <code>update()</code> call.
Integer	The Integer field contains whole numbers only. There are no digits after the decimal.
List	The List field includes a fixed set of values from which you must select a single value. Picklists are available as drop-down lists. If a picklist is unrestricted, the API does not limit entries to only currently active values.
String	The String field contains text and may have differing length restrictions based on the data you store in the specific field. For instance, <code>city</code> may be limited to 50 characters, while <code>AddressLine1</code> is limited to 255 characters.

Recommendations

Following are the recommendations for CPQ SOAP APIs on the Salesforce Platform:

- You must use the Public Admin APIs to integrate the CPQ master data. In a nutshell, the master data includes products, rules, and pricing setup as a whole.
- You cannot use generic APIs for any of the master datasets. Apttus CPQ does not provide support for any data that is integrated through the generic API mechanism for client implementation.

Integrating Apttus with External Systems

Additional steps are required when you choose to integrate CPQ on Salesforce with external applications, customer portals, or other critical business systems. Because CPQ Web Services are hosted on Salesforce, you should familiarize yourself with the Salesforce SOAP API and processes surrounding integration and best practices detailed here: https://developer.salesforce.com/docs/atlas.en-us.api.meta/api/sforce_api_quickstart_intro.htm

i Best Practices

Apttus recommends that you work with Apttus Professional Services to design and implement your integration. Use this documentation for basic integration steps and to reference CPQ Web Service calls.

The following basic steps are required to get started using the Apttus CPQ Web Services API.

1. **Generate the Enterprise or Partner WSDL** - Integration with data stored in Salesforce requires you to first point your browser to the Salesforce Enterprise or Partner WSDL. This WSDL is generally provided by Apttus Professional Services. Refer to [Salesforce Documentation](#) for complete instructions on generating the Web Service WSDL.
2. **Generate the Apttus Web Services WSDL** - After you have connected to Apttus Web Service, go to your organization and download the WSDL for the appropriate Web Service (CPQ Web Service, Batch Update, Proposal Web Service, and so on).
3. **Import the WSDL Files Into Your Development Platform** - After you have generated the WSDL files, you can import them into your development platform. Apttus does not provide instructions for the import process. Refer to Salesforce documentation or documentation related to your development platform.
4. **Connect to Apttus** - Before you can begin using CPQ Web Services, you must first authenticate to Apttus using the `login()` API.
 - [Generating the Apttus Web Services WSDL](#)
 - [To generate the Apttus Web Services WSDL](#)
 - [Connecting to Apttus](#)
 - [To connect to Apttus Web Service using SoapUI](#)

Generating the Apttus Web Services WSDL

Before you can import Apttus SOAP Web Service into your development or testing platform, you must generate and download the Apttus WSDL for the appropriate Web Service.

The example provided here uses SoapUI.






ⓘ There a known bug in the WSDL Generator on Salesforce that does not include several field types, so it is recommended to update the WSDL file after you have generated it but *before* importing it into your development platform. You can find the details for any workaround tasks here:

- https://success.salesforce.com/issues_view?id=a1p3A000000eatxQAA&title=generated-wsdl-for-apex-webservices-is-malformed
- https://success.salesforce.com/issues_view?id=a1p300000008XKUAA2

When updating generated WSDL, make sure that the target namespace for any schema you add points to the correct Web Service (for example, schemas/class/Apttus_QPConfig/QPConfigWebService). If you are still having trouble, please ask Apttus Professional Services for a modified WSDL for the Web Services you are using.


To generate the Apttus Web Services WSDL

1. Log in to the Salesforce organization that contains you Apttus records and data (sandbox or production).
2. Go to **Setup > Develop > Apex Classes** (on Lightning, go to **Setup > Custom Code > Apex Classes**).
3. Find the Web Service you want to generate the WSDL for (for example, **CPQWebService**).
4. Click the **WSDL** link to generate the WSDL. The WSDL XML is generated and displayed in a new tab.

Edit	 CPQSystemOverviewController	Apttus_Config2
Edit	 CPQSystemOverviewControllerTest	Apttus_Config2
Edit Security	 CPQWebService	Apttus_CPQApi
Edit WSDL Security	 CPQWebService	Apttus_Config2
Edit	 CPQWebServiceSupport	Apttus_CPQApi
Edit	 CPQWebServiceTest	Apttus_CPQApi
Edit	 CPQWebServiceTest	Apttus_Config2

5. Right-click on the page and select **View Page Source**. Copy the XML content to any text editor.
6. Save the file with the extension **.wsdl**.
7. Open SoapUI (or wherever is required on your development platform).

8. Create a new SOAP project and import the Apttus Web Services WSDL. All methods under that Web Service are now available to call.

 Refer to the **Request/Response XML** section for any API in this reference to get the structure of the request and any prerequisite calls required for any API.

Connecting to Apttus


After you have downloaded the Enterprise or Partner WSDL, call the **login()** method to obtain a session ID from your org that you can use when calling CPQ Web Services. After authenticating, you can use the same session ID until it either expires or your logout or login again.

The example provided here uses SoapUI, an API testing tool which can be downloaded for free here: <https://www.soapui.org/>.

Prerequisite: To authenticate with Apttus, please make sure to have your production or test org credentials on hand (username and password).

To connect to Apttus Web Service using SoapUI

1. Open SoapUI. Go to **File > New SOAP Project**.
2. Enter a name for the project.
3. Click **Browse**. Navigate to the saved Enterprise or Partner WSDL file that you downloaded and click **Open**.
4. Click **OK** to close the project window.
5. From the Navigation panel to the left, highlight the project folder and click to expand. Click to expand the **SoapBinding**. The list of methods that comprise the Enterprise or Partner services are displayed.
6. Scroll down and right click on **login**. Double-click on an existing **Request**. The request window opens in the SoapUI interface.


 If you are doing this for the first time, you need to right-click on the **login** method and select **New Request**.

7. Select and delete all content following the **<soapenv:Header>** tag and the **</soapenv:Header>** tag.
8. Enter the username for your org (must have appropriate privileges) between the **<urn:username>** and **</urn:username>** tags.

9. Enter the username for your org (must have appropriate privileges) between the `<urn:password>` and `</urn:password>` tags.

The request should look like the following:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:partner.soap.sforce.com">
  <soapenv:Header>
  </soapenv:Header>
  <soapenv:Body>
    <urn:login>
      <urn:username>username@example.com</urn:username>
      <urn:password>password</urn:password>
    </urn:login>
  </soapenv:Body>
</soapenv:Envelope>
```

10. From the upper-left corner of the window, click the **Run** () icon. The response is generated in the right-hand window.
11. Make note of the **serverURL** and the **sessionId** returned by the server. You will use the information to make Apttus Web Service calls.

Generic API Operations in Salesforce (SOAP)

The following methods are provided in the Enterprise or Partner WSDL as generic core API calls that allow you primarily to perform CRUD actions on standard and custom Salesforce objects (also referred to as "data setup"). Refer to [Salesforce Developer documentation](#) for complete information on calling these methods. The examples provided on this page will aid you in performing CRUD actions and querying information from the Salesforce database to use in Apttus API calls.

- [Retrieving the Server URL and Session Id \(Login\)](#)
- [Retrieving an Opportunity](#)
- [Creating a Price List](#)
- [Retrieving a Price List](#)
- [Creating a Product Category](#)
- [Retrieving a Category](#)
- [Creating a Standalone Product](#)
- [Retrieving a Standalone Product](#)
- [Creating a Bundle Product](#)

- [Retrieving a Bundle](#)
- [Creating an Option Product](#)
- [Retrieving an Option](#)
- [Retrieving Component Id for a Product, Bundle, or Option](#)

Retrieving the Server URL and Session Id (Login)

All API calls to your organization require you to authenticate with a valid Session Id.

Method: `login()`

Request: Pass the **username** and **password** for the user providing authentication.

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:urn="urn:partner.soap.sforce.com">
  <soapenv:Header>
  </soapenv:Header>
  <soapenv:Body>
    <urn:login>
      <urn:username>username</urn:username>
      <urn:password>password</urn:password>
    </urn:login>
  </soapenv:Body>
</soapenv:Envelope>
```

Response: Returns the **serverURL** and **session Id**.

Example Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="urn:partner.soap.sforce.com" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <loginResponse>
      <result>
        <serverUrl>serverURL</serverUrl>
        <sessionId>sessionId</sessionId>
      </result>
    </loginResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Retrieving an Opportunity

Method: `query()`

Request: Pass the **session Id** and **Opportunity Name**.

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>session Id</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select id from opportunity where
name='opportunityName'</urn:queryString>
    </urn:query>
  </soapenv:Body>
</soapenv:Envelope>
```

Response: Returns the **Opportunity Id** and **Size** (indicates number of Ids)

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:sf="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>4973</current>
        <limit>50000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result>
        <done>>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:Opportunity">
          <sf:Id>006Z000000Gr90DIAZ</sf:Id>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Creating a Price List

Method: **create()**

Request: Pass the **session Id** and **Price List Name**.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com"
  xmlns:urn1="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>session Id</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="Apttus_Config2__PriceList__c"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <Name>Price List Name</Name>
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Price List Id** with status = 'true' if the Price List was successfully created.

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>4983</current>
        <limit>50000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <createResponse>
      <result>
        <id>a1DZ00000002i9IWMAY</id>
        <success>>true</success>
      </result>
    </createResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving a Price List

Method: `query()`

Request: Pass the **session Id** and **Price List Name**.

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select Id from Apttus_Config2__PriceList__c where
        name='priceListName'
      </urn:queryString>
    </urn:query>
  </soapenv:Body>
</soapenv:Envelope>
```

Response: Returns the **Price List Id**.

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="urn:partner.soap.sforce.com" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:sf="urn:subject.partner.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>637</current>
        <limit>5000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result xsi:type="QueryResult">
        <done>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:sObject">
          <sf:type>Apttus_Config2__PriceList__c</sf:type>
          <sf:Id>a1DZ0000002mg5nMAA</sf:Id>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Creating a Product Category

Method: `create()`

Request: Pass the **session Id**, **Category Name**, and **Category Label**.

Example Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:urn="
urn:enterprise.soap.sforce.com" xmlns:urn1="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>session Id</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="Apttus_Config2__ClassificationName__c" xmlns:xsi="ht
tp://www.w3.org/2001/XMLSchema-instance">
        <Name>Category Name</Name>
        <Apttus_Config2__HierarchyLabel__c>Category Label</
Apttus_Config2__HierarchyLabel__c>
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Category Id** with status = 'true' if the Category was successfully created.

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>5011</current>
        <limit>5000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <createResponse>
      <result>
        <id>a0oZ0000002u94bIAA</id>
        <success>>true</success>
      </result>
    </createResponse>
  </soapenv:Body>
</soapenv:Envelope>undefined</soapenv:Body>undefined</soapenv:Envelope>

```

Retrieving a Category

Method: `query()`

Request: Pass the **session Id** and **Category Name**.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select Id, Name from
Apttus_Config2__ClassificationName__c where
      name='Category Name'
    </urn:queryString>
  </urn:query>
</soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Category Id**, **Category Name**, and **Size** (indicates number of Ids).

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:sf="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>5017</current>
        <limit>50000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result>
        <done>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:Apttus_Config2__ClassificationName__c">
          <sf:Id>a0oe0000005l37UAAQ</sf:Id>
          <sf:Name>AutoQuoteOfferings</sf:Name>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>undefined</soapenv:Body>undefined</soapenv:Envelope>undefined</
soapenv:Envelope>

```

Creating a Standalone Product

Method: **create()**

Request: Pass the **session Id**, **Product Name**, and **Configuration Type**.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com"
  xmlns:urn1="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="Product2"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <Name>${#Project#createStandaloneProductName}</Name>
        <Apttus_Config2__ConfigurationType__c>Standalone</
Apttus_Config2__ConfigurationType__c
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Product Id** with status = 'true' if the Product was successfully created.

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>5033</current>
        <limit>5000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <createResponse>
      <result>
        <id>01tZ00000004ypoaIAA</id>
        <success>true</success>
      </result>
    </createResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving a Standalone Product

Method: `query()`

Request: Pass the **session Id** and **Product Name**.

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select Id, Name from Product2 where name='Standalone
Product Name'</urn:queryString>
    </urn:query>
  </soapenv:Body>
</soapenv:Envelope>
```

Response: Returns the **Standalone Product Id**, **Product Name**, and **Size** (indicates the number of Ids).

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:partner.soap.sforce.com"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:sf="urn:subject.partner.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>638</current>
        <limit>50000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result xsi:type="QueryResult">
        <done>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:sObject">
          <sf:type>Product2</sf:type>
          <sf:Id>01tZ00000004LUXeIAM</sf:Id>
          <sf:Name>Auto_API_StandaloneProduct3</sf:Name>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Creating a Bundle Product

Method: **create()**

Request: Pass the **session Id**, **Product Name**, and **Configuration Type**.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com"
  xmlns:urn1="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="Product2"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <Name>Bundle Product Name</Name>
        <Apttus_Config2__ConfigurationType__c>Bundle</
Apttus_Config2__ConfigurationType__c>
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Product Id** with status = 'true' if the Bundle Product was successfully created.

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>5033</current>
        <limit>50000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <createResponse>
      <result>
        <id>01tZ00000004yrtyaIAA</id>
        <success>true</success>
      </result>
    </createResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving a Bundle

Method: `query()`

Request: Pass the **session Id** and **Product Name**.

Example Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:urn="
urn:partner.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>00DZ000000NAEIA!
ASAAQHmIRqgn4R90i1yQjWTIVk4UZmsDe_.eK0Z9z6qLij7Tu.L_Yo8dRA_p80mhKMeRs4uzCZTadIgQ9fEbd
KciXEQYRyaA</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select Id, Name from Product2 where name='Bundle Product
Name '
    </urn:queryString>
  </urn:query>
</soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Bundle Id** and **Product Name**, and **Size** (indicates the number of Ids).

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="urn:partner.soap.sforce.com" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:sf="urn:subject.partner.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>643</current>
        <limit>5000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result xsi:type="QueryResult">
        <done>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:sObject">
          <sf:type>Product2</sf:type>
          <sf:Id>01tZ00000004LUXtIAM</sf:Id>
          <sf:Name>Auto_API_BundleProduct1</sf:Name>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Creating an Option Product

Method: `create()`

Request: Pass the **session Id**, **Product Name**, and **Configuration Type**.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com"
  xmlns:urn1="urn:subject.enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="Product2"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <Name>Option Product Name</Name>
        <Apttus_Config2__ConfigurationType__c>Option</
Apttus_Config2__ConfigurationType__c>
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Product Id** with status = 'true' if the Option Product was successfully created.

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>5033</current>
        <limit>5000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <createResponse>
      <result>
        <id>01tZ0008984yrterIAA</id>
        <success>true</success>
      </result>
    </createResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving an Option

Method: `query()`

Request: Pass the **session Id** and **Product Name**.

Example Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:urn="
urn:partner.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>00DZ000000NAEIA!
ASAAQHmIRqgn4R90i1yQjWTIVk4UZmsDe_.eK0Z9z6qLij7Tu.L_Yo8dRA_p80mhKMeRs4uzCZTadIgQ9fEbD
KciXEQRyaA</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select Id, Name from Product2 where name='Option Product
Name '
    </urn:queryString>
  </urn:query>
</soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Option Id**, **Product Name**, and **Size** (indicates the number of Ids).

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="urn:partner.soap.sforce.com" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:sf="urn:subject.partner.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>648</current>
        <limit>5000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result xsi:type="QueryResult">
        <done>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:sObject">
          <sf:type>Product2</sf:type>
          <sf:Id>01tZ000000041UYNIA2</sf:Id>
          <sf:Name>Auto_API_OptionProduct2</sf:Name>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Component Id for a Product, Bundle, or Option

Method: `query()`

Request: Pass the **session Id** and **Product Id**.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>${#Project#SessionID}</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:query>
      <urn:queryString>select Id from Apttus_Config2__ProductOptionComponent__c
where
  Apttus_Config2__ComponentProductId__c = 'Product Id'</urn:queryString>
    </urn:query>
  </soapenv:Body>
</soapenv:Envelope>

```

Response: Returns the **Component Product Id**.

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="urn:partner.soap.sforce.com"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:sf="urn:subject.partner.soap.sforce.com">
  <soapenv:Header>
    <LimitInfoHeader>
      <limitInfo>
        <current>649</current>
        <limit>50000000</limit>
        <type>API REQUESTS</type>
      </limitInfo>
    </LimitInfoHeader>
  </soapenv:Header>
  <soapenv:Body>
    <queryResponse>
      <result xsi:type="QueryResult">
        <done>true</done>
        <queryLocator xsi:nil="true"/>
        <records xsi:type="sf:sObject">
          <sf:type>Apttus_Config2__ProductOptionComponent__c</sf:type>
          <sf:Id>a1YZ0000003pII9MAM</sf:Id>
        </records>
        <size>1</size>
      </result>
    </queryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

API Reference

In this section the following topics are described:



Proposal Web Service

The Proposal web service APIs account for the standard actions to account, opportunity, and quotes/proposals.

You can invoke APIs in Proposal Service using the following command:

```
Apttus_Proposal.ProposalWebService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

You can use the Proposal web service APIs to complete the following tasks:



Retrieving Proposal Field Values from Account

This API fetches the field values of the proposal object that are required to create a proposal from an account. You can use the fetched values to create a new proposal.

API	Signature
createProposalFromAccount	<i>webservice static Apttus_Proposal__Proposal__c createProposalFromAccount(Id accountId, Id recordTypeId)</i>

Request Parameter		
Name	Type	Description
accountId	ID	The ID of the account you need to retrieve values from.

Request Parameter		
Name	Type	Description
recordTypeId	ID	Record Type of the proposal object

Response - Apttus_Proposal__Proposal__c		
Field	Type	Description
RecordTypeId	ID	Record Type of the proposal object
Apttus_Proposal__Proposal__Name__c	String	The name of the proposal.
Apttus_Proposal__Account__c	ID	The Id of the account associated with the proposal.
Apttus_Proposal__Primary_Contact__c	ID	The primary contact associated with the proposal.
Apttus_Proposal__Description__c	String	The description of the proposal.
Apttus_Proposal__Primary__c	Boolean	Indicates whether the proposal is the primary quote to update the related opportunity.
Apttus_Proposal__ReadyToGenerate__c	Boolean	Indicates whether the proposal is ready for generation.
Apttus_Proposal__ReadyToPresent__c	Boolean	Indicates whether the proposal is ready for presentation.
OwnerId	ID	The ID of the proposal object.
CurrencyIsoCode	String	The currency defined for the proposal.

Code Sample

The sample code below enables you to retrieve the proposal field values of the account associated with the account ID that you provide. You can use the standard *createRecord* API to create the proposal.

```

1  /**
2   * The below method demonstrates fetch the values proposal field values
   * from an existing account
3   */
4   public static Apttus_Proposal__Proposal__c createProposal(Id accountID) {
5   Apttus_Proposal__Proposal__c newProposalSO = new
   Apttus_Proposal__Proposal__c();
6   ID proposalRecordTypeID = [select ID FROM recordType where
   sObjectType='Apttus_Proposal__Proposal__c' AND Name = 'Proposal' LIMIT 1].
   Id;
7   newProposalSO =
   Apttus_Proposal.ProposalWebService.createProposalFromAccount(accountID,
   proposalRecordTypeID);
8       return newProposalSO;
9   }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

- [Retrieve Proposal information](#)
- [Create Proposal record](#)

API Prerequisites

None.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/
ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTttOu</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:createProposalFromAccount>
      <prop:accountId>001Z000001UtoRL</prop:accountId>
    </prop:createProposalFromAccount>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <createProposalFromAccountResponse>
      <result xsi:type="Apttus_Proposal__Proposal__c">
        <Id xsi:nil="true"/>
        <Apttus_Proposal__Account__c>001Z000001V13ovIAB</
Apttus_Proposal__Account__c>
        <Apttus_Proposal__Primary__c>>false</Apttus_Proposal__Primary__c>
        <Apttus_Proposal__Proposal_Name__c>Auto_API_Account</
Apttus_Proposal__Proposal_Name__c>
        <Apttus_Proposal__ReadyToGenerate__c>>true</
Apttus_Proposal__ReadyToGenerate__c>
        <Apttus_Proposal__ReadyToPresent__c>true</
Apttus_Proposal__ReadyToPresent__c>
        <CurrencyIsoCode>USD</CurrencyIsoCode>
        <OwnerId>0050U0000000r444QAA</OwnerId>
      </result>
    </createProposalFromAccountResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Creating a Proposal

Use data from the Response to create the proposal. The following example uses the *createRecord()* method to create the Proposal object.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com"
  xmlns:urn1="urn:subject.enterprise.soap.sforce.com"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTttOu</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="urn1:Apttus_Proposal__Proposal__c">
        <urn1:Apttus_Proposal__Proposal_Name__c>Auto_API_Account</urn1:Apttus
_Proposal__Proposal_Name__c>
        <urn1:Apttus_Proposal__Account__c>001Z000001V13ovIAB</urn1:Apttus_Pro
posal__Account__c>
        <urn1:Apttus_Proposal__Primary__c>false</urn1:Apttus_Proposal__Primar
y__c>
        <urn1:Apttus_Proposal__ReadyToGenerate__c>true</urn1:Apttus_Proposal_
_RReadyToGenerate__c>
        <urn1:Apttus_Proposal__ReadyToPresent__c>true</urn1:Apttus_Proposal__
ReadyToPresent__c>
        <urn1:CurrencyIsoCode>USD</urn1:CurrencyIsoCode>
        <urn1:Apttus_Proposal__Opportunity__c>006Z000000Gr90D</urn1:Apttus_Pr
oposal__Opportunity__c>
        <urn1:Apttus_QPConfig__PriceListId__c>a1De0000001yPXQ</urn1:Apttus_QP
Config__PriceListId__c>
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <createProposalFromAccountResponse>
      <result xsi:type="Apttus_Proposal__Proposal__c">
        <Id xsi:nil="true"/>
        <Apttus_Proposal__Account__c>001Z000001V13ovIAB</
Apttus_Proposal__Account__c>
        <Apttus_Proposal__Primary__c>>false</Apttus_Proposal__Primary__c>
        <Apttus_Proposal__Proposal_Name__c>Auto_API_Account</
Apttus_Proposal__Proposal_Name__c>
        <Apttus_Proposal__ReadyToGenerate__c>>true</
Apttus_Proposal__ReadyToGenerate__c>
        <Apttus_Proposal__ReadyToPresent__c>>true</
Apttus_Proposal__ReadyToPresent__c>
        <CurrencyIsoCode>USD</CurrencyIsoCode>
        <OwnerId>0050U000000r444QAA</OwnerId>
      </result>
    </createProposalFromAccountResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Proposal Field Values from Opportunity

This API fetches the field values of the proposal object that are required to create a proposal from an opportunity. You can use the fetched values to create a new proposal.

API	Signature
createProposalFromOpportunity	<i>webService static Apttus_Proposal__Proposal__c createProposalFromOpportunity(Id opptyId, Id recordTypeId)</i>

Request Parameter		
Name	Type	Description
opptyID	ID	The ID of the opportunity you need to retrieve values from.
recordTypepId	ID	Record Type of the proposal object

Response - Apttus_Proposal__Proposal__c		
Field	Type	Description
RecordTypepId	ID	Record Type of the proposal object
Apttus_Proposal__Proposal_Name__c	String	The name of the proposal.
Apttus_Proposal__Account__c	ID	The Id of the account associated with the proposal.
Apttus_Proposal__Opportunity__c	ID	The Id of the opportunity associated with the proposal.
Apttus_Proposal__Primary_Contact__c	ID	The primary contact associated with the proposal.
Apttus_Proposal__Description__c	String	The description of the proposal.
Apttus_Proposal__Primary__c	Boolean	Indicates whether the proposal is the primary quote to up
Apttus_Proposal__ReadyToGenerate__c	Boolean	Indicates whether the proposal is ready for generation.
Apttus_Proposal__ReadyToPresent__c	Boolean	Indicates whether the proposal is ready for presentation.
OwnerId	ID	The ID of the proposal object.
CurrencyIsoCode	String	The currency defined for the proposal.

Code Sample

The sample code below enables you to retrieve the proposal field values of the opportunity associated with the ID that you provide. You can use the standard *createRecord* API to create the proposal.

```

1  /**
2   * The below method demonstrates how to fetch the values proposal field
   values from an existing opporutnity
3   */
4   public static Apttus_Proposal__Proposal__c createProposal(Id
   opportunityID) {
5   Apttus_Proposal__Proposal__c newProposalSO = new
   Apttus_Proposal__Proposal__c();
6   ID proposalRecordTypeID = [select ID FROM recordType where
   sObjectType='Apttus_Proposal__Proposal__c' AND Name = 'Proposal' LIMIT 1].
   Id;
7   newProposalSO =
   Apttus_Proposal.ProposalWebService.createProposalFromOpportunity(opportuni
   tyID, proposalRecordTypeID);
8   return newProposalSO;
9   }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

- [Retrieve Proposal information](#)
- [Create Proposal record](#)

API Prerequisites

None.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTtt0u</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:createProposalFromOpportunity>
      <prop:opptyId>006Z000000Gr90D</prop:opptyId>
      <prop:recordTypeId>012i00000001ECb</prop:recordTypeId>
    </prop:createProposalFromOpportunity>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <createProposalFromOpportunityResponse>
      <result xsi:type="Apttus_Proposal__Proposal__c">
        <Id xsi:nil="true"/>
        <Apttus_Proposal__Account__c>001Z000001V13ovIAB</
Apttus_Proposal__Account__c>
        <Apttus_Proposal__Opportunity__c>006Z000000Gr90DIAZ</
Apttus_Proposal__Opportunity__c>
        <Apttus_Proposal__Primary__c>>false</Apttus_Proposal__Primary__c>
        <Apttus_Proposal__Proposal_Name__c>Auto_API_Opportunity</
Apttus_Proposal__Proposal_Name__c>
        <Apttus_Proposal__ReadyToGenerate__c>>true</
Apttus_Proposal__ReadyToGenerate__c>
        <Apttus_Proposal__ReadyToPresent__c>>true</
Apttus_Proposal__ReadyToPresent__c>
        <CurrencyIsoCode>USD</CurrencyIsoCode>
        <OwnerId>0050U000000r444QAA</OwnerId>
        <RecordTypeId>012i00000001ECbAAM</RecordTypeId>
      </result>
    </createProposalFromOpportunityResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Create Proposal

Use data from the Response to create the proposal. The following example uses the `createRecord()` method to create the Proposal object.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:enterprise.soap.sforce.com"
  xmlns:urn1="urn:subject.enterprise.soap.sforce.com"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBy2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTttOu</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects xsi:type="urn1:Apttus_Proposal__Proposal__c">
        <urn1:Apttus_Proposal__Proposal_Name__c>Auto_API_Opportunity</urn1:Ap
ttus_Proposal__Proposal_Name__c>
        <urn1:Apttus_Proposal__Account__c>001Z000001V13ovIAB</urn1:Apttus_Pro
posal__Account__c>
        <urn1:Apttus_Proposal__Primary__c>false</urn1:Apttus_Proposal__Primar
y__c>
        <urn1:Apttus_Proposal__ReadyToGenerate__c>true</urn1:Apttus_Proposal_
_RReadyToGenerate__c>
        <urn1:Apttus_Proposal__ReadyToPresent__c>true</urn1:Apttus_Proposal__
ReadyToPresent__c>
        <urn1:CurrencyIsoCode>USD</urn1:CurrencyIsoCode>
        <urn1:Apttus_Proposal__Opportunity__c>006Z000000Gr90D</urn1:Apttus_Pr
oposal__Opportunity__c>
        <urn1:Apttus_QPConfig__PriceListId__c>a1De0000001yPXQ</urn1:Apttus_QP
Config__PriceListId__c>
      </urn:sObjects>
    </urn:create>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <createProposalFromOpportunityResponse>
      <result xsi:type="Apttus_Proposal__Proposal__c">
        <Id xsi:nil="true"/>
        <Apttus_Proposal__Account__c>001Z000001V13ovIAB</
Apttus_Proposal__Account__c>
        <Apttus_Proposal__Primary__c>>false</Apttus_Proposal__Primary__c>
        <Apttus_Proposal__Proposal_Name__c>Auto_API_Account</
Apttus_Proposal__Proposal_Name__c>
        <Apttus_Proposal__ReadyToGenerate__c>>true</
Apttus_Proposal__ReadyToGenerate__c>
        <Apttus_Proposal__ReadyToPresent__c>>true</
Apttus_Proposal__ReadyToPresent__c>
        <CurrencyIsoCode>USD</CurrencyIsoCode>
        <OwnerId>0050U000000r444QAA</OwnerId>
      </result>
    </createProposalFromOpportunityResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Field Values from Proposal

This API fetches the field values of the proposal object that are required to clone from an existing proposal. You can use the fetched values to clone the proposal.

API	Signature
cloneProposal	<i>webService static Apttus_Proposal__Proposal__c cloneProposal(Id originalId)</i>

Request Parameter		
Name	Type	Description
proposalId	ID	The ID of the proposal you want to clone.

Response - Apptus_Proposal__Proposal__c		
Field	Type	Description
RecordTypeId	ID	Record Type of the proposal object
Apptus_Proposal__Proposal_Name__c	String	The name of the proposal.
Apptus_Proposal__Account__c	ID	The Id of the account associated with the proposal.
Apptus_Proposal__Primary_Contact__c	ID	The primary contact associated with the proposal.
Apptus_Proposal__Description__c	String	The description of the proposal.
Apptus_Proposal__Primary__c	Boolean	Indicates whether the proposal is the primary quote to up
Apptus_Proposal__ReadyToGenerate__c	Boolean	Indicates whether the proposal is ready for generation.
Apptus_Proposal__ReadyToPresent__c	Boolean	Indicates whether the proposal is ready for presentation.
OwnerId	ID	The ID of the proposal object.
CurrencyIsoCode	String	The currency defined for the proposal.

Code Sample

The sample code below enables you to retrieve the proposal field values from the proposal associated with the ID that you provide. You can use the standard *createRecord* API to create the new proposal.

```
1  /**
2   * The below code demonstrates how to fetch the fields values from an
   existing proposal
3   */
4  Apttus_Proposal__Proposal__c proposalS0 = new
   Apttus_Proposal__Proposal__c();
5  proposalS0 =
   Apttus_Proposal.ProposalWebService.cloneProposal(proposalID);
6  System.debug(proposalS0);
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

None.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/
ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTtt0u</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:cloneProposal>
      <prop:originalId>a0eZ0000005pF3U</prop:originalId>
    </prop:cloneProposal>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <cloneProposalResponse>
      <result xsi:type="Apttus_Proposal__Proposal__c">
        <Id xsi:nil="true"/>
        <ABOTerminate__c>_HL_ENCODED_/apex/
Apttus_QPConfig__ProposalConfiguration?id=a0eZ0000005pF3U&flow=ABOTerminate_HL__IM1_/
resource/Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
ABOTerminate__c>
        <Apttus_Proposal__Account__c>001Z000001UeYiiIAF</
Apttus_Proposal__Account__c>
        <Apttus_Proposal__Amount__c>0.00</Apttus_Proposal__Amount__c>
        <Apttus_Proposal__Approval_Stage__c>Draft</
Apttus_Proposal__Approval_Stage__c>
        <Apttus_Proposal__Generate__c>_HL_ENCODED_/apex/
Apttus_Proposal__ProposalGenerate?id=a0eZ0000005pF3U_HL__IM1_/resource/
Apttus_Proposal__Button_Generate_IM2_Generate_IM3__HL__self_HL_</
Apttus_Proposal__Generate__c>
        <Apttus_Proposal__Grand_Total__c>0.00</
Apttus_Proposal__Grand_Total__c>
        <Apttus_Proposal__MakePrimary__c>_HL_ENCODED_/apex/
Apttus_Proposal__ProposalMakePrimary?id=a0eZ0000005pF3U_HL__IM1_/resource/
Apttus_Proposal__Button_MakePrimary_IM2_Make_Primary_IM3__HL__self_HL_</
Apttus_Proposal__MakePrimary__c>
        <Apttus_Proposal__Net_Amount__c>0.00</Apttus_Proposal__Net_Amount__c>
        <Apttus_Proposal__Opportunity__c>006Z000000Gr90DIAZ</
Apttus_Proposal__Opportunity__c>
        <Apttus_Proposal__Payment_Term__c>Net 30 Days</
Apttus_Proposal__Payment_Term__c>
        <Apttus_Proposal__Present__c>_HL_ENCODED_/apex/
Apttus_Proposal__ProposalPresent?id=a0eZ0000005pF3U_HL__IM1_/resource/
Apttus_Proposal__Button_Present_IM2_Present_IM3__HL__self_HL_</
Apttus_Proposal__Present__c>
        <Apttus_Proposal__Preview__c>_HL_ENCODED_/apex/
Apttus_Proposal__ProposalGenerate?id=a0eZ0000005pF3U&action=Preview_HL__IM1_/
resource/Apttus_Proposal__Button_Preview_IM2_Preview_IM3__HL__self_HL_</
Apttus_Proposal__Preview__c>

```

```

        <Apttus_Proposal__Primary__c>false</Apttus_Proposal__Primary__c>
        <Apttus_Proposal__Proposal_Name__c>Test_CR003</
Apttus_Proposal__Proposal_Name__c>
        <Apttus_Proposal__ReadyToGenerate__c>true</
Apttus_Proposal__ReadyToGenerate__c>
        <Apttus_Proposal__ReadyToPresent__c>true</
Apttus_Proposal__ReadyToPresent__c>
        <Apttus_Proposal__Request_Approval__c>_HL_ENCODED_/servlet/
servlet.Integration?lid=01N700000009u2c&eid=a0eZ0000005pF3U_HL__IM1_/servlet/
servlet.ImageServer?
oid=00D70000000JXTN&id=01570000000e6nU_IM2_Submit_IM3__HL__blank_HL_</
Apttus_Proposal__Request_Approval__c>
        <Apttus_Proposal__Sales_Tax_Amount__c>0.00</
Apttus_Proposal__Sales_Tax_Amount__c>
        <Apttus_Proposal__SendProposal__c>_HL_ENCODED_/apex/
Apttus_Proposal__DocGen?id=a0eZ0000005pF3U&context=proposal&name=Q-01308003_HL__IM1_/
resource/Apttus_Proposal__Button_SendProposal_IM2_Send_Proposal_IM3__HL__self_HL_</
Apttus_Proposal__SendProposal__c>
        <Apttus_QPAsset__ConfigureWithAssets__c>_HL_ENCODED_/apex/
Apttus_QPAsset__ProposalConfiguration?id=a0eZ0000005pF3U_HL__IM1_/resource/
Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
Apttus_QPAsset__ConfigureWithAssets__c>
        <Apttus_QPConfig__AutoActivateOrder__c>false</
Apttus_QPConfig__AutoActivateOrder__c>
        <Apttus_QPConfig__AutoCreateBill__c>false</
Apttus_QPConfig__AutoCreateBill__c>
        <Apttus_QPConfig__AutoCreateRevenue__c>false</
Apttus_QPConfig__AutoCreateRevenue__c>
        <Apttus_QPConfig__BillingPreferenceId__c>a2ti0000000Fh9SAAS</
Apttus_QPConfig__BillingPreferenceId__c>
        <Apttus_QPConfig__ConfigureNG__c>_HL_ENCODED_/apex/
Apttus_QPConfig__ProposalConfiguration?id=a0eZ0000005pF3U&flow=NGDefault_HL__IM1_/
resource/Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
Apttus_QPConfig__ConfigureNG__c>
        <Apttus_QPConfig__Configure__c>_HL_ENCODED_/apex/
Apttus_QPConfig__ProposalConfiguration?id=a0eZ0000005pF3U&flow=Default_HL__IM1_/
resource/Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
Apttus_QPConfig__Configure__c>
        <Apttus_QPConfig__DisableCartVersioning__c>false</
Apttus_QPConfig__DisableCartVersioning__c>
        <Apttus_QPConfig__IsAutoAccepted__c>false</
Apttus_QPConfig__IsAutoAccepted__c>
        <Apttus_QPConfig__IsSystemGenerated__c>false</
Apttus_QPConfig__IsSystemGenerated__c>

```

```

        <Apttus_QPConfig__IsTaskPending__c>>false</
Apttus_QPConfig__IsTaskPending__c>
        <Apttus_QPConfig__PriceListId__c>a1De0000001yPXQE2</
Apttus_QPConfig__PriceListId__c>
        <Apttus_QPConfig__SourceChannel__c>Direct</
Apttus_QPConfig__SourceChannel__c>
        <Apttus_QPConfig__SyncAssetChangesToQuote__c>>true</
Apttus_QPConfig__SyncAssetChangesToQuote__c>
        <Apttus_QPConfig__UseType__c>Main</Apttus_QPConfig__UseType__c>
        <AsyncFinalize_CartGrid__c>_HL_ENCODED_/apex/
Apttus_QPConfig__ProposalConfiguration?
id=a0eZ0000005pF3U&flow=AutoCartGrid&asyncFinalize=true_HL__IM1_/resource/
Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
AsyncFinalize_CartGrid__c>
        <AutoCartGrid__c>_HL_ENCODED_/apex/
Apttus_QPConfig__ProposalConfiguration?id=a0eZ0000005pF3U&flow=AutoCartGrid_HL__IM1_/
resource/Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
AutoCartGrid__c>
        <AutoCartReadOnly__c>_HL_ENCODED_/apex/
Apttus_QPConfig__ProposalConfiguration?
id=a0eZ0000005pF3U&flow=AutoCartGrid&mode=readOnly_HL__IM1_/resource/
Apttus_QPConfig__Button_Configure_IM2_Configure_Products_IM3__HL__self_HL_</
AutoCartReadOnly__c>
        <CurrencyIsoCode>USD</CurrencyIsoCode>
        <IsDeleted>>false</IsDeleted>
        <Net_Amount__c>0.00</Net_Amount__c>
        <Numeric_Range_Field__c>1</Numeric_Range_Field__c>
        <OwnerId>0050U000000r444QAA</OwnerId>
        <Quote_Checkbox_21145__c>>false</Quote_Checkbox_21145__c>
        <RecordTypeId>012i00000001ECbAAM</RecordTypeId>
        <Region__c>India</Region__c>
        <SystemModstamp>2020-05-20T19:52:43.000Z</SystemModstamp>
    </result>
</cloneProposalResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Creating a Proposal

Use data from the Response to create the proposal. The following uses the `createRecord()` method to create the Proposal object.

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:urn="urn:partner.soap.sforce.com"
  xmlns:urn1="urn:subject.partner.soap.sforce.com">
  <soapenv:Header>
    <urn:SessionHeader>
      <urn:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTtt0u</urn:sessionId>
    </urn:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <urn:create>
      <urn:sObjects>
        <urn1:type>Apttus_Proposal__Proposal__c</urn1:type>
        <urn1:Apttus_Proposal__Account__c>001Z000001UeYiiIAF</urn1:Apttus_Pro
posal__Account__c>
        <urn1:Apttus_Proposal__Approval_Stage__c>Draft</urn1:Apttus_Proposal_
Approval_Stage__c>
        <urn1:Apttus_Proposal__Opportunity__c>006Z000000Gr90DIAZ</urn1:Apttus
_Proposal__Opportunity__c>
        <urn1:Apttus_Proposal__Payment_Term__c>Net 30 Days</urn1:Apttus_Propo
sal__Payment_Term__c>
        <urn1:Apttus_Proposal__Primary__c>>false</urn1:Apttus_Proposal__Primar
y__c>
        <urn1:Apttus_Proposal__Proposal_Name__c>Test_CR003-copy2</urn1:Apttus
_Proposal__Proposal_Name__c>
        <urn1:Apttus_Proposal__ReadyToGenerate__c>>true</urn1:Apttus_Proposal_
ReadyToGenerate__c>
        <urn1:Apttus_Proposal__ReadyToPresent__c>>true</urn1:Apttus_Proposal__
ReadyToPresent__c>
        <urn1:Apttus_QPConfig__AutoActivateOrder__c>>false</urn1:Apttus_QPConf
ig__AutoActivateOrder__c>
        <urn1:Apttus_QPConfig__AutoCreateBill__c>>false</urn1:Apttus_QPConfig_
AutoCreateBill__c>
        <urn1:Apttus_QPConfig__AutoCreateRevenue__c>>false</urn1:Apttus_QPConf
ig__AutoCreateRevenue__c>
        <urn1:Apttus_QPConfig__BillingPreferenceId__c>a2ti0000000Fh9SAAS</
urn1:Apttus_QPConfig__BillingPreferenceId__c>
        <urn1:Apttus_QPConfig__DisableCartVersioning__c>>false</urn1:Apttus_QP
Config__DisableCartVersioning__c>

```

```

        <urn1:Apttus_QPConfig__IsAutoAccepted__c>>false</urn1:Apttus_QPConfig_
_IsAutoAccepted__c>
        <urn1:Apttus_QPConfig__IsSystemGenerated__c>>false</urn1:Apttus_QPConf
ig__IsSystemGenerated__c>
        <urn1:Apttus_QPConfig__IsTaskPending__c>>false</urn1:Apttus_QPConfig__
IsTaskPending__c>
        <urn1:Apttus_QPConfig__PriceListId__c>a1De0000001yPXQEA2</urn1:Apttus
_QPConfig__PriceListId__c>
        <urn1:Apttus_QPConfig__SourceChannel__c>Direct</urn1:Apttus_QPConfig_
_SourceChannel__c>
        <urn1:Apttus_QPConfig__SyncAssetChangesToQuote__c>>true</urn1:Apttus_Q
PConfig__SyncAssetChangesToQuote__c>
        <urn1:Apttus_QPConfig__UseType__c>Main</urn1:Apttus_QPConfig__UseType
__c>

        <urn1:CurrencyIsoCode>USD</urn1:CurrencyIsoCode>
        <urn1:Numeric_Range_Field__c>1</urn1:Numeric_Range_Field__c>
        <urn1:OwnerId>0050U000000r444QAA</urn1:OwnerId>
        <urn1:Quote_Checkbox_21145__c>>false</urn1:Quote_Checkbox_21145__c>
        <urn1:RecordTypeId>012i00000001ECbAAM</urn1:RecordTypeId>
        <urn1:Region__c>India</urn1:Region__c>
    </urn:sObjects>
</urn:create>
</soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ur
n:partner.soap.sforce.com">
  <soapenv:Header>
  </soapenv:Header>
  <soapenv:Body>
    <createResponse>
      <result>
        <id>a0eZ0000005pFF1IAM</id>
        <success>>true</success>
      </result>
    </createResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Creating Proposal Line Items from Opportunity

This API creates proposal line items from opportunity line items, creates a task for the action and invokes custom the callback which extends the interface *CustomClass.IQuoteLifecycleCallback2*. This API is a callback action after the proposal is created from **createProposalFromOpportunity** API.

API	Signature
afterCreateFromOpportunity	<i>webservice static Boolean afterCreateFromOpportunity(Id proposalId)</i>

Request Parameter		
Name	Type	Description
proposalId	ID	The ID of the existing proposal.
Response Parameters		
Field	Type	Description
isSuccess	Boolean	Indicates whether the callback was successfully executed. The values are <i>true</i> and <i>false</i> .

Code Sample

The sample code below enables you to create proposal line items from the opportunity and create a new task for given proposalID.

```
1  /**
2   * The below code creates proposal line items from opportunity and create
3   * task for the proposal as callback actions.
4   * proposal from createProposalFromOpportunity API.
5   */
6  public Boolean afterCreateFromOpportunity(String proposalID) {
7      Boolean callbackStatus = false;
8      Apttus_Proposal__Proposal__c proposalSO = [SELECT Id
9          FROM Apttus_Proposal__Proposal__c
10         WHERE Name =: proposalID LIMIT 1];
11     callbackStatus =
12     Apttus_Proposal.ProposalWebService.afterCreateFromOpportunity(proposalSO.I
13     d);
14     return callbackStatus;
15 }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Proposal from an Opportunity](#)

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/
ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTttOu</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:afterCreateFromOpportunity>
      <prop:proposalId>a0eZ0000005pF3U</prop:proposalId>
    </prop:afterCreateFromOpportunity>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Body>
    <afterCreateFromOpportunityResponse>
      <result>>true</result>
    </afterCreateFromOpportunityResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Updating a Proposal

This API updates proposal object field values.

API	Signature
updateProposal	<i>webservice static Boolean updateProposal(Apttus_Proposal__Proposal__c proposalSO)</i>

Request Parameter		
Name	Type	Description
proposalSO	Apttus_Proposal__Proposal__c	The proposal SObject

Response - Apttus_Proposal_Proposal_c		
Field	Type	Description
updateStatus	Boolean	Indicated whether the update was successful. The values returned are <i>true</i> and <i>false</i> .

Code Sample

The sample below enables you to update the proposal object field values.

```

1  /**
2   * The below method demonstrates how to update description for already
   created proposal
3   */
4   public Boolean updateProposal(String proposalName)
5   {
6       Boolean updateStatus = false;
7       Apttus_Proposal__Proposal__c proposalSO = [SELECT Id FROM
Apttus_Proposal__Proposal__c WHERE Name = :proposalName LIMIT 1];
8
9       // assign new value to the proposal fields one by one.
10      proposalSO.Apttus_Proposal__Description__c = 'Updated through
updateProposal API';
11      updateStatus =
Apttus_Proposal.ProposalWebService.updateProposal(proposalSO);
12      return updateStatus;
13  }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQBtZlu4.YeuaMdf45TpRUpKEgxgWi30zUbCO161kylPP_RfOfumgPPciWIOobZst4.nxzgnmtZ0s3hLjb
UCWziADgmb</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:updateProposal>
      <prop:proposalS0>
        <prop:Id>a0eZ0000005pG5N</prop:Id>
        <prop:Apttus_QPConfig__PriceListId__c>a1DZ0000002mg5n</prop:Apttus_QP
Config__PriceListId__c>
        <prop:Apttus_Proposal__Account__c>001Z000001UtoRL</prop:Apttus_Propos
al__Account__c>
      </prop:proposalS0>
    </prop:updateProposal>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Body>
    <updateProposalResponse>
      <result>>true</result>
    </updateProposalResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Cloning Email Template

Clones an email template.

Prerequisite:

The email template you are cloning must exist in your org.

API	Signature
cloneEmailTemplate	<i>webService static Id cloneEmailTemplate(Id originalId)</i>

Request Parameter		
Name	Type	Description
originalId	ID	The ID of email template you want to clone.

Response - Apttus_Proposal_Proposal_c		
Field	Type	Description
newTemplateId	ID	The ID of the cloned email template.

Code Sample

The sample code below enables you to clone an email template and get the ID of the cloned email template.

```

1  /**
2   * The below code demonstrates how to clone from existing email template.
3   */
4  Public Id cloneMailTemplate(Id originalID) {
5      Id newTemplateId =
6      Apttus_Proposal.ProposalWebService.cloneEmailTemplate(originalID);
7      return newTemplateId;
8  }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

None.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/
ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTttOu</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:cloneEmailTemplate>
      <prop:originalId>a09i000000TGec8</prop:originalId>
    </prop:cloneEmailTemplate>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Body>
    <cloneEmailTemplateResponse>
      <result>00XZ000000000333MAA</result>
    </cloneEmailTemplateResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Cloning Document Templates

This API clones all the attachments and files associated with the source email template and associate them with the newly cloned email template. This API is a callback API of *cloneEmailTemplate* API.

API	Signature
afterEmailTemplateClone	<i>webservice static Boolean afterEmailTemplateClone(Id originalId, Id cloneId)</i>

Request Parameter		
Name	Type	Description
originalId	ID	The ID of email template you want to clone.
cloneId	ID	The ID of the cloned proposal where you want to clone the attachments or files.

Response Parameter		
Field	Type	Description
isSuccess	Boolean	Indicates whether the cloning of the document template was successful. The values are <i>true</i> and <i>false</i> .

Code Sample

The sample code below allows you to clone an email template and attachments or files from the parent email template and associate to the newly cloned email template.

```

1  /**
2   * The below code clone email template and the callback function of
3   * cloning the document template from the source
4   * and associate with the cloned email template. It returns boolean based
5   * on the status of after clone action.
6   */
7  public Boolean AfterCloneEmailTemplate(Id SsourceID) {
8      Boolean afterCloneAPIStatus = false;
9      Id clonedId =
10     Apttus_Proposal.ProposalWebService.cloneEmailTemplate(SsourceID);
11     afterCloneAPIStatus =
12     Apttus_Proposal.ProposalWebService.afterEmailTemplateClone(SsourceID,
13     clonedId);
14     return afterCloneAPIStatus;
15 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Cloning Email Template](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTtt0u</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:afterEmailTemplateClone>
      <prop:originalId>a09i000000TGec8</prop:originalId>
      <prop:cloneId>a09Z000000E2y3l</prop:cloneId>
    </prop:afterEmailTemplateClone>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService">
  <soapenv:Body>
    <afterEmailTemplateCloneResponse>
      <result>>true</result>
    </afterEmailTemplateCloneResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Getting the Proposal Document Output Format

This API retrieves the proposal document output format for a specific user profile.

API	Signature
<code>getDefaultOutputFormat</code>	<i>webservice static</i> <i>Apttus_Proposal__Proposal_Document_Output_Format__c</i> <i>getDefaultOutputFormat(Id profileId, Id recordTypeId)</i>

Request Parameter		
Name	Type	Description
<code>profileId</code>	ID	The ID of the profile.
<code>recordTypeId</code>	ID	Record Type of the proposal object

Response - Apttus_Proposal__Proposal__c		
Field	Type	Description
<code>Id</code>	ID	Record ID of the proposal.
<code>Name</code>	String	The name of the proposal
<code>Apttus_Proposal__Profile_Id__c</code>	ID	The Id of the profile.
<code>Apttus_Proposal__Output_Format__c</code>	String	The document output format (For example PDF, RTF or DOC or DOCX)
<code>Apttus_Proposal__IncludeWatermark__c</code>	Boolean	Indicates whether a watermark is added to the document.
<code>Apttus_Proposal__AllowOverride__c</code>	Boolean	Indicates whether you are allowed to override the default output format during the quote/proposal document generation process.
<code>Apttus_Proposal__AllowOverrideWatermark__c</code>	Boolean	Indicates whether you are allowed to override the default watermark setting during the quote/proposal document generation process.
<code>Apttus_Proposal__Proposal_Type_Id__c</code>	String	The type of proposal

Response - Apttus_Proposal__Proposal__c		
Field	Type	Description
CurrencyIsoCode	String	The currency defined for the proposal.

Code Sample

The sample code below enabled you to retrieve the proposal document output format for the given user profile and record type name.

```

1  /**
2   * The below code demonstrates how to get the document output format for
3   * given profile name.
4   */
5  Public Static Id getProfileID (String profileName)
6  {
7      return [SELECT id FROM profile WHERE Name =: profileName LIMIT 1].Id;
8  }
9  public Id getProposalRecordTypeId(String proposalRecordTypeName)
10 {
11     return [SELECT ID
12             FROM recordType
13             WHERE sObjectType='Apttus_Proposal__Proposal__c'
14             AND Name =: proposalRecordTypeName
15             LIMIT 1].Id;
16 }
17 Public static Apttus_Proposal__Proposal_Document_Output_Format__c
18 getDocumentOutputFormat (String profileName, String recordTypeName )
19 {
20     ID profileID = getProfileID(profileName);
21     ID proposalRecordTypeId = getProposalRecordTypeId(recordTypeName);
22     Apttus_Proposal__Proposal_Document_Output_Format__c outputFormatSO =
23     new Apttus_Proposal__Proposal_Document_Output_Format__c();
24     outputFormatSO =
25     Apttus_Proposal.ProposalWebService.getDefaultOutputFormat();
26     return outputFormatSO;
27 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

None.

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:prop="http://soap.sforce.com/schemas/class/Apttus_Proposal/
ProposalWebService">
  <soapenv:Header>
    <prop:SessionHeader>
      <prop:sessionId>00DZ000000NAEIA!
ASAAQKosATSpsGeD7FUh4RDI18xnzIFPe80Mk89ejrAmDrCBY2lmyJKQjKvuwj3TvT71r6g_epvbo6FeqKUPf
mSookHTtt0u</prop:sessionId>
    </prop:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <prop:getDefaultOutputFormat>
      <prop:profileId>00eZ0000000Uhn</prop:profileId>
      <prop:recordTypeId>012i00000001ECb</prop:recordTypeId>
    </prop:getDefaultOutputFormat>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="http://soap.sforce.com/schemas/class/Apttus_Proposal/ProposalWebService" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getDefaultOutputFormatResponse>
      <result xsi:type="Apttus_Proposal__Proposal_Document_Output_Format__c">
        <Id>a0bZ00000008cMKnIAM</Id>
        <Apttus_Proposal__AllowOverrideWatermark__c>true</
Apttus_Proposal__AllowOverrideWatermark__c>
        <Apttus_Proposal__Allow_Override__c>true</
Apttus_Proposal__Allow_Override__c>
        <Apttus_Proposal__IncludeWatermark__c>true</
Apttus_Proposal__IncludeWatermark__c>
        <Apttus_Proposal__Output_Format__c>DOCX</
Apttus_Proposal__Output_Format__c>
        <Apttus_Proposal__Profile_Id__c>00eZ00000000UhnIAC</
Apttus_Proposal__Profile_Id__c>
        <Apttus_Proposal__Proposal_Type_Id__c>012i00000001ECbAAM</
Apttus_Proposal__Proposal_Type_Id__c>
        <Name>a0bZ00000008cMKn</Name>
      </result>
    </getDefaultOutputFormatResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Copying Attachments

This API copies an attachment to the destination record.

API	Signature
copyAttachment	<i>webservice static Boolean copyAttachment(Id destParentId, Id attId)</i>

Request Parameter		
Name	Type	Description
destParentId	ID	The ID of the destination parent record.
attId	ID	The ID of the attachment you want to copy.

Response Parameter		
Field	Type	Description
isSuccess	Boolean	Indicates whether the copy was successful

Code Sample

The sample code below enables you to clone an attachment from any parent record and assign it to the destination SObject record.

```

1  /**
2   * The below code demonstrates how to copy from existing attachment and
3   * associate with given parent ID.
4   */
5  public Boolean createAttachment (String attachmentName, String proposalID)
6  {
7      Boolean isSuccess;
8      Id proposalSOID = [SELECT Id FROM Apttus_Proposal__Proposal__c WHERE
9      Name = :proposalID LIMIT 1].Id;
10     Id attachmentID = [SELECT Id FROM Attachment WHERE Name
11     = :attachmentName LIMIT 1].Id;
12     isSuccess =
13     Apttus_Proposal.ProposalWebService.copyAttachment(proposalSOID,
14     attachmentID);
15     return isSuccess;
16 }

```

Creating a Task After Proposal is Presented

This API changes the approval status of a proposal to *Presented* and creates a task.

API	Signature
afterPresent	<i>webservice static Boolean afterPresent(Id proposalId)</i>

Request Parameter		
Name	Type	Description
proposalId	ID	The ID of the proposal

Response Parameter		
Field	Type	Description
isSuccess	Boolean	Indicates whether the approval status was changed and task creation was successful

Code Sample

The sample code below enables you to change the approval status of a proposal to *Presented* and create a task for the given proposal.

```

1  /**
2   * The below code demonstrates the task creation after changing approval
3   * status to 'Presented'
4   */
5  public Boolean afterPresent(String proposalName)
6  {
7      Boolean isSuccess;
8      Id proposalSOID = [SELECT Id FROM Apttus_Proposal__Proposal__c WHERE
9      Name = :proposalName LIMIT 1].Id;
10     isSuccess =
11     Apttus_Proposal.ProposalWebService.afterPresent(proposalSOID);
12     return isSuccess;
13 }

```

Retrieving Name of the First Template

The API retrieves the name of the first template associated with the given proposal.

API	Signature
<code>selectFirstTemplateNameForProposal</code>	<i>webService static String selectFirstTemplateNameForProposal(Id proposalId)</i>

Request Parameter		
Name	Type	Description
proposalId	ID	The ID of the proposal.

Response Parameter		
Field	Type	Description
templateName	String	The name of the first template.

Code Sample

The sample code below enables you to get the first template name associated to the given proposal.

```

1  /**
2   * The below code gets first template name.
3   */
4  public String selectFirstTemplateNameForProposal(String proposalName)
5  {
6      String templateName;
7      Id proposalSOID = [SELECT Id FROM Apttus_Proposal__Proposal__c WHERE
8      Name = :proposalName LIMIT 1].Id;
9      templateName =
10     Apttus_Proposal.ProposalWebService.selectFirstTemplateNameForProposal(prop
11     osalSOID);
12     return templateName;
13 }

```

Retrieving Templates in a Proposal

The API retrieves the templates associated with the given proposal.

API	Signature
getTemplatesForProposal	<i>webService static List getTemplatesForProposal(Id proposalId, String proposalType)</i>

Request Parameter		
Name	Type	Description
proposalId	ID	The ID of the proposal.
proposalType	String	The type of template to query

Response Parameter		
Field	Type	Description
templateSOs	List<Apttus__APTS_Template__c>	The list of templates matching the configured query criteria.

Code Sample

The sample code below enables you to retrieve the list of templates for the given proposal.

```

1  /**
2   * The below code demonstrates how to get list of template records for the
3   * given proposal
4   */
5  public List<Apttus__APTS_Template__c> getTemplatesForProposal(String
6  proposalName)
7  {
8      Id proposalSOID = [SELECT Id FROM Apttus_Proposal__Proposal__c WHERE
9      Name =: proposalName LIMIT 1].Id;
10     List<Apttus__APTS_Template__c> templateSOs = new
11     List<Apttus__APTS_Template__c>();
12     templateSOs =
13     Apttus_Proposal.ProposalWebService.getTemplatesForProposal(proposalSOID,
14     'Proposal');
15     return templateSOs;
16 }

```

Deleting an Email Template

The API deletes an email template.

API	Signature
deleteEmailTemplate	<i>webService static Boolean deleteEmailTemplate(Id templateId)</i>

Request Parameter		
Name	Type	Description
templateId	ID	The ID of the email template subject you want to delete.

Response Parameter		
Field	Type	Description
isDeleted	Boolean	Indicates whether the email template was deleted.

Code Sample

The sample code below enables you to delete an email template and return the status of the delete action.

```

1  /**
2   * The below code demonstrates how to delete existing email template.
3   */
4  Public Boolean deleteMailTemplate(Id templateId)
5  {
6      Boolean isDeleted =
7      Apttus_Proposal.ProposalWebService.deleteEmailTemplate(templateId);
8      return isDeleted;
9  }

```

Batch Update Service

The Batch Update Services enable you to update the single and multiple Category Views.

You can invoke APIs in Batch Update Service using the following command:

```
Apttus_CPQApi.BatchUpdateService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

In this section:



Updating Category Hierarchy for a single Category

This method allows you to run the Category maintenance for a single category. This is applicable to only those categories which have products associated to them. You can invoke this API when a user clicks **Update View** button in the Category Hierarchy.

API		Signature
updateCategoryView		<i>static Id updateCategoryView(Id hierarchyId)</i>
Request Parameter		
Name	Type	Description
hierarchyId	ID	This is the ID of the category hierarchy record.
Response Parameter		
Name	Type	Description
apexBatchJobId	ID	The ID of the Batch Job run.

Code sample

The code described below is used to run the Category Maintenance after you associate new products or modify the existing products under a category. You can also use this API when associate a Price List Item to a Category, under the related list, Price List Category. This method takes up the ID of the category hierarchy record and returns the Batch job ID after success.

```

public void updateCategoryView(String categoryName)
{
    List<Apttus_Config2__ClassificationHierarchy__c> categoryList = [SELECT ID FROM
Apttus_Config2__ClassificationHierarchy__c WHERE Name =: categoryName];
    String hierarchyId = categoryList[0].ID;
    ID apexBatchJobId =
Apttus_CpqApi.BatchUpdateService.updateCategoryView(hierarchyId);
    ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'Apex Batch
Job Id : ' + apexBatchJobId));
}

```

Updating Category Hierarchy for multiple Categories

This method allows you to run the Category maintenance for multiple categories. This is applicable to only those categories which have products associated to them. You can invoke this API when a user clicks **Update View** button in the Category Hierarchy.

API		Signature
updateCategoryViews		<i>static Id updateCategoryViews(Set hierarchyIds)</i>
Request Parameter		
Name	Type	Description
hierarchyIds	Set<ID>	This is the set containing the IDs of the category hierarchy records.
Response Parameter		
Name	Type	Description
apexBatchJobId	ID	The ID of the Batch Job run.

Code sample

The code described below is used to run the Category Maintenance for multiple Category Hierarchies after you associate new products or modify the existing products under multiple categories. You can also use this API when associate a Price List Item to a Category, under

the related list, Price List Category. This method takes up the set of IDs of the category hierarchy records and returns the Batch job ID after success.

```
public void updateCategoryViews(List<String> categoryNames)
{
    Set<ID> hierarchyIds = new Set<ID>();
    for(String categoryName : categoryNames)
    {
        List<Apttus_Config2__ClassificationHierarchy__c> categoryList = [SELECT ID
FROM Apttus_Config2__ClassificationHierarchy__c WHERE Name =: categoryName];
        hierarchyIds.add(categoryList[0].ID);
    }

    ID apexBatchJobId =
Apttus_CPQApi.BatchUpdateService.updateCategoryViews(hierarchyIds);

    ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'Apex Batch
Job Id : ' + apexBatchJobId));
}
```

CPQ Web Service(Apttus_CPQApi)

You can invoke APIs in CPQ Web Service(Apttus_CPQApi) from the following command:

```
Apttus_CPQApi.CPQWebService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

You can use the CPQ web service APIs to complete the following tasks:



Creating a Cart from a Quote

This API creates a cart for the quote or proposal referenced by QuoteID. The quote or proposal must be associated with a price list.

API	Signature
createCart	<i>webservice static Apttus_CPQApi.CPQ.CreateCartResponseDO createCart(Apttus_CPQApi.CPQ.CreateCartRequestDO request)</i>

Parameters			
Name	Type	Required?	Description
request	Apttus_CPQApi.CPQ.CreateCartRequestDO	Yes	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.CreateCartRequestDO		
Field	Type	Description
Properties	List<Apttus_CPQApi.CPQ.PropertyDO>	The list of properties applicable to the cart
QuoteID	ID	The id of the quote/proposal to be associated with the cart.

Data Object - Apttus_CPQApi.CPQ.PropertyDO		
Field	Type	Description
Name	String	Specify the features applicable to the cart. Applicable values are: <ul style="list-style-type: none"> useAdvancedApproval: Enables Advanced Approval for a cart. useDealOptimizer: Enables Deal Optimizer for a cart
Value	String	The applicable values are true or false. Specifying the value as true enables the feature for a cart.

Response Data Object - Apttus_CPQApi.CPQ.CreateCartResponseDO		
Field	Type	Description
CartId	ID	The ID of the newly created cart object

Code Sample

The sample below enables you to create a cart for a valid quote with a Quote ID. Using the sample below, you can search for a valid quote using a quote number. If a quote exists with the quote number entered, you can create a cart using the createCart API or you will be prompted with a message to enter a valid quote number. You can invoke this API in use cases when you want to show a cart page based on the quote. For example for a realized opportunity, you can create a quote. Based on a valid quote ID, you can create a cart using this API.


```

1  /**
2   * The below method demonstrates how to create a cart for a quote
3   */
4  public static void createCart(String quoteNumber) {
5
6      List<Apttus_Proposal__Proposal__c> quote = [SELECT Id FROM
Apttus_Proposal__Proposal__c WHERE Name = :quoteNumber LIMIT 1];
7
8      if(!quote.isEmpty()) {
9
10         // Create the request object
11         Apttus_CPQApi.CPQ.CreateCartRequestDO request = new
Apttus_CPQApi.CPQ.CreateCartRequestDO();
12         request.QuoteId = quote.get(0).Id;
13
14         // Excute the createCart routine
15         Apttus_CPQApi.CPQ.CreateCartResponseDO response =
Apttus_CPQApi.CPQWebService.createCart(request);
16
17         System.debug('Cart has been successfully created. CartId = ' +
response.CartId);
18     }
19 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

None.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQLOWqt9rvkoE67lP.NXIamuJl0mjoOR6a_l0vkPoATAH.gKFFRWManncKXN0KGY92akqlxsM0ze0lRfEr
g4V2LtI03XQ</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:createCart>
      <cpq:request>
        <cpq1:QuoteId>a0c4P00000GKQzL</cpq1:QuoteId>
      </cpq:request>
    </cpq:createCart>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:CreateCartResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <createCartResponse>
      <result>
        <CreateCartResponseDO:CartId>a10Z00000002YK9rMAG</CreateCartResponseDO:
CartId>
      </result>
    </createCartResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Categories for a Price List

This API is used to get the unique list of categories for all the products within the specified price list.

API	Signature
getCategoriesForPriceList	<i>webservice static Apttus_CPQApi.CPQ.CategorySearchResultDO getCategoriesForPriceList(Id priceListId)</i>

Parameters			
Name	Type	Required?	Description
priceListId	ID	Yes	The id of the price list

Response Data Object - Apttus_CPQApi.CPQ.CategorySearchResultDO		
Field	Type	Description
Categories	List<Apttus_CPQApi.CPQ.CategoryDO>	The list of category data objects.
HasCategories	Boolean	Indicates if there are categories for the price list.

Data Object - Apttus_CPQApi.CPQ.CategoryDO		
Field	Type	Description
CategoryId	ID	The Id of the category.
ChildCategories	List<Apttus_CPQApi.CPQ.CategoryDO>	The list of child category data objects associated with the category.
HasChildCategories	Boolean	Indicates if the category has child categories.
Name	String	The category name.
ParentCategoryId	ID	The Id of the parent category.
ProductCount	Integer	The number of products within a category.

Code Sample

The code sample below enables you to search for categories based on the pricelist ID. All the categories and subcategories associated with the price list are displayed. You can search for categories associated with a price list till the nth level. You can provide a search field on the cart page that enables the user to search for products by categories. For example, your cart page has multiple categories, such as Laptop, camera, Desktop, Accessories and so on. The user should be able to search for products by category by entering category name such as laptop. Use this API to invoke the categories and its associated sub-categories of products and then display it to the user.

```

public void executeSearch()
{
    //Query for fetching pricelist id by querying price list name
    List<Apttus_Config2__PriceList__c> priceListItemList = [select id
    from Apttus_Config2__PriceList__c
    where name = :priceListName limit 1];

    //If an id is returned in the list execute the getCategoryesforpricelist API.
    if(priceListItemList.size() > 0)
    {
        priceListId = priceListItemList[0].ID;
        Apttus_CPQApi.CPQ.CategorySearchResultDO result =
Apttus_CPQApi.CPQWebService.getCategoriesForPriceList(priceListId);
        lstwrap = New List<CategoryWrapperClass>();
        For( Apttus_CPQApi.CPQ.CategoryDO catresult : result.Categories)
        {
            CategoryWrapperClass wrap = New CategoryWrapperClass();
            wrap.CategoryId = catresult.CategoryId;
            wrap.categoryName = catresult.name;
            lstwrap.add(wrap);
            //If a category has sub categories fetch the sub-category name and id
            if(catresult.HasChildCategories)
            {
                For( Apttus_CPQApi.CPQ.CategoryDO subcatresult :
catresult.ChildCategories)
                {
                    CategoryWrapperClass subwrap = New CategoryWrapperClass();
                    subwrap.CategoryId = subcatresult.CategoryId;
                    subwrap.categoryName = subcatresult.name;
                    lstwrap.add(subwrap);
                    // If the sub category has child categories fetch the sub
category name and ID.
                    if(subcatresult.HasChildCategories)
                    {
                        For( Apttus_CPQApi.CPQ.CategoryDO subsubcatresult :
subcatresult.ChildCategories)
                        {
                            CategoryWrapperClass subsubwrap = New
CategoryWrapperClass();

                            subsubwrap.CategoryId = subsubcatresult.CategoryId;
                            subsubwrap.categoryName = subsubcatresult.name;
                            lstwrap.add(subsubwrap);
                        }
                    }
                }
            }
        }
    }
}

```

```

        }
    }
}
}
//If no Price List exists with the searched string name execute the else
condition
else
{
    lstwrap = New List<CategoryWrapperClass>();
    ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'Category
Name not found. Please enter valid Category Name.));
}
}

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQN7k3xhhvMe.j.8gpR.ijcGq77HJeF4MEDfbxbBAqZ8r4WWNTv30Vb6o1bjtHJLbq5mvHcuAH_ie6sTC3
DzrWgnLdUuD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getCategoriesForPriceList>
      <cpq:priceListId>a1DZ0000002mg5n</cpq:priceListId>
    </cpq:getCategoriesForPriceList>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:CategorySearchResultDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/
CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getCategoriesForPricelistResponse>
      <result>
        <CategorySearchResultDO:Categories>
          <CategorySearchResultDO:CategoryId>a0nZ00000003x6pLIAQ</
CategorySearchResultDO:CategoryId>
          <CategorySearchResultDO:HasChildCategories>>false</
CategorySearchResultDO:HasChildCategories>
          <CategorySearchResultDO:Name>Auto_API_Category</
CategorySearchResultDO:Name>
          <CategorySearchResultDO:ParentCategoryId xsi:nil="true"/>
          <CategorySearchResultDO:ProductCount>15</CategorySearchResultDO:P
roductCount>
        </CategorySearchResultDO:Categories>
        <CategorySearchResultDO:HasCategories>>true</CategorySearchResultDO:Ha
sCategories>
      </result>
    </getCategoriesForPricelistResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Products and List Prices for a Price List

This API is used to get the list of all the products within the specified price list. This API automatically takes into consideration product visibility rules and will enforce them if applicable. For more information on Configuring Product Visibility, see the *CPQ on Salesforce Administrator Guide*.

API	Signature
getProductsForPriceList	<pre> webService static Apttus_CPQApi.CPQ.ProductSearchResultDO getProductsForPriceList(Id priceListId) </pre>

Parameters		
Name	Type	Description
priceListId	ID	The id of the price list.

Response Data Object - Apttus_CPQApi.CPQ.ProductSearchResultDO		
Field	Type	Description
HasProducts	Boolean	This returns true if the list of product data objects is not empty.
Products	List<Apttus_CPQApi.CPQ.ProductDO>	The list of product data objects.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
ContentUrl	String	The product content location.
Description	String	The product description.
HasPrices	Boolean	Indicates if there are list prices for the product.
HasProperties	Boolean	Indicates if there are properties set for the product.
ImageUrl	String	The location of the image, if there is one, associated with the product.
Name	String	The product name.
Prices	List<Apttus_CPQApi.CPQ.PriceDO>	The list of price data objects.
ProductCode	String	The product code.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
ProductId	ID	The Id of the product.
Property	List<Apttus_CPQApi.CPQ.PropertyDO>	The list of property data objects.

Data Object - Apttus_CPQApi.CPQ.PriceDO		
Field	Type	Description
ChargeType	String	The charge type.
Priceltem	Apttus_Config2__PriceListItem__c object	The price list items for a price list.
Value	Decimal	The list price.

Data Object - Apttus_CPQApi.CPQ.PropertyDO		
Field	Type	Description
Name	String	The name of the property.
Value	Decimal	The value of a property.

Code Sample

Using the sample you can show the user the list of products for a particular price list. For example if you have a price list created for a particular company, the user can search the price list by name and view all the products associated with that price list. For example, when a user searches for badger price list and clicks search, invoke the `getProductsForPriceList` API in which you pass the `pricelistID` as a parameter. Fetch and then display all the product components to the user such as Machinery, standard price, quantity and name and description of the product.

```

1  public void getProductsForPriceList()
2  {
3      //If the priceList name by which the user searches the price list
4      exists fetch the ID.
5      if(priceListId == null || priceListId== '0')
6      {
7          List<Apttus_Config2__PriceList__c> priceListItemList = [select id
8          from Apttus_Config2__PriceList__c where Name = :priceListName limit 1];
9          //If the priceListItem exists, the list size >0 assign the ID at
10         the 0th position of the list to priceListId
11         if(priceListItemList.size() > 0)
12         {
13             priceListId = priceListItemList[0].ID;
14         }
15         else
16         {
17             lstProductwrapAll = New List<ProductWrapperClass>();
18             lstProductwrap = New List<ProductWrapperClass>();
19             return;
20         }
21     }
22
23     //Fetch id
24     Apttus_CPQApi.CPQ.ProductSearchResultDO productResult =
25     Apttus_CPQApi.CPQWebService.getProductsForPriceList(priceListId);
26     productCount = 'Product Count: ' + productResult.Products.size();
27     lstProductwrapAll = New List<ProductWrapperClass>();
28     lstProductwrap = New List<ProductWrapperClass>();
29
30     //For the fetched pricelistID fetch and display the following
31     For(Apttus_CPQApi.CPQ.ProductDO catresult : productResult.Products)
32     {
33         ProductWrapperClass wrap = New ProductWrapperClass ();
34         wrap.ProductId = catresult.ProductId;
35         wrap.ProductCode= catresult.ProductCode;
36         wrap.ProductName=catresult.Name;
37         wrap.Description=catresult.Description;
38         wrap.ImageUrl=catresult.ImageUrl;
39         wrap.ContentUrl=catresult.ContentUrl;
40         wrap.HasPrices=catresult.HasPrices;
41         wrap.Prices=catresult.Prices;
42         wrap.Quantity=1;
43         lstProductwrapAll.add(wrap);

```

```

40     }
41 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQN7k3xhhvMe.j.8gpR.ijcGq77HJeF4MEDfbxbBAqZ8r4WWNTv30Vb6o1bjtHJLbq5mvHcuAH_ie6sTC3
DzrWgnLdUuD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getProductsForPriceList>
      <cpq:priceListId>a1De0000001yPXQ</cpq:priceListId>
    </cpq:getProductsForPriceList>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:ProductSearchResultDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getProductsForPriceListResponse>
      <result>
        <ProductSearchResultDO:HasProducts>true</ProductSearchResultDO:HasProducts>
        <ProductSearchResultDO:Products>
          <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
          <ProductSearchResultDO:Description xsi:nil="true"/>
          <ProductSearchResultDO:HasPrices>true</ProductSearchResultDO:HasPrices>
          <ProductSearchResultDO:HasProperties>false</ProductSearchResultDO:HasProperties>
          <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
          <ProductSearchResultDO:Name>AutoQuoteBundle1</ProductSearchResultDO:Name>
          <ProductSearchResultDO:Prices>
            <ProductSearchResultDO:ChargeType>Standard Price</ProductSearchResultDO:ChargeType>
            <ProductSearchResultDO:PriceItem xsi:type="Apttus_Config2__PriceListItem__c">
              <Id>a1Ce0000003fQ1QEAU</Id>
              <Apttus_Config2__Active__c>true</Apttus_Config2__Active__c>
              <Apttus_Config2__AllocateGroupAdjustment__c>true</Apttus_Config2__AllocateGroupAdjustment__c>
              <Apttus_Config2__AllowManualAdjustment__c>true</Apttus_Config2__AllowManualAdjustment__c>
              <Apttus_Config2__AllowProration__c>false</Apttus_Config2__AllowProration__c>
              <Apttus_Config2__ChargeType__c>Standard Price</Apttus_Config2__ChargeType__c>
              <Apttus_Config2__ListPrice__c>100.00000</Apttus_Config2__ListPrice__c>
            </ProductSearchResultDO:PriceItem>
          </ProductSearchResultDO:Prices>
        </ProductSearchResultDO:Products>
      </result>
    </getProductsForPriceListResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

```

        <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1De0000001yPXQE2</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01te0000005NGpDAAW</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01te0000005NGpDAAW</Id>
            <Name>AutoQuoteBundle1</Name>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000538767</Name>
    </ProductSearchResultDO:PriceItem>
    <ProductSearchResultDO:Value>100.00000</ProductSearchResultDO:
Value>

    </ProductSearchResultDO:Prices>
    <ProductSearchResultDO:ProductCode xsi:nil="true"/>
    <ProductSearchResultDO:ProductId>01te0000005NGpDAAW</
ProductSearchResultDO:ProductId>
    </ProductSearchResultDO:Products>
    <ProductSearchResultDO:Products>
        <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
        <ProductSearchResultDO:Description xsi:nil="true"/>
        <ProductSearchResultDO:HasPrices>true</ProductSearchResultDO:HasP
rices>

        <ProductSearchResultDO:HasProperties>>false</ProductSearchResultDO:
HasProperties>

        <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
        <ProductSearchResultDO:Name>AutoQuoteBundle2</
ProductSearchResultDO:Name>
        <ProductSearchResultDO:Prices>
            <ProductSearchResultDO:ChargeType>Standard Price</
ProductSearchResultDO:ChargeType>
            <ProductSearchResultDO:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1Ce00000003fQ2EEAU</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>

```

```

        <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
        <Apttus_Config2__AllowProration__c>false</
Apttus_Config2__AllowProration__c>
        <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
        <Apttus_Config2__ListPrice__c>100.00000</
Apttus_Config2__ListPrice__c>
        <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1De0000001yPXQE2</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01te0000005NGpNAAW</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01te0000005NGpNAAW</Id>
            <Name>AutoQuoteBundle2</Name>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000538772</Name>
    </ProductSearchResultD0:PriceItem>
    <ProductSearchResultD0:Value>100.00000</ProductSearchResultD0:
Value>
        </ProductSearchResultD0:Prices>
    <ProductSearchResultD0:ProductCode xsi:nil="true"/>
    <ProductSearchResultD0:ProductId>01te0000005NGpNAAW</
ProductSearchResultD0:ProductId>
    </ProductSearchResultD0:Products>
</result>
</getProductsForPriceListResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Retrieving Products and List Prices for a Price List and Category

This API is used to get the list of products and related list prices for a specified category in the price list. This API automatically takes into consideration product visibility rules and

will enforce them if applicable. For more information on Configuring Product Visibility, see the *CPQ on Salesforce Administrator Guide*.

API	Signature
<code>getProductsForPriceListCategory</code>	<i>webservice static</i> <i>Apttus_CPQApi.CPQ.ProductSearchResultDO</i> <i>getProductsForPriceListCategory(Id priceListId, Id categoryId)</i>

Parameters		
Name	Type	Description
priceListId	ID	The id of the price list.
categoryID	ID	The id of the category.

Response Data Object - Apttus_CPQApi.CPQ.ProductSearchResultDO		
Field	Type	Description
HasProducts	Boolean	This returns true if the list of product data objects is not empty.
Products	List<Apttus_CPQApi.CPQ.ProductDO>	The list of product data objects.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
ContentUrl	String	The product content location.
Description	String	The product description.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
HasPrices	Boolean	Indicates if there are list prices for the product.
HasProperties	Boolean	Indicates if there are properties set for the product.
ImageUrl	String	The location of the image, if there is one, associated with the product.
Name	String	The product name.
Prices	List<Apttus_CPQApi.CPQ.PriceDO>	The list of price data objects.
ProductCode	String	The product code.
ProductId	ID	The Id of the product.
Property	List<Apttus_CPQApi.CPQ.PropertyDO>	The list of property data objects.

Data Object - Apttus_CPQApi.CPQ.PriceDO		
Field	Type	Description
ChargeType	String	The charge type.
Priceltem	Apttus_Config2__PriceListItem__c object	The price list items for a price list.
Value	Decimal	The list price.

Data Object - Apttus_CPQApi.CPQ.PropertyDO		
Field	Type	Description
Name	String	The name of the property.
Value	Decimal	The value of a property.

Code Sample

The sample below enables you to search for categories using price list name. Once the user selects the category and proceeds to search, pass the pricelistID and categoryID as parameters to the API. The user can select and view the products associated with that category and its components. For example, user enters the price list name and selects the category-Hardware. All the products associated with the Hardware category, such as Laptop are displayed. You can display all the fields associated to that product.

```

public void getProductList()
{
    categoryId = '';
    for(CategoryWrapperClass wrap: lstwrap )
    {
        if(wrap.selected == true)
        {
            categoryId = categoryId + wrap.CategoryId + ',';
        }
    }
    //If no category is selected prompt the user with an appropriate error message.
    if(categoryId.Trim()=='')
    {
        ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'Please
select at least one Category.));
        lstProductwrap = New List<ProductWrapperClass>();
        lstProductwrapAll = New List<ProductWrapperClass>();
    }
    //Pass the pricelistID and categoryID as parameters to the API
    else
    {
        Apttus_CPQApi.CPQ.ProductSearchResultDO productResult =
Apttus_CPQApi.CPQWebService.getProductsForPriceListCategory(priceListId,categoryId.Sub
string(0,categoryId.length()-1));

        productCount = 'Product Count: ' + productResult.Products.size();

        lstProductwrap = New List<ProductWrapperClass>();
        lstProductwrapAll = New List<ProductWrapperClass>();
        For(Apttus_CPQApi.CPQ.ProductDO catresult : productResult.Products)
        //Fetch and display the following product fields to the user
        {
            ProductWrapperClass wrap = New ProductWrapperClass ();
            wrap.ProductId = catresult.ProductId;
            wrap.ProductCode= catresult.ProductCode;
            wrap.ProductName=catresult.Name;
            wrap.Description=catresult.Description;
            wrap.ImageUrl=catresult.ImageUrl;
            wrap.ContentUrl=catresult.ContentUrl;
            wrap.HasPrices=catresult.HasPrices;
            wrap.Prices=catresult.Prices;
            wrap.Quantity=1;
        }
    }
}

```

```

        lstProductwrapAll.add(wrap);
    }
}
}

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQN7k3xhhvMe.j.8gpR.ijcGq77HJeF4MEDfbxbBAqZ8r4WWNTv30Vb6o1bjtHJLbq5mvHcuAH_ie6sTC3
DzrWgnLdUuD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getProductsForPriceListCategory>
      <cpq:priceListId>a1DZ0000002mg5n</cpq:priceListId>
      <cpq:categoryId>a0nZ0000003x6pL</cpq:categoryId>
    </cpq:getProductsForPriceListCategory>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:ProductSearchResultDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getProductsForPriceListCategoryResponse>
      <result>
        <ProductSearchResultDO:HasProducts>true</ProductSearchResultDO:HasProducts>
        <ProductSearchResultDO:Products>
          <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
          <ProductSearchResultDO:Description xsi:nil="true"/>
          <ProductSearchResultDO:HasPrices>true</ProductSearchResultDO:HasPrices>
          <ProductSearchResultDO:HasProperties>false</ProductSearchResultDO:HasProperties>
          <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
          <ProductSearchResultDO:Name>Auto_API_BundleProduct1</ProductSearchResultDO:Name>
          <ProductSearchResultDO:Prices>
            <ProductSearchResultDO:ChargeType>Standard Price</ProductSearchResultDO:ChargeType>
            <ProductSearchResultDO:PriceItem xsi:type="Apttus_Config2__PriceListItem__c">
              <Id>a1CZ0000000KOraoMAD</Id>
              <Apttus_Config2__Active__c>true</Apttus_Config2__Active__c>
              <Apttus_Config2__AllocateGroupAdjustment__c>true</Apttus_Config2__AllocateGroupAdjustment__c>
              <Apttus_Config2__AllowManualAdjustment__c>true</Apttus_Config2__AllowManualAdjustment__c>
              <Apttus_Config2__AllowProration__c>false</Apttus_Config2__AllowProration__c>
              <Apttus_Config2__ChargeType__c>Standard Price</Apttus_Config2__ChargeType__c>
              <Apttus_Config2__ListPrice__c>10.00000</Apttus_Config2__ListPrice__c>
            </ProductSearchResultDO:PriceItem>
          </ProductSearchResultDO:Prices>
        </ProductSearchResultDO:Products>
      </result>
    </getProductsForPriceListCategoryResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

```

        <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1DZ0000002mg5nMAA</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01tZ0000004LUXtIAM</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01tZ0000004LUXtIAM</Id>
            <Name>Auto_API_BundleProduct1</Name>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000539885</Name>
    </ProductSearchResultDO:PriceItem>
    <ProductSearchResultDO:Value>10.00000</ProductSearchResultDO:
Value>

    </ProductSearchResultDO:Prices>
    <ProductSearchResultDO:ProductCode xsi:nil="true"/>
    <ProductSearchResultDO:ProductId>01tZ0000004LUXtIAM</
ProductSearchResultDO:ProductId>
    </ProductSearchResultDO:Products>
    <ProductSearchResultDO:Products>
        <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
        <ProductSearchResultDO:Description xsi:nil="true"/>
        <ProductSearchResultDO:HasPrices>true</ProductSearchResultDO:HasP
rices>

        <ProductSearchResultDO:HasProperties>>false</ProductSearchResultDO:
HasProperties>

        <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
        <ProductSearchResultDO:Name>Auto_API_BundleProduct2</
ProductSearchResultDO:Name>
        <ProductSearchResultDO:Prices>
            <ProductSearchResultDO:ChargeType>Standard Price</
ProductSearchResultDO:ChargeType>
            <ProductSearchResultDO:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1CZ000000K0rajMAD</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>

```

```

        <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
        <Apttus_Config2__AllowProration__c>false</
Apttus_Config2__AllowProration__c>
        <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
        <Apttus_Config2__ListPrice__c>10.00000</
Apttus_Config2__ListPrice__c>
        <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1DZ0000002mg5nMAA</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01tZ0000004LUXyIAM</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01tZ0000004LUXyIAM</Id>
            <Name>Auto_API_BundleProduct2</Name>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000539884</Name>
    </ProductSearchResultD0:PriceItem>
    <ProductSearchResultD0:Value>10.00000</ProductSearchResultD0:
Value>
        </ProductSearchResultD0:Prices>
    <ProductSearchResultD0:ProductCode xsi:nil="true"/>
    <ProductSearchResultD0:ProductId>01tZ0000004LUXyIAM</
ProductSearchResultD0:ProductId>
    </ProductSearchResultD0:Products>
</result>
</getProductsForPriceListCategoryResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Retrieving Products and List Prices For a Price List and Search Text

This API is used to get the list of products that match search text criteria you used for the products in the price list. This API automatically takes into consideration product visibility

rules and will enforce them if applicable. For more information on Configuring Product Visibility, see the *CPQ on Salesforce Administrator Guide*.

API	Signature
<code>getProductsForSearchText</code>	<i>webservice static Apttus_CPQApi.CPQ.ProductSearchResultDO getProductsForSearchText(Id priceListId, String searchText)</i>

Parameters		
Name	Type	Description
priceListId	ID	The id of the price list.
searchText	String	The search terms that will be used to retrieve the products for the price list.

Response Data Object - Apttus_CPQApi.CPQ.ProductSearchResultDO		
Field	Type	Description
HasProducts	Boolean	This returns true if the list of product data objects is not empty.
Products	List<Apttus_CPQApi.CPQ.ProductDO>	The list of product data objects.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
ContentUrl	String	The product content location.
Description	String	The product description.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
HasPrices	Boolean	Indicates if there are list prices for the product.
HasProperties	Boolean	Indicates if there are properties set for the product.
ImageUrl	String	The location of the image, if there is one, associated with the product.
Name	String	The product name.
Prices	List<Apttus_CPQApi.CPQ.PriceDO>	The list of price data objects.
ProductCode	String	The product code.
ProductId	ID	The Id of the product.
Property	List<Apttus_CPQApi.CPQ.PropertyDO>	The list of property data objects.

Data Object - Apttus_CPQApi.CPQ.PriceDO		
Field	Type	Description
ChargeType	String	The charge type.
Priceltem	Apttus_Config2__PriceListItem__c	The price list items for a price list.
Value	Decimal	The list price.

Data Object - Apttus_CPQApi.CPQ.PropertyDO		
Field	Type	Description
Name	String	The name of the property.
Value	String	The value of a property.

Code Sample

Using the sample below you can search for products using the price list id and product name search string. For example, you can provide to search fields for the user one for price list and the other for Search Text. Once the user enters the price list name, fetch the price list ID using the SOQL query. The user then types in the Product Name and clicks Search. Invoke the API where you pass the priceListID and the corresponding search string as parameters. The response object returns the product object fields. For example, if the user enters the name of the Hardware price list and the name of the product, such as Laptop and clicks Search, invoke the API and pass the priceListId and the product name as parameters of the API and fetch and display the product information.

```

1  class ProductWrapperClass
2  {
3      Id ProductId;
4      String ProductCode;
5      String ProductName;
6      String Description;
7      String ImageUrl;
8      String ContentUrl;
9      Boolean HasPrices;
10     List<Apttus_CPQApi.CPQ.PriceDO> Prices;
11 }
12
13 public void getProductsForSearchText(Id priceListId, String productName) {
14
15     //Pass the pricelist ID and the Product Name entered in the search
16     text as parameters to the API
17
18     Apttus_CPQApi.CPQ.ProductSearchResultDO productResult =
19     Apttus_CPQApi.CPQWebService.getProductsForSearchText(priceListId,
20     productName);
21     String productCount = 'Product Count: ' +
22     productResult.Products.size();
23     List<ProductWrapperClass> lstProductwrapAll = New
24     List<ProductWrapperClass>();
25     For(Apttus_CPQApi.CPQ.ProductDO catresult : productResult.Products)
26     {
27         ProductWrapperClass wrap = New ProductWrapperClass();
28         wrap.ProductId = catresult.ProductId;
29         wrap.ProductCode= catresult.ProductCode;
30         wrap.ProductName=catresult.Name;
31         wrap.Description=catresult.Description;
32         wrap.ImageUrl=catresult.ImageUrl;
33         wrap.ContentUrl=catresult.ContentUrl;
34         wrap.HasPrices=catresult.HasPrices;
35         wrap.Prices=catresult.Prices;
36         lstProductwrapAll.add(wrap);
37     }
38     ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info,
39     'Product Count : ' + productCount));
40 }

```

```

37     ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info,
38         'Product Data Object : ' + lstProductwrapAll));
39 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQGL6XYy.QsjqQQ6RTBnh.1ApTbiqkGAdvz9BS70lxobcyXgHHplmGXAE7p_cf6ziWJ8tpQt_4Q4Bi2VtY
eMyzjhaPbf0</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getProductsForSearchText>
      <cpq:priceListId>a1a4P00000D3AVG</cpq:priceListId>
      <cpq:searchText>server</cpq:searchText>
    </cpq:getProductsForSearchText>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:ProductSearchResultD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getProductsForSearchTextResponse>
      <result>
        <ProductSearchResultD0:HasProducts>true</ProductSearchResultD0:HasProducts>
        <ProductSearchResultD0:Products>
          <ProductSearchResultD0:ContentUrl xsi:nil="true"/>
          <ProductSearchResultD0:Description xsi:nil="true"/>
          <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasPrices>
          <ProductSearchResultD0:HasProperties>false</ProductSearchResultD0:HasProperties>
          <ProductSearchResultD0:ImageUrl xsi:nil="true"/>
          <ProductSearchResultD0:Name>BL460c Gen8 Server Blade</ProductSearchResultD0:Name>
          <ProductSearchResultD0:Prices>
            <ProductSearchResultD0:ChargeType>Standard Price</ProductSearchResultD0:ChargeType>
            <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__PriceListItem__c">
              <Id>a1Z4P00000EDIFjUAP</Id>
              <Apttus_Config2__Active__c>true</Apttus_Config2__Active__c>
              <Apttus_Config2__AllocateGroupAdjustment__c>true</Apttus_Config2__AllocateGroupAdjustment__c>
              <Apttus_Config2__AllowManualAdjustment__c>true</Apttus_Config2__AllowManualAdjustment__c>
              <Apttus_Config2__AllowProration__c>false</Apttus_Config2__AllowProration__c>
              <Apttus_Config2__ChargeType__c>Standard Price</Apttus_Config2__ChargeType__c>
              <Apttus_Config2__ListPrice__c>2939.00000</Apttus_Config2__ListPrice__c>
            </ProductSearchResultD0:PriceItem>
          </ProductSearchResultD0:Prices>
        </ProductSearchResultD0:Products>
      </result>
    </getProductsForSearchTextResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

```

        <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
        <Apttus_Config2__ProductId__c>01t4P0000080fJ0QAK</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P0000080fJ0QAK</Id>
            <Family>Hardware</Family>
            <Name>BL460c Gen8 Server Blade</Name>
            <ProductCode>HW-BL002</ProductCode>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000000351</Name>
    </ProductSearchResultDO:PriceItem>
    <ProductSearchResultDO:Value>2939.00000</
ProductSearchResultDO:Value>
    </ProductSearchResultDO:Prices>
    <ProductSearchResultDO:ProductCode>HW-BL002</
ProductSearchResultDO:ProductCode>
    <ProductSearchResultDO:ProductId>01t4P0000080fJ0QAK</
ProductSearchResultDO:ProductId>
</ProductSearchResultDO:Products>
<ProductSearchResultDO:Products>
    <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
    <ProductSearchResultDO:Description xsi:nil="true"/>
    <ProductSearchResultDO:HasPrices>true</ProductSearchResultDO:HasP
rices>
    <ProductSearchResultDO:HasProperties>>false</ProductSearchResultDO:
HasProperties>
    <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
    <ProductSearchResultDO:Name>BL660c Gen8 Server Blade</
ProductSearchResultDO:Name>
    <ProductSearchResultDO:Prices>
        <ProductSearchResultDO:ChargeType>Standard Price</
ProductSearchResultDO:ChargeType>
        <ProductSearchResultDO:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
            <Id>a1Z4P00000EDIGIUA5</Id>

```

```

        <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
        <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
        <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
        <Apttus_Config2__AllowProration__c>>false</
Apttus_Config2__AllowProration__c>
        <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
        <Apttus_Config2__ListPrice__c>7786.00000</
Apttus_Config2__ListPrice__c>
        <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
        <Apttus_Config2__ProductId__c>01t4P0000080fKsQAK</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P0000080fKsQAK</Id>
            <Family>Hardware</Family>
            <Name>BL660c Gen8 Server Blade</Name>
            <ProductCode>HW-BL004</ProductCode>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000000386</Name>
    </ProductSearchResultDO:PriceItem>
    <ProductSearchResultDO:Value>7786.00000</
ProductSearchResultDO:Value>
    </ProductSearchResultDO:Prices>
    <ProductSearchResultDO:ProductCode>HW-BL004</
ProductSearchResultDO:ProductCode>
    <ProductSearchResultDO:ProductId>01t4P0000080fKsQAK</
ProductSearchResultDO:ProductId>
</ProductSearchResultDO:Products>
<ProductSearchResultDO:Products>
    <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
    <ProductSearchResultDO:Description xsi:nil="true"/>

```

```

        <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasP
rices>
        <ProductSearchResultD0:HasProperties>>false</ProductSearchResultD0:
HasProperties>
        <ProductSearchResultD0:ImageUrl xsi:nil="true"/>
        <ProductSearchResultD0:Name>Cloud Server Solution</
ProductSearchResultD0:Name>
        <ProductSearchResultD0:Prices>
            <ProductSearchResultD0:ChargeType>Standard Price</
ProductSearchResultD0:ChargeType>
            <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1Z4P00000EDIFUUA5</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                <Apttus_Config2__AllowProration__c>>false</
Apttus_Config2__AllowProration__c>
                <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
                <Apttus_Config2__ListPrice__c>45999.00000</
Apttus_Config2__ListPrice__c>
                <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
                <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
                <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
                <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
                <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
                <Apttus_Config2__ProductId__c>01t4P0000080fJDQA0</
Apttus_Config2__ProductId__c>
                <Apttus_Config2__ProductId__r xsi:type="Product2">
                    <Id>01t4P0000080fJDQA0</Id>
                    <Name>Cloud Server Solution</Name>
                    <ProductCode>CSS</ProductCode>
                </Apttus_Config2__ProductId__r>
                <Name>PI-00000000324</Name>
            </ProductSearchResultD0:PriceItem>

```

```

        <ProductSearchResultD0:Value>45999.00000</
ProductSearchResultD0:Value>
        </ProductSearchResultD0:Prices>
        <ProductSearchResultD0:ProductCode>CSS</ProductSearchResultD0:Pro
ductCode>
        <ProductSearchResultD0:ProductId>01t4P0000080fJDQA0</
ProductSearchResultD0:ProductId>
        </ProductSearchResultD0:Products>
        <ProductSearchResultD0:Products>
            <ProductSearchResultD0:ContentUrl xsi:nil="true"/>
            <ProductSearchResultD0:Description xsi:nil="true"/>
            <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasP
rices>
            <ProductSearchResultD0:HasProperties>>false</ProductSearchResultD0:
HasProperties>
            <ProductSearchResultD0:ImageUrl xsi:nil="true"/>
            <ProductSearchResultD0:Name>DL320e Gen8 Hot Plug 4LFF CTO
Server</ProductSearchResultD0:Name>
            <ProductSearchResultD0:Prices>
                <ProductSearchResultD0:ChargeType>Standard Price</
ProductSearchResultD0:ChargeType>
                <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                    <Id>a1Z4P00000EDIGYUA5</Id>
                    <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                    <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                    <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                    <Apttus_Config2__AllowProration__c>false</
Apttus_Config2__AllowProration__c>
                    <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
                    <Apttus_Config2__ListPrice__c>1056.00000</
Apttus_Config2__ListPrice__c>
                    <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
                    <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
                    <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>

```



```

        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
        <Apttus_Config2__ProductId__c>01t4P0000080fL7QAK</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P0000080fL7QAK</Id>
            <Family>Hardware</Family>
            <Name>DL320e Gen8 Hot Plug 4LFF CTO Server</Name>
            <ProductCode>HW-DL006</ProductCode>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000000402</Name>
    </ProductSearchResultDO:PriceItem>
    <ProductSearchResultDO:Value>1056.00000</
ProductSearchResultDO:Value>
    </ProductSearchResultDO:Prices>
    <ProductSearchResultDO:ProductCode>HW-DL006</
ProductSearchResultDO:ProductCode>
    <ProductSearchResultDO:ProductId>01t4P0000080fL7QAK</
ProductSearchResultDO:ProductId>
    </ProductSearchResultDO:Products>
    <ProductSearchResultDO:Products>
        <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
        <ProductSearchResultDO:Description xsi:nil="true"/>
        <ProductSearchResultDO:HasPrices>true</ProductSearchResultDO:HasP
rices>
        <ProductSearchResultDO:HasProperties>false</ProductSearchResultDO:
HasProperties>
        <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
        <ProductSearchResultDO:Name>DL360p Gen8 10-SFF CTO Server</
ProductSearchResultDO:Name>
        <ProductSearchResultDO:Prices>
            <ProductSearchResultDO:ChargeType>Standard Price</
ProductSearchResultDO:ChargeType>
            <ProductSearchResultDO:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1Z4P00000EDIGFUA5</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>

```

```

        <Apttus_Config2__AllowProration__c>>false</
Apttus_Config2__AllowProration__c>
        <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
        <Apttus_Config2__ListPrice__c>4467.00000</
Apttus_Config2__ListPrice__c>
        <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
        <Apttus_Config2__ProductId__c>01t4P0000080fKrQAK</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P0000080fKrQAK</Id>
            <Family>Hardware</Family>
            <Name>DL360p Gen8 10-SFF CTO Server</Name>
            <ProductCode>HW-DL008</ProductCode>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000000383</Name>
    </ProductSearchResultD0:PriceItem>
    <ProductSearchResultD0:Value>4467.00000</
ProductSearchResultD0:Value>
    </ProductSearchResultD0:Prices>
    <ProductSearchResultD0:ProductCode>HW-DL008</
ProductSearchResultD0:ProductCode>
    <ProductSearchResultD0:ProductId>01t4P0000080fKrQAK</
ProductSearchResultD0:ProductId>
</ProductSearchResultD0:Products>
<ProductSearchResultD0:Products>
    <ProductSearchResultD0:ContentUrl xsi:nil="true"/>
    <ProductSearchResultD0:Description xsi:nil="true"/>
    <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasP
rices>
    <ProductSearchResultD0:HasProperties>>false</ProductSearchResultD0:
HasProperties>
    <ProductSearchResultD0:ImageUrl xsi:nil="true"/>

```

```

        <ProductSearchResultD0:Name>DL380p Gen8 E-Mail or Messaging
Server Up to 1000 User Records</ProductSearchResultD0:Name>
        <ProductSearchResultD0:Prices>
            <ProductSearchResultD0:ChargeType>Standard Price</
ProductSearchResultD0:ChargeType>
            <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1Z4P00000EDIG8UAP</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                <Apttus_Config2__AllowProration__c>false</
Apttus_Config2__AllowProration__c>
                <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
                <Apttus_Config2__ListPrice__c>8090.00000</
Apttus_Config2__ListPrice__c>
                <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
                <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
                <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
                <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
                <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
                <Apttus_Config2__ProductId__c>01t4P0000080fKLQAK</
Apttus_Config2__ProductId__c>
                <Apttus_Config2__ProductId__r xsi:type="Product2">
                    <Id>01t4P0000080fKLQAK</Id>
                    <Family>Hardware</Family>
                    <Name>DL380p Gen8 E-Mail or Messaging Server Up to
1000 User Records</Name>
                    <ProductCode>HW-DL011</ProductCode>
                </Apttus_Config2__ProductId__r>
                <Name>PI-0000000376</Name>
            </ProductSearchResultD0:PriceItem>
            <ProductSearchResultD0:Value>8090.00000</
ProductSearchResultD0:Value>
        </ProductSearchResultD0:Prices>

```

```

        <ProductSearchResultD0:ProductCode>HW-DL011</
ProductSearchResultD0:ProductCode>
        <ProductSearchResultD0:ProductId>01t4P0000080fKLQAK</
ProductSearchResultD0:ProductId>
    </ProductSearchResultD0:Products>
    <ProductSearchResultD0:Products>
        <ProductSearchResultD0:ContentUrl xsi:nil="true"/>
        <ProductSearchResultD0:Description xsi:nil="true"/>
        <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasP
rices>
        <ProductSearchResultD0:HasProperties>>false</ProductSearchResultD0:
HasProperties>
        <ProductSearchResultD0:ImageUrl xsi:nil="true"/>
        <ProductSearchResultD0:Name>DL385 Gen8 File and Print Server
Recommended</ProductSearchResultD0:Name>
        <ProductSearchResultD0:Prices>
            <ProductSearchResultD0:ChargeType>Standard Price</
ProductSearchResultD0:ChargeType>
            <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1Z4P00000EDIFmUAP</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                <Apttus_Config2__AllowProration__c>false</
Apttus_Config2__AllowProration__c>
                <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
                <Apttus_Config2__ListPrice__c>4631.00000</
Apttus_Config2__ListPrice__c>
                <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
                <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
                <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
                <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
                <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
            </ProductSearchResultD0:PriceItem>
        </ProductSearchResultD0:Prices>
    </ProductSearchResultD0:Products>
</ProductSearchResultD0:Products>

```

```

        <Apttus_Config2__ProductId__c>01t4P0000080fKPQA0</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P0000080fKPQA0</Id>
            <Family>Hardware</Family>
            <Name>DL385 Gen8 File and Print Server Recommended</
Name>
            <ProductCode>HW-DL012</ProductCode>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000000354</Name>
    </ProductSearchResultD0:PriceItem>
    <ProductSearchResultD0:Value>4631.00000</
ProductSearchResultD0:Value>
    </ProductSearchResultD0:Prices>
    <ProductSearchResultD0:ProductCode>HW-DL012</
ProductSearchResultD0:ProductCode>
    <ProductSearchResultD0:ProductId>01t4P0000080fKPQA0</
ProductSearchResultD0:ProductId>
    </ProductSearchResultD0:Products>
    <ProductSearchResultD0:Products>
        <ProductSearchResultD0:ContentUrl xsi:nil="true"/>
        <ProductSearchResultD0:Description xsi:nil="true"/>
        <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasP
rices>
        <ProductSearchResultD0:HasProperties>>false</ProductSearchResultD0:
HasProperties>
        <ProductSearchResultD0:ImageUrl xsi:nil="true"/>
        <ProductSearchResultD0:Name>ML350e Gen8 Hot Plug 6LFF CTO
Server</ProductSearchResultD0:Name>
        <ProductSearchResultD0:Prices>
            <ProductSearchResultD0:ChargeType>Standard Price</
ProductSearchResultD0:ChargeType>
            <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
                <Id>a1Z4P00000EDIGHUA5</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                <Apttus_Config2__AllowProration__c>>false</
Apttus_Config2__AllowProration__c>

```

```

        <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
        <Apttus_Config2__ListPrice__c>2666.00000</
Apttus_Config2__ListPrice__c>
        <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
        <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
        <Apttus_Config2__ProductId__c>01t4P0000080fJ9QAK</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
          <Id>01t4P0000080fJ9QAK</Id>
          <Family>Hardware</Family>
          <Name>ML350e Gen8 Hot Plug 6LFF CTO Server</Name>
          <ProductCode>HW-ML001</ProductCode>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000000385</Name>
      </ProductSearchResultDO:PriceItem>
      <ProductSearchResultDO:Value>2666.00000</
ProductSearchResultDO:Value>
    </ProductSearchResultDO:Prices>
    <ProductSearchResultDO:ProductCode>HW-ML001</
ProductSearchResultDO:ProductCode>
    <ProductSearchResultDO:ProductId>01t4P0000080fJ9QAK</
ProductSearchResultDO:ProductId>
  </ProductSearchResultDO:Products>
  <ProductSearchResultDO:Products>
    <ProductSearchResultDO:ContentUrl xsi:nil="true"/>
    <ProductSearchResultDO:Description xsi:nil="true"/>
    <ProductSearchResultDO:HasPrices>>true</ProductSearchResultDO:HasP
rices>
    <ProductSearchResultDO:HasProperties>>false</ProductSearchResultDO:
HasProperties>
    <ProductSearchResultDO:ImageUrl xsi:nil="true"/>
    <ProductSearchResultDO:Name>WS460c Gen8 Graphics Server Blade</
ProductSearchResultDO:Name>
    <ProductSearchResultDO:Prices>

```

```

        <ProductSearchResultD0:ChargeType>Standard Price</
ProductSearchResultD0:ChargeType>
        <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__Pr
iceListItem__c">
            <Id>a1Z4P00000EDIGBUA5</Id>
            <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
            <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
            <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
            <Apttus_Config2__AllowProration__c>false</
Apttus_Config2__AllowProration__c>
            <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
            <Apttus_Config2__ListPrice__c>4954.00000</
Apttus_Config2__ListPrice__c>
            <Apttus_Config2__PriceIncludedInBundle__c>false</
Apttus_Config2__PriceIncludedInBundle__c>
            <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
            <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
            <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
            <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
            <Apttus_Config2__ProductId__c>01t4P0000080fJ8QAK</
Apttus_Config2__ProductId__c>
            <Apttus_Config2__ProductId__r xsi:type="Product2">
                <Id>01t4P0000080fJ8QAK</Id>
                <Family>Hardware</Family>
                <Name>WS460c Gen8 Graphics Server Blade</Name>
                <ProductCode>HW-BL003</ProductCode>
            </Apttus_Config2__ProductId__r>
            <Name>PI-0000000379</Name>
        </ProductSearchResultD0:PriceItem>
        <ProductSearchResultD0:Value>4954.00000</
ProductSearchResultD0:Value>
    </ProductSearchResultD0:Prices>
    <ProductSearchResultD0:ProductCode>HW-BL003</
ProductSearchResultD0:ProductCode>
    <ProductSearchResultD0:ProductId>01t4P0000080fJ8QAK</
ProductSearchResultD0:ProductId>

```

```

        </ProductSearchResultDO:Products>
      </result>
    </getProductsForSearchTextResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Products and List Prices For a Price List Category and Search Text

This API is used to get the list of products that match search text criteria you used and belong to the specified category id in the price list. This API automatically takes into consideration product visibility rules and will enforce them if applicable. For more information on Configuring Product Visibility, see the *CPQ on Salesforce Administrator Guide*.

API	Signature
getProductsForCategorySearchText	<i>WebService static Apttus_CPQApi.CPQ.ProductSearchResultDO getProductsForCategorySearchText(Id priceListId, Id categoryId, String searchText)</i>

Parameters		
Name	Type	Description
priceListId	ID	The id of the price list.
categoryId	ID	The id of the category.
searchText	String	The search terms that will be used to retrieve the products for the price list.

Response Data Object - Apttus_CPQApi.CPQ.ProductSearchResultDO		
Field	Type	Description
HasProducts	Boolean	This returns true if the list of product data objects is not empty.
Products	List<Apttus_CPQApi.CPQ.ProductDO>	The list of product data objects.

Data Object - Apttus_CPQApi.CPQ.ProductDO		
Field	Type	Description
ContentUrl	String	The product content location.
Description	String	The product description.
HasPrices	Boolean	Indicates if there are list prices for the product.
HasProperties	Boolean	Indicates if there are properties set for the product.
ImageUrl	String	The location of the image, if there is one, associated with the product.
Name	String	The product name.
Prices	List<Apttus_CPQApi.CPQ.PriceDO>	The list of price data objects.
ProductCode	String	The product code.
ProductId	ID	The Id of the product.
Property	List<Apttus_CPQApi.CPQ.PropertyDO>	The list of property data objects.
Data Object - Apttus_CPQApi.CPQ.PriceDO		
Field	Type	Description
ChargeType	String	The charge type.

Data Object - Apttus_CPQApi.CPQ.PriceDO		
Field	Type	Description
Priceltem	Apttus_Config2__PriceListItem__c object	The price list items for a price list.
Value	Decimal	The list price.

Data Object - Apttus_CPQApi.CPQ.PropertyDO		
Field	Type	Description
Name	String	The name of the property.
Value	Decimal	The value of a property.

Code Sample

The user can enter the name of price list to view all the categories belonging to that price list. The sample below defines the behavior when the user selects a category and searches a product from the categories displayed. Fetch and pass the pricelistID, categoryID, and productID as parameters to the API and display the fields of CPQ.ProductDo object. For example, the user enters a valid price list name, all the subsequent categories for the pricelist are displayed. The user selects the category Hardware and searches for a product Laptop. All the products matching the search string laptop are displayed along with the fields such as price, name , id and so on. You can execute the count loop to specify the number of products to be displayed per page and to provide next and previous pages.

```

1  public void getProductsForCategorySearchText()
2  {
3      //Search for single category multiple category using comma separator
4      //and fetch category id
5      categoryId = '';
6
7      for(CategoryWrapperClass wrap: lstwrap )
8      {
9          if(wrap.selected == true)
10         {
11             categoryId = categoryId + wrap.CategoryId + ',';
12         }
13     }
14     //If no category selected is selected by the user, show the following
15     //message
16     if(categoryId.Trim()=='')
17     {
18         ApexPages.addMessage(new
19         ApexPages.Message(ApexPages.severity.info, 'Please select at least one
20         Category.));
21         lstProductwrap = New List<ProductWrapperClass>();
22         lstProductwrapAll = New List<ProductWrapperClass>();
23     }
24     //If searched price list is valid, categories for that pricelist are
25     //displayed and if the user selects a category and enters search text by
26     //'productName' parameter, pass the PricelistID, categoryID, and productID
27     //as parameters.
28     else
29     {
30         Apttus_CPQApi.CPQ.ProductSearchResultDO productResult =
31         Apttus_CPQApi.CPQWebService.getProductsForCategorySearchText(priceListId,c
32         ategoryId.Substring(0,categoryId.length()-1),productName);
33         productCount = 'Product Count: ' + productResult.Products.size();
34         lstProductwrap = New List<ProductWrapperClass>();
35         lstProductwrapAll = New List<ProductWrapperClass>();
36         For(Apttus_CPQApi.CPQ.ProductDO catresult :
37         productResult.Products)
38         {
39             // Fetch and display the following components for the products
40             ProductWrapperClass wrap = New ProductWrapperClass ();
41             wrap.ProductId = catresult.ProductId;
42             wrap.ProductCode= catresult.ProductCode;
43             wrap.ProductName=catresult.Name;
44             wrap.Description=catresult.Description;

```

```

35         wrap.ImageUrl=catresult.ImageUrl;
36         wrap.ContentUrl=catresult.ContentUrl;
37         wrap.HasPrices=catresult.HasPrices;
38         wrap.Quantity=1;
39         wrap.Prices=catresult.Prices;
40         lstProductwrapAll.add(wrap);
41     }
42
43 }
44 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQGL6XYy.QsjqQQ6RTBnh.1ApTbiqkGAdVz9BS70lxobcyXgHHplmGXAE7p_cf6ziWJ8tpQt_4Q4Bi2VtY
eMyzjhaPbf0</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getProductsForCategorySearchText>
      <cpq:priceListId>a1a4P00000D3AVG</cpq:priceListId>
      <cpq:categoryId>a0nZ0000003x6pL</cpq:categoryId>
      <cpq:searchText>server</cpq:searchText>
    </cpq:getProductsForCategorySearchText>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:ProductSearchResultD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getProductsForCategorySearchTextResponse>
      <result>
        <ProductSearchResultD0:HasProducts>true</ProductSearchResultD0:HasProducts>
        <ProductSearchResultD0:Products>
          <ProductSearchResultD0:ContentUrl xsi:nil="true"/>
          <ProductSearchResultD0:Description xsi:nil="true"/>
          <ProductSearchResultD0:HasPrices>true</ProductSearchResultD0:HasPrices>
          <ProductSearchResultD0:HasProperties>false</ProductSearchResultD0:HasProperties>
          <ProductSearchResultD0:ImageUrl xsi:nil="true"/>
          <ProductSearchResultD0:Name>AutoQuoteStandalone1</ProductSearchResultD0:Name>
          <ProductSearchResultD0:Prices>
            <ProductSearchResultD0:ChargeType>Standard Price</ProductSearchResultD0:ChargeType>
            <ProductSearchResultD0:PriceItem xsi:type="Apttus_Config2__PriceListItem__c">
              <Id>a1Ce0000003fQ0XEAU</Id>
              <Apttus_Config2__Active__c>true</Apttus_Config2__Active__c>
              <Apttus_Config2__AllocateGroupAdjustment__c>true</Apttus_Config2__AllocateGroupAdjustment__c>
              <Apttus_Config2__AllowManualAdjustment__c>true</Apttus_Config2__AllowManualAdjustment__c>
              <Apttus_Config2__AllowProration__c>false</Apttus_Config2__AllowProration__c>
              <Apttus_Config2__ChargeType__c>Standard Price</Apttus_Config2__ChargeType__c>
              <Apttus_Config2__ListPrice__c>100.00000</Apttus_Config2__ListPrice__c>
              <Apttus_Config2__PriceIncludedInBundle__c>false</Apttus_Config2__PriceIncludedInBundle__c>
            </ProductSearchResultD0:PriceItem>
          </ProductSearchResultD0:Prices>
        </ProductSearchResultD0:Products>
      </result>
    </getProductsForCategorySearchTextResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

```

        <Apttus_Config2__PriceListId__c>a1De0000001yPXQE2</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
        <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01te0000005NGoUAAW</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01te0000005NGoUAAW</Id>
            <Name>AutoQuoteStanda1one1</Name>
        </Apttus_Config2__ProductId__r>
        <Name>PI-0000538756</Name>
    </ProductSearchResultD0:PriceItem>
    <ProductSearchResultD0:Value>100.00000</ProductSearchResultD0:
Value>
        </ProductSearchResultD0:Prices>
    <ProductSearchResultD0:ProductCode xsi:nil="true"/>
    <ProductSearchResultD0:ProductId>01te0000005NGoUAAW</
ProductSearchResultD0:ProductId>
        </ProductSearchResultD0:Products>
    </result>
</getProductsForCategorySearchTextResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Retrieving Option Groups, Options, and List Prices for a Price List Product

This retrieves option groups, options, and list prices for a price list product.

API	Signature
getOptionGroupsForPriceListProduct	<pre> <i>webservice static</i> Apttus_CPQApi.CPQ.ProductOptionGroupSearchResultD O getOptionGroupsForPriceListProduct(Id priceListId, Id productId) </pre>

Parameters		
Name	Type	Description
pricelistId	ID	The Id of the price list.
productId	ID	The Id of the product bundle.

Response Data Object - Apttus_CPQApi.CPQ.ProductOptionGroupSearchResultDO		
Name	Type	Description
HasOptionGroups	Boolean	Indicates if the bundle has option groups.
OptionGroups	List<Apttus_CPQApi.CPQ.ProductOptionGroupDO>	The list of product option group data objects.

Data Object - Apttus_CPQApi.CPQ.ProductOptionGroupDO		
Field	Type	Description
ChildOptionGroups	List<Apttus_CPQApi.CPQ.ProductOptionGroupDO>	List of child option group data objects.
HasChildOptionGroups	Boolean	Indicates whether there are child option groups.
HasOptionComponents	Boolean	Indicates if the option group has product components.
Label	String	The option group label.
MaxOptions	Integer	Maximum number of options that can be selected from the group.
MinOptions	Integer	Minimum number of options that must be selected from the group.
Name	String	The option group name.

Data Object - Apttus_CPQApi.CPQ.ProductOptionGroupDO		
Field	Type	Description
OptionComponents	List<Apttus_CPQApi.CPQ.ProductOptionComponentDO>	List of product component data objects.
ParentOptiongroupid	ID	Id of the parent option group.
ProductOptionGroupid	ID	Id of the product option group.

Data Object - Apttus_CPQApi.CPQ.ProductOptionComponentDO		
Field	Type	Description
ComponentId	ID	Id of the component.
ComponentProductId	ID	Id of the component product.
Description	String	The product description.
HasPrices	Boolean	Indicates if there are list prices for the product.
ImageUrl	String	The location of the image, if there is one, associated with the product.
IsDefault	Boolean	Indicates if the option is included by default for the bundle.
IsRequired	Boolean	Indicates if the option is mandatory for the bundle.
Name	String	The product name.
Prices	List<Apttus_CPQApi.CPQ.PriceDO>	List of price data objects.
ProductCode	String	The product code.

Data Object - Apttus_CPQApi.CPQ.PriceDO		
Field	Type	Description
ChargeType	String	The charge type.
Priceltem	Apttus_Config2__PriceListItem__c object	The price list items for a price list.
Value	Decimal	The list price.

Code Sample

Using the sample below you enable the user to search and select products by a price list. You can then pass the IDs of the price list and product as arguments to the API. If in the result object HasOptionGroups returns true, fetch and display the option group components. If the option group components HasComponents=true display the option components such as quantity. For example if the user searches a product and clicks Search, invoke the API to fetch the option groups for that bundle.

```

1  public void getOptionGroupsForPriceListProduct()
2  {
3      string productID='';
4      //Fetch product ID of selected products
5      for(ProductWrapperClass selProdWrap: lstProductwrap)
6      {
7          if(selProdWrap.selected)
8          {
9              productID=selProdWrap.ProductId;
10             break;
11         }
12     }
13
14     //If no product is selected, show an appropriate error message
15     if(productID=='')
16     {
17         ApexPages.addMessage(new
18         ApexPages.Message(ApexPages.severity.info, 'Please select at least one
19         Product.'));
20
21         lstOptionGroup = new
22         List<Apttus_CPQApi.CPQ.ProductOptionGroupDO>();
23         lstProductOptionWrapper = new List<ProductOptionWrapperClass>();
24     }
25     //If product is selected, pass pricelistID and productID as parameters
26     to the API
27     else
28     {
29         Apttus_CPQApi.CPQ.ProductOptionGroupSearchResultDO result =
30         Apttus_CPQApi.CPQWebService.getOptionGroupsForPriceListProduct(priceListId
31         , productID);
32         lstOptionGroup = new
33         List<Apttus_CPQApi.CPQ.ProductOptionGroupDO>();
34         lstProductOptionWrapper = new List<ProductOptionWrapperClass>();
35
36         //If the product has option groups, i,e the flag HasOptionGroups
37         returns true run the loop below fetching the components.
38         if(result.HasOptionGroups)
39         {
40             //For an option group fetch and display the following
41             components
42             For(Apttus_CPQApi.CPQ.ProductOptionGroupDO optionResult :
43             result.OptionGroups)

```

```

34         {
35             ProductOptionWrapperClass objProductOptionWrapperClass=new
ProductOptionWrapperClass();
36
objProductOptionWrapperClass.ProductOptionGroupId=optionResult.ProductOpti
onGroupId;
37             objProductOptionWrapperClass.Name=optionResult.Name;
38             objProductOptionWrapperClass.Label=optionResult.Label;
39
objProductOptionWrapperClass.ParentOptiongroupId=optionResult.ParentOption
groupId;
40
objProductOptionWrapperClass.MinOptions=optionResult.MinOptions;
41
objProductOptionWrapperClass.MaxOptions=optionResult.MaxOptions;
42
objProductOptionWrapperClass.HasChildOptionGroups=optionResult.HasChildOpt
ionGroups;
43
objProductOptionWrapperClass.ChildOptionGroups=optionResult.ChildOptionGro
ups;
44             List<ProductQuantityOptionWrapperClass>
listOptionComponent= new List<ProductQuantityOptionWrapperClass>();
45
46             //For an option group with components such as min, max and
quantity fetch and display the editable components to the user
47             for(Apttus_CPQApi.CPQ.ProductOptionComponentDO
optionComponent : optionResult.OptionComponents)
48                 {
49                     ProductQuantityOptionWrapperClass
objProductQuantityOptionWrapperClass = new
ProductQuantityOptionWrapperClass ();
50                     objProductQuantityOptionWrapperClass.OptionComponent =
optionComponent;
51                     objProductQuantityOptionWrapperClass.Quantity = 1;
52
53                     //Fetch and display the list price of the option
components
54                     List<Apttus_CPQApi.CPQ.PriceDO> priceList = new
List<Apttus_CPQApi.CPQ.PriceDO>();
55                     for(Apttus_CPQApi.CPQ.PriceDO price :
optionComponent.Prices)
56                         {
57                             priceList.Add(price);
58                         }

```

```
59         objProductQuantityOptionWrapperClass.prices =  
priceList ;  
60  
listOptionComponent.Add(objProductQuantityOptionWrapperClass);  
61     }  
62     objProductOptionWrapperClass.OptionComponents =  
listOptionComponent;  
63     lstOptionGroup.Add(optionResult);  
64     lstProductOptionWrapper.Add(objProductOptionWrapperClass);  
65 }  
66  
67     ApexPages.addMessage(new  
ApexPages.Message(ApexPages.severity.info, 'Option Count: ' +  
lstProductOptionWrapper.size()));  
68 }  
69 }  
70 }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQLOWqt9rvkoE67lP.NXIamuJl0mjoOR6a_l0vkPoATAH.gKFFRWManncKXN0KGY92akqlxsM0ze0lRfEr
g4V2LtI03XQ</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getOptionGroupsForPriceListProduct>
      <cpq:priceListId>a1a4P00000D3AVG</cpq:priceListId>
      <cpq:productId>01t4P0000080fJ8</cpq:productId>
    </cpq:getOptionGroupsForPriceListProduct>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:ProductOptionGroupSearchResultDO="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getOptionGroupsForPriceListProductResponse>
      <result>
        <ProductOptionGroupSearchResultDO:HasOptionGroups>true</
ProductOptionGroupSearchResultDO:HasOptionGroups>
        <ProductOptionGroupSearchResultDO:OptionGroups>
          <ProductOptionGroupSearchResultDO:HasChildOptionGroups>>false</
ProductOptionGroupSearchResultDO:HasChildOptionGroups>
          <ProductOptionGroupSearchResultDO:HasOptionComponents>true</
ProductOptionGroupSearchResultDO:HasOptionComponents>
          <ProductOptionGroupSearchResultDO:Label>Enclosure & Rack</
ProductOptionGroupSearchResultDO:Label>
          <ProductOptionGroupSearchResultDO:MaxOptions>1</
ProductOptionGroupSearchResultDO:MaxOptions>
          <ProductOptionGroupSearchResultDO:MinOptions>1</
ProductOptionGroupSearchResultDO:MinOptions>
          <ProductOptionGroupSearchResultDO:Name>Enclosure & Rack</
ProductOptionGroupSearchResultDO:Name>
          <ProductOptionGroupSearchResultDO:OptionComponents>
            <ProductOptionGroupSearchResultDO:ComponentId>a1z4P000009c5Ra
QAI</ProductOptionGroupSearchResultDO:ComponentId>
            <ProductOptionGroupSearchResultDO:ComponentProductId>01t4P000
0080fLWQA0</ProductOptionGroupSearchResultDO:ComponentProductId>
            <ProductOptionGroupSearchResultDO:Description xsi:nil="true"/
>
            <ProductOptionGroupSearchResultDO:HasPrices>true</
ProductOptionGroupSearchResultDO:HasPrices>
            <ProductOptionGroupSearchResultDO:ImageUrl xsi:nil="true"/>
            <ProductOptionGroupSearchResultDO:IsDefault>true</
ProductOptionGroupSearchResultDO:IsDefault>
            <ProductOptionGroupSearchResultDO:IsRequired>>false</
ProductOptionGroupSearchResultDO:IsRequired>
            <ProductOptionGroupSearchResultDO:Name>c3000 Server
Enclosure</ProductOptionGroupSearchResultDO:Name>

```

```

        <ProductOptionGroupSearchResultD0:Prices>
            <ProductOptionGroupSearchResultD0:ChargeType>Standard
Price</ProductOptionGroupSearchResultD0:ChargeType>
            <ProductOptionGroupSearchResultD0:PriceItem xsi:type="Apt
tus_Config2__PriceListItem__c">
                <Id>a1Z4P000000EDIH4UAP</Id>
                <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                <Apttus_Config2__AllowProration__c>>false</
Apttus_Config2__AllowProration__c>
                <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
                <Apttus_Config2__ListPrice__c>199.00000</
Apttus_Config2__ListPrice__c>
                <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
                <Apttus_Config2__PriceListId__c>a1a4P000000D3AVGQA3</
Apttus_Config2__PriceListId__c>
                <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
                <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>
                <Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
                <Apttus_Config2__ProductId__c>01t4P00000080fLWQA0</
Apttus_Config2__ProductId__c>
                <Apttus_Config2__ProductId__r xsi:type="Product2">
                    <Id>01t4P00000080fLWQA0</Id>
                    <Family>Hardware</Family>
                    <Name>c3000 Server Enclosure</Name>
                    <ProductCode>HW-ER001</ProductCode>
                </Apttus_Config2__ProductId__r>
                <Name>PI-00000000435</Name>
            </ProductOptionGroupSearchResultD0:PriceItem>
            <ProductOptionGroupSearchResultD0:Value>199.00000</
ProductOptionGroupSearchResultD0:Value>
        </ProductOptionGroupSearchResultD0:Prices>
        <ProductOptionGroupSearchResultD0:ProductCode>HW-ER001</
ProductOptionGroupSearchResultD0:ProductCode>
    </ProductOptionGroupSearchResultD0:OptionComponents>

```

```

        <ProductOptionGroupSearchResultD0:OptionComponents>
            <ProductOptionGroupSearchResultD0:ComponentId>a1z4P000009c5Rb
QAI</ProductOptionGroupSearchResultD0:ComponentId>
            <ProductOptionGroupSearchResultD0:ComponentProductId>01t4P000
0080fKTQA0</ProductOptionGroupSearchResultD0:ComponentProductId>
            <ProductOptionGroupSearchResultD0:Description xsi:nil="true"/
>
            <ProductOptionGroupSearchResultD0:HasPrices>true</
ProductOptionGroupSearchResultD0:HasPrices>
            <ProductOptionGroupSearchResultD0:ImageUrl xsi:nil="true"/>
            <ProductOptionGroupSearchResultD0:IsDefault>>false</
ProductOptionGroupSearchResultD0:IsDefault>
            <ProductOptionGroupSearchResultD0:IsRequired>>false</
ProductOptionGroupSearchResultD0:IsRequired>
            <ProductOptionGroupSearchResultD0:Name>c7000 Server
Enclosure</ProductOptionGroupSearchResultD0:Name>
            <ProductOptionGroupSearchResultD0:Prices>
                <ProductOptionGroupSearchResultD0:ChargeType>Standard
Price</ProductOptionGroupSearchResultD0:ChargeType>
                <ProductOptionGroupSearchResultD0:PriceItem xsi:type="Apt
tus_Config2__PriceListItem__c">
                    <Id>a1Z4P00000EDIFqUAP</Id>
                    <Apttus_Config2__Active__c>true</
Apttus_Config2__Active__c>
                    <Apttus_Config2__AllocateGroupAdjustment__c>true</
Apttus_Config2__AllocateGroupAdjustment__c>
                    <Apttus_Config2__AllowManualAdjustment__c>true</
Apttus_Config2__AllowManualAdjustment__c>
                    <Apttus_Config2__AllowProration__c>>false</
Apttus_Config2__AllowProration__c>
                    <Apttus_Config2__ChargeType__c>Standard Price</
Apttus_Config2__ChargeType__c>
                    <Apttus_Config2__ListPrice__c>299.00000</
Apttus_Config2__ListPrice__c>
                    <Apttus_Config2__PriceIncludedInBundle__c>>false</
Apttus_Config2__PriceIncludedInBundle__c>
                    <Apttus_Config2__PriceListId__c>a1a4P00000D3AVGQA3</
Apttus_Config2__PriceListId__c>
                    <Apttus_Config2__PriceMethod__c>Per Unit</
Apttus_Config2__PriceMethod__c>
                    <Apttus_Config2__PriceType__c>One Time</
Apttus_Config2__PriceType__c>

```



```

<Apttus_Config2__PriceUom__c>Each</
Apttus_Config2__PriceUom__c>
<Apttus_Config2__ProductId__c>01t4P0000080fKTQA0</
Apttus_Config2__ProductId__c>
<Apttus_Config2__ProductId__r xsi:type="Product2">
  <Id>01t4P0000080fKTQA0</Id>
  <Family>Hardware</Family>
  <Name>c7000 Server Enclosure</Name>
  <ProductCode>HW-ER002</ProductCode>
</Apttus_Config2__ProductId__r>
<Name>PI-0000000358</Name>
</ProductOptionGroupSearchResultDO:PriceItem>
<ProductOptionGroupSearchResultDO:Value>299.00000</
ProductOptionGroupSearchResultDO:Value>
  </ProductOptionGroupSearchResultDO:Prices>
  <ProductOptionGroupSearchResultDO:ProductCode>HW-ER002</
ProductOptionGroupSearchResultDO:ProductCode>
  </ProductOptionGroupSearchResultDO:OptionComponents>
  <ProductOptionGroupSearchResultDO:ParentOptionGroupId xsi:nil="tr
ue"/>
  <ProductOptionGroupSearchResultDO:ProductOptionGroupId>a154P00000
5liDzQAI</ProductOptionGroupSearchResultDO:ProductOptionGroupId>
  </ProductOptionGroupSearchResultDO:OptionGroups>
</result>
</getOptionGroupsForPriceListProductResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Adding Products to a Cart

This API adds one or more products (with default options) to the cart along with quantity, term, start date, and end date.

API	Signature
addMultiProducts	<i>webservice static Apttus_CPQApi.CPQ.AddMultiProductResponseDO addMultiProducts(Apttus_CPQApi.CPQ.AddMultiProductRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.AddMultiProductRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.AddMultiProductRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
SelectedProducts	List <Apttus_CPQApi.CPQ.SelectedProductDO>	The list of selected product data objects.

Data Object - Apttus_CPQApi.CPQ.SelectedProductDO		
Field	Type	Description
AttributeValues	List	List of attributes values.
Comments	String	Comments associated with the record.
CopyBundleConfigurationFromSource	Boolean	You can use this to copy the configuration of the bundle from the source
CustomData	Apttus_Config2__LineItem_c	This can be used to include the list of custom fields you have added to the product.
CustomFields	List<String> CustomFields	List of custom fields created for your product.
EndDate	Date	The end date.
ProductId	ID	Id of the product bundle.
Quantity	Decimal	The bundle quantity.
RelatedLineItems	List	List of related line items for bundle

Data Object - Apttus_CPQApi.CPQ.SelectedProductDO		
Field	Type	Description
SellingTerm	Decimal	The bundle selling term.
SourceFields	List	List of the fields in the source bundle that you want to copy.
SourceId	ID	ID of the source bundle.
StartDate	Date	The start date. You should ensure you use the correct date format.

Response Data Object - Apttus_CPQApi.CPQ.AddMultiProductResponseDO		
Field	Type	Description
LineNumbers	List<Decimal>	The list of line numbers added to the cart.

Code Sample

The sample below enables you to add multiple selected products with a specific product ID and its associated quantity, validity and selling term to a specific cart with a specific cartID. For example, if the user has selected software and hardware products, the products are added to the cart, on click of Add to Cart. The user is navigated to the cart page where they can view and change the quantity, selling term and other editable aspects of the product.

```

1  /**
2   * The below method demonstrates how to add multiple products to an
3   * existing cart (every quote has a cart)
4   * Lets assume the Quote's Cart is blank and the standalone/bundle
5   * products are Laptop, Monitor, Wifi Router
6   * The input of this method is Quote Number and the Ids of the Laptop
7   * bundle product, Monitor and Wifi Router standalone products
8   */
9  public static void addMultipleProducts(String quoteNumber, List<ID>
10 productIds)
11 {
12     List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
13 Apttus_Config2__ProductConfiguration__c WHERE
14 Apttus_QPConfig__ProposalId__r.Name = :quoteNumber LIMIT 1];
15
16     if(!cart.isEmpty() && productIds != null && !productIds.isEmpty())
17     {
18         // Assume the quantity and selling term for the product is 1
19         Integer quantity = 1;
20         Integer sellingTerm = 1;
21
22         // Create the request object
23         Apttus_CPQApi.CPQ.AddMultiProductRequestDO request = new
24 Apttus_CPQApi.CPQ.AddMultiProductRequestDO();
25         request.CartId = cart.get(0).Id;
26
27         // Add the products to the request
28         for(ID productId : productIds)
29         {
30             Apttus_CPQApi.CPQ.SelectedProductDO selectedProduct = new
31 Apttus_CPQApi.CPQ.SelectedProductDO();
32             selectedProduct.ProductId = productId;
33             selectedProduct.Quantity = quantity;
34             selectedProduct.SellingTerm = sellingTerm;
35             request.SelectedProducts.add(selectedProduct);
36         }
37
38         // Execute the addMultiProducts routine
39         Apttus_CPQApi.CPQ.AddMultiProductResponseDO response =
40 Apttus_CPQApi.CPQWebService.addMultiProducts(request);

```

```
35         System.debug('Line Numbers of added products = ' +  
36             response.LineNumbers);  
37     }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

Request/Response XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQHmIRqgn4R90i1yQjWTIVk4UZmsDe_.eK0Z9z6qLij7Tu.L_Yo8dRA_p80mhKMeRs4uzCZTadIgQ9fEbD
KciXEQYRyaA</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:addMultiProducts>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YtUs</cpq1:CartId>
        <cpq1:SelectedProducts>
          <cpq1:Comments>Some comment</cpq1:Comments>
          <cpq1:ProductId>01tZ0000004LUXU</cpq1:ProductId>
          <cpq1:EndDate>2020-06-30</cpq1:EndDate>
          <cpq1:Quantity>5</cpq1:Quantity>
          <cpq1:SellingTerm>1</cpq1:SellingTerm>
          <cpq1:StartDate>2020-05-28</cpq1:StartDate>
        </cpq1:SelectedProducts>
        <cpq1:SelectedProducts>
          <cpq1:Comments>some comment</cpq1:Comments>
          <cpq1:ProductId>01tZ0000004LUXt</cpq1:ProductId>
          <cpq1:EndDate>2020-06-30</cpq1:EndDate>
          <cpq1:Quantity>1</cpq1:Quantity>
          <cpq1:SellingTerm>1</cpq1:SellingTerm>
          <cpq1:StartDate>2020-05-28</cpq1:StartDate>
        </cpq1:SelectedProducts>
        <cpq1:SelectedProducts>
          <cpq1:Comments>Some comment</cpq1:Comments>
          <cpq1:ProductId>01tZ0000004LUYI</cpq1:ProductId>
          <cpq1:EndDate>2020-06-30</cpq1:EndDate>
          <cpq1:Quantity>2</cpq1:Quantity>
        </cpq1:SelectedProducts>
      </cpq:request>
    </cpq:addMultiProducts>
  </soapenv:Body>
</soapenv:Envelope>

```

```

        <cpq1:SellingTerm>5</cpq1:SellingTerm>
        <cpq1:StartDate>2020-05-28</cpq1:StartDate>
    </cpq1:SelectedProducts>
</cpq:request>
</cpq:addMultiProducts>
</soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:AddMultiProductResponseDO="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <addMultiProductsResponse>
      <result>
        <AddMultiProductResponseDO:LineNumbers>1</AddMultiProductResponseDO:L
ineNumbers>
        <AddMultiProductResponseDO:LineNumbers>2</AddMultiProductResponseDO:L
ineNumbers>
        <AddMultiProductResponseDO:LineNumbers>3</AddMultiProductResponseDO:L
ineNumbers>
      </result>
    </addMultiProductsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Adding a Bundle to a Cart

This adds a bundle along with selected products, options, and updated quantity to the cart.

API	Signature
addBundle	<i>webservice static Apttus_CPQApi.CPQ.AddBundleResponseDO addBundle(Apttus_CPQApi.CPQ.AddBundleRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.AddBundleRequestDO	The id of the agreement

Request Data Object - Apttus_CPQApi.CPQ.AddBundleRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
SelectedBundle	Apttus_CPQApi.CPQ.SelectedBundleDO	The bundle to be added to the cart.

Data Object - Apttus_CPQApi.CPQ.SelectedBundleDO		
Field	Type	Description
SelectedOptions	List<Apttus_CPQApi.CPQ.SelectedOptionDO>	The list of selected option data objects.
SelectedProduct	Apttus_CPQApi.CPQ.SelectedProductDO	The selected product data object.

Data Object - Apttus_CPQApi.CPQ.SelectedProductDO		
Field	Type	Description
AttributeValues	List	List of attributes values.
Comments	String	Comments associated with the record.
CopyBundleConfigurationFromSource	Boolean	You can use this to copy the configuration of the bundle from the source

Data Object - Apttus_CPQApi.CPQ.SelectedProductDO		
Field	Type	Description
CustomData	Apttus_Config2__LineItem__c	This can be used to include the list of custom fields you have added to the product.
CustomFields	List<String> CustomFields	List of custom fields created for your product.
EndDate	Date	The end date.
ProductId	ID	Id of the product bundle.
Quantity	Decimal	The bundle quantity.
RelatedLineItems	List	List of related line items for bundle
SellingTerm	Decimal	The bundle selling term.
SourceFields	List	List of the fields in the source bundle that you want to copy.
SourceId	ID	ID of the source bundle.
StartDate	Date	The start date. You should ensure you use the correct date format.

Data Object - Apttus_CPQApi.CPQ.SelectedOptionDO		
Field	Type	Description
AttributeValues	List	List of attributes values.
Comments	String	Comments associated with the record.
ComponentId	ID	Id of the component.
ComponentProductId	ID	Id of the component product.
CustomData	Apttus_Config2__LineItem__c	The values to be set for the custom fields in the CustomFields List
CustomFields	List<String>	List of Custom Field's API Name

Data Object - Apttus_CPQApi.CPQ.SelectedOptionDO		
Field	Type	Description
EndDate	Date	The end date.
Quantity	Decimal	The option quantity.
SellingTerm	Decimal	The option selling term.
Sourceld	ID	ID of the source option.
StartDate	Date	The start date. You should ensure you use the correct date format.

Response Data Object - Apttus_CPQApi.CPQ.AddBundleResponseDO		
Field	Type	Description
LineNumber	Decimal	The bundle line number.

Code Sample

The sample below enables you to add a bundled product with a specific product ID and its associated quantity to a specific cart with a specific cartID. For example, a user selects a bundled product-Laptop+Mouse and clicks Add to Cart, the request to add bundle to the cart is invoked and the bundle with the specific product ID is added to a cart with the cart ID.

```

1  /**
2   * The below method demonstrates how to add a bundle product to an
3   * existing cart (every quote has a cart)
4   * Lets assume the Quote's Cart is blank and Laptop is a bundle product
5   * and its two options are Keyboard and Mouse
6   * The input of this method is Quote Number and the Id of the Laptop
7   * bundle product
8   * Inside the method we will add the Laptop bundle product and also its
9   * two options Keyboard and Mouse to the cart
10  */
11  public static void addBundle(String quoteNumber, ID bundleProductId)
12  {
13
14      List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT
15      Apttus_Config2__PriceListId__c,Id FROM
16      Apttus_Config2__ProductConfiguration__c WHERE
17      Apttus_QPConfig__ProposalId__r.Name = :quoteNumber LIMIT 1];
18
19      if(!cart.isEmpty() && bundleProductId != null)
20      {
21
22          // Assume the quantity and selling term for the bundle product and
23          // its options is 1
24          Integer quantity = 1;
25          Integer sellingTerm = 1;
26
27          // Create the request object
28          Apttus_CPQApi.CPQ.AddBundleRequestDO request = new
29          Apttus_CPQApi.CPQ.AddBundleRequestDO();
30          request.CartId = cart.get(0).Id;
31
32          // Add the bundle product to the request
33          request.SelectedBundle = new Apttus_CPQApi.CPQ.SelectedBundleDO();
34          request.SelectedBundle.SelectedProduct = new
35          Apttus_CPQApi.CPQ.SelectedProductDO();
36          request.SelectedBundle.SelectedProduct.ProductId =
37          bundleProductId;
38          request.SelectedBundle.SelectedProduct.Quantity = quantity;
39          request.SelectedBundle.SelectedProduct.SellingTerm = sellingTerm;
40
41          // Get all the options of the bundle product

```

```

31         Apttus_CPQApi.CPQ.ProductOptionGroupSearchResultDO
productOptionGroupResult =
Apttus_CPQApi.CPQWebService.getOptionGroupsForPriceListProduct(cart.get(0
).Apttus_Config2__PriceListId__c, bundleProductId);
32         if(productOptionGroupResult.HasOptionGroups)
33         {
34             // Add the option products to the request
35             request.SelectedBundle.SelectedOptions = new
List<Apttus_CPQApi.CPQ.SelectedOptionDO>();
36             for(Apttus_CPQApi.CPQ.ProductOptionGroupDO
productOptionGroup : productOptionGroupResult.OptionGroups)
37             {
38                 if(productOptionGroup.HasOptionComponents)
39                 {
40                     for(Apttus_CPQApi.CPQ.ProductOptionComponentDO
productOptionComponent : productOptionGroup.OptionComponents)
41                     {
42                         Apttus_CPQApi.CPQ.SelectedOptionDO
selectedOptionDO = new Apttus_CPQApi.CPQ.SelectedOptionDO();
43                         selectedOptionDO.ComponentId =
productOptionComponent.ComponentId;
44                         selectedOptionDO.ComponentProductId =
productOptionComponent.ComponentProductId;
45                         selectedOptionDO.Quantity = quantity;
46                         selectedOptionDO.SellingTerm = sellingTerm;
47
request.SelectedBundle.SelectedOptions.add(selectedOptionDO);
48                     }
49                 }
50             }
51         }
52
53         // Execute the addBundle routine
54         Apttus_CPQApi.CPQ.AddBundleResponseDO response =
Apttus_CPQApi.CPQWebService.addBundle(request);
55
56         System.debug('Line Number of added bundle = ' +
response.LineNumber);
57     }
58 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQFRdZcUFQ8LrHGF_qYNN9deP0ee.07JRqgeS3IF8IILzILBdAOPySGSki f1VBtALP6pryVNOXfhn0faHO
pGsc9GFVLl0</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:addBundle>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YdIH</cpq1:CartId>
        <cpq1:SelectedBundle>
          <cpq1:SelectedProduct>
            <cpq1:ProductId>01tZ0000004LUXt</cpq1:ProductId>
            <cpq1:Quantity>1</cpq1:Quantity>
            <cpq1:SellingTerm>1</cpq1:SellingTerm>
            <cpq1:StartDate>2020-05-14</cpq1:StartDate>
            <cpq1:EndDate>2020-05-15</cpq1:EndDate>
            <cpq1:Comments>None</cpq1:Comments>
          </cpq1:SelectedProduct>
          <cpq1:SelectedOptions>
            <cpq1:ComponentId>a1YZ0000002jPuS</cpq1:ComponentId>
            <cpq1:ComponentProductId>01tZ0000004u2io</cpq1:ComponentProdu
ctId>
            <cpq1:Quantity>1</cpq1:Quantity>
            <cpq1:SellingTerm>1</cpq1:SellingTerm>
            <cpq1:StartDate>2020-05-14</cpq1:StartDate>
            <cpq1:EndDate>2020-05-15</cpq1:EndDate>
            <cpq1:Comments>none</cpq1:Comments>
          </cpq1:SelectedOptions>
        </cpq1:SelectedBundle>
      </cpq:request>
    </cpq:addBundle>
  </soapenv:Body>
</soapenv:Envelope>

```

```

    </cpq:addBundle>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:AddBundleResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <addBundleResponse>
      <result>
        <AddBundleResponseDO:LineNumber>8</AddBundleResponseDO:LineNumber>
      </result>
    </addBundleResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Adding a Custom Bundle

This API adds a custom bundle to the cart. You can define fields like **Quantity**, **Selling Term**, **Start Date**, and **End Date** for the bundle.

API	Signature
addCustomBundle	<i>webservice static Apttus_CPQApi.CPQ.AddCustomBundleResponseDO addCustomBundle(Apttus_CPQApi.CPQ.AddCustomBundleRequestDO request)</i>

Request Parameter		
Name	Type	Description
request	Apttus_CPQApi.CPQ.AddCustomBundleRequestDO	The request data object

Request Data Object - Apttus_CPQApi.CPQ.AddCustomBundleRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
LineItemColl	Apttus_CPQApi.CPQ.LineItemCollD O	The Line Item data object

Data Object - Apttus_CPQApi.CPQ.LineItemCollDO		
Field	Type	Description
LineItems	List<Apttus_Config2__LineItem__c>	The list of the Line Items.

Response Data Object - Apttus_CPQApi.CPQ.AddCustomBundleResponseDO		
Field	Type	Description
LineNumber	Decimal	The bundle line number.

Code Sample

The sample below enables you to add custom bundles with a list of line items to an existing cart.


```

1  /**
2   * The below method demonstrates how to add custom bundle products to an
3   * existing cart (every quote has a cart)
4   * Lets assume the Quote's Cart is blank and the standalone/bundle
5   * products are Laptop, Monitor, Wifi Router
6   * The input of this method is Quote Number and the line items, Monitor
7   * and Wifi Router standalone products
8   */
9
10 public static void addCustomBundleProducts(String quoteNumber,
11 List<Apttus_Config2__LineItem__c> lineItems)
12 {
13     Apttus_Config2__ProductConfiguration__c cart = [SELECT Id,
14 Apttus_QPConfig__ProposalId__r.Apttus_QPConfig__PriceListId__c
15 FROM
16 Apttus_Config2__ProductConfiguration__c
17 WHERE
18 Apttus_QPConfig__ProposalId__r.Name = :quoteNumber LIMIT 1];
19     Apttus_CPQApi.CPQ.AddCustomBundleRequestDO request = new
20 Apttus_CPQApi.CPQ.AddCustomBundleRequestDO();
21     request.CartId = cart.ID;
22     Apttus_CPQApi.CPQ.LineItemCollDO itemCollDO = new
23 Apttus_CPQApi.CPQ.LineItemCollDO();
24     itemCollDO.LineItems.addAll(lineItems);
25     request.LineItemColl = itemCollDO;
26     Apttus_CPQApi.CPQWebService.addCustomBundle(request);
27 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ0000000NAEIA!
ASAAQJnmdThijKiZBe7nFMnVQReN90.MMbcgJD70Lgwd3vGv0DaYV9beTHNKgBG0W1ecM4askcVGqf9Qzk2nW
zcvo0m58gGD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:addCustomBundle>
      <cpq:request>
        <cpq1:CartId>a10Z00000002Yqya</cpq1:CartId>
        <cpq1:LineItemColl>
          <cpq1:LineItems>
            <cpq:Apttus_Config2__Quantity__c>1</cpq:Apttus_Config2__Quant
ity__c>
            <cpq:Apttus_Config2__SellingTerm__c>1</cpq:Apttus_Config2__Se
llingTerm__c>
            <cpq:Apttus_Config2__Comments__c>None</cpq:Apttus_Config2__Co
mments__c>
            <cpq:Apttus_Config2__ProductId__c>01te00000005NGpD</cpq:Apttus
_Config2__ProductId__c>
            <cpq:Apttus_Config2__ClassificationId__c>a0ne00000007G1mR</cpq:
Apttus_Config2__ClassificationId__c>
            <cpq:Apttus_Config2__HasOptions__c>>false</cpq:Apttus_Config2__
_HasOptions__c>
            <cpq:Apttus_Config2__LineType__c>Product/Service</cpq:Apttus_
_Config2__LineType__c>
            <cpq:Apttus_Config2__IsQuantityModifiable__c>>true</cpq:Apttus
_Config2__IsQuantityModifiable__c>
            <cpq:Apttus_Config2__IsPrimaryLine__c >true</cpq:Apttus_Confi
g2__IsPrimaryLine__c >

```

```

        <cpq:Apttus_Config2__ChargeType__c>Standard Price</cpq:Apttus
_Apttus_Config2__ChargeType__c>
        <cpq:Apttus_Config2__PriceType__c >One Time</cpq:Apttus_Confi
g2__PriceType__c >
        <cpq:Apttus_Config2__PriceMethod__c>Per Unit</cpq:Apttus_Conf
ig2__PriceMethod__c>
        <cpq:Apttus_Config2__ListPrice__c>100</cpq:Apttus_Config2__Li
stPrice__c>
        <cpq:Apttus_Config2__IsCustomPricing__c>true</cpq:Apttus_Conf
ig2__IsCustomPricing__c>
        <cpq:Apttus_Config2__AllowManualAdjustment__c>true</cpq:Apttu
s_Config2__AllowManualAdjustment__c>
        </cpq1:LineItems>
        <cpq1:LineItems>
        <cpq:Apttus_Config2__Quantity__c>1</cpq:Apttus_Config2__Quant
ity__c>
        <cpq:Apttus_Config2__SellingTerm__c>1</cpq:Apttus_Config2__Se
llingTerm__c>
        <cpq:Apttus_Config2__Comments__c>Some comment</cpq:Apttus_Con
fig2__Comments__c>
        <cpq:Apttus_Config2__ProductId__c>01te0000005NGpX</cpq:Apttus
_Config2__ProductId__c>
        <cpq:Apttus_Config2__HasOptions__c>false</cpq:Apttus_Config2_
_HasOptions__c>
        <cpq:Apttus_Config2__LineType__c>Product/Service</cpq:Apttus_
Config2__LineType__c>
        <cpq:Apttus_Config2__IsQuantityModifiable__c>true</cpq:Apttus
_Config2__IsQuantityModifiable__c>
        <cpq:Apttus_Config2__IsPrimaryLine__c >true</cpq:Apttus_Confi
g2__IsPrimaryLine__c >
        <cpq:Apttus_Config2__ChargeType__c>Standard Price</cpq:Apttus
_Config2__ChargeType__c>
        <cpq:Apttus_Config2__PriceType__c >One Time</cpq:Apttus_Confi
g2__PriceType__c >
        <cpq:Apttus_Config2__PriceMethod__c>Per Unit</cpq:Apttus_Conf
ig2__PriceMethod__c>
        <cpq:Apttus_Config2__ListPrice__c>100</cpq:Apttus_Config2__Li
stPrice__c>
        <cpq:Apttus_Config2__IsCustomPricing__c>true</cpq:Apttus_Conf
ig2__IsCustomPricing__c>
        <cpq:Apttus_Config2__AllowManualAdjustment__c>false</cpq:Aptt
us_Config2__AllowManualAdjustment__c>
        </cpq1:LineItems>
        <cpq1:LineItems>

```

```

ity__c>
    <cpq:Apttus_Config2__Quantity__c>2</cpq:Apttus_Config2__Quant
    ility__c>
    <cpq:Apttus_Config2__SellingTerm__c>1</cpq:Apttus_Config2__Se
    llingTerm__c>
    <cpq:Apttus_Config2__OptionId__c>01te0000005NGpm</cpq:Apttus_
    Config2__OptionId__c>
    <cpq:Apttus_Config2__LineType__c>Option</cpq:Apttus_Config2__
    LineType__c>
    <cpq:Apttus_Config2__IsQuantityModifiable__c>true</cpq:Apttus
    _Config2__IsQuantityModifiable__c>
    <cpq:Apttus_Config2__IsPrimaryLine__c >>false</cpq:Apttus_Conf
    ig2__IsPrimaryLine__c >
    <cpq:Apttus_Config2__ChargeType__c>Standard Price</cpq:Apttus
    _Config2__ChargeType__c>
    <cpq:Apttus_Config2__PriceType__c >One Time</cpq:Apttus_Confi
    g2__PriceType__c >
    <cpq:Apttus_Config2__PriceMethod__c>Per Unit</cpq:Apttus_Conf
    ig2__PriceMethod__c>
    <cpq:Apttus_Config2__ListPrice__c>200</cpq:Apttus_Config2__Li
    stPrice__c>
    <cpq:Apttus_Config2__IsCustomPricing__c>>false</cpq:Apttus_Con
    fig2__IsCustomPricing__c>
    <cpq:Apttus_Config2__AllowManualAdjustment__c>>false</cpq:Aptt
    us_Config2__AllowManualAdjustment__c>
    </cpq1:LineItems>
  </cpq1:LineItemColl>
</cpq:request>
</cpq:addCustomBundle>
</soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:AddCustomBundleResponseDO="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <addCustomBundleResponse>
      <result>
        <AddCustomBundleResponseDO:LineNumber>6</AddCustomBundleResponseDO:Li
neNumber>
      </result>
    </addCustomBundleResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Adding Options to a Bundle

This adds one or more Options Products to a Bundle product.

API	Signature	
addOptions	<i>webservice static Apttus_CPQApi.CPQ.AddOptionsResponseDO addOptions(Id cartId, Integer lineNumber, List selectedOptions)</i>	
Request Parameters		
Name	Type	Description
CartID	ID	The cart ID
lineNumber	Integer	Line Number of the Bundle Product
selectedOptions	List<Apttus_CPQApi.CPQ.SelectedOptionDO>	List of Options
Data Object - Apttus_CPQApi.CPQ.SelectedOptionDO		
Field	Type	Description
AttributeValues	List	List of attributes values.

Data Object - Apttus_CPQApi.CPQ.SelectedOptionDO		
Field	Type	Description
Comments	String	Comments associated with the record.
ComponentId	ID	Id of the component.
ComponentProductId	ID	Id of the component product.
CustomData	Apttus_Config2__LineItem__c	The values to be set for the custom fields in the CustomFields List
CustomFields	List<String>	List of Custom Field's API Name
EndDate	Date	The end date.
Quantity	Decimal	The option quantity.
SellingTerm	Decimal	The option selling term.
SourceId	ID	ID of the source option.
StartDate	Date	The start date. You should ensure you use the correct date format.

Code Sample

Using the sample below you can dynamically add options to a bundled product that the user selects in the cart line item. For example, if the user selects a bundled product, Laptop, in the cart line item you can fetch the configured options for that selected product using the *addoptions* API. In the sample below, for a selected product you initially fetch the productID. Using the retrieve option groups API *getOptionGroupsForPriceListProduct*, you can check whether the selected product has option groups associated. If an option group is associated, fetch the option components and create a list comprising the CPQ.SelectedOptionDO. Invoke the *addoptions* API and pass the cartID, productID, and the list CPQ.SelectedOptionDO.

```

1  public void addOptions()
2  {
3      string productName='';
4      Integer lineNumber = 0;
5      for(LineItemWrapperClass selProdWrap: lstWrapItems)
6      {
7          //For a selected bundled product from a cart line item execute the
loop below
8          if(selProdWrap.selected)
9          {
10             productName = selProdWrap.ProductName;
11             lineNumber = Integer.valueOf(selProdWrap.LineNumber);
12             break;
13         }
14     }
15     //If no product is selected, show an appropriate error message
16     if(String.isBlank(productName))
17     {
18         ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'Please select at least one
Product. '));
19     }
20     else
21     {
22         List<Apttus_CPQApi.CPQ.SelectedOptionDO> selectedOptDOList = new
List<Apttus_CPQApi.CPQ.SelectedOptionDO>();
23
24         //For the selected product fetch the product ID
25         List<Product2> productId = [SELECT Id FROM Product2 WHERE Name
= :productName LIMIT 1];
26
27         //Execute the getoptionGroups API to fetch the options with option
groups
28         Apttus_CPQApi.CPQ.ProductOptionGroupSearchResultDO result =
Apttus_CPQApi.CPQWebService.getOptionGroupsForPriceListProduct(priceListId
, productId[0].Id);
29
30         //If the selected product has option groups execute the loop below
31         if(result.HasOptionGroups)
32         {
33             List<Apttus_CPQApi.CPQ.ProductOptionGroupDO> prodOptGrpDOList
= result.OptionGroups;
34             for(Apttus_CPQApi.CPQ.ProductOptionGroupDO prodOptGrpDO :
prodOptGrpDOList)

```

```

35         {
36             //For an option group if a product has option components
such as quantity execute the loop below
37             if(prodOptGrpD0.HasOptionComponents)
38             {
39                 List<Apttus_CPQApi.CPQ.ProductOptionComponentD0>
prodOptCompD0List = new
40                 List<Apttus_CPQApi.CPQ.ProductOptionComponentD0>();
prodOptCompD0List = prodOptGrpD0.OptionComponents;
41
42                 //Fetch all the option components for a particular
option group.
43                 for(Apttus_CPQApi.CPQ.ProductOptionComponentD0
prodOptCompD0 :prodOptCompD0List )
44                 {
45                     Apttus_CPQApi.CPQ.SelectedOptionD0 selectedOptD0 =
new Apttus_CPQApi.CPQ.SelectedOptionD0();
46                     selectedOptD0.ComponentId =
prodOptCompD0.ComponentId;
47                     selectedOptD0.ComponentProductId =
prodOptCompD0.ComponentProductId;
48                     selectedOptD0.Quantity = 1;
49                     selectedOptD0List.add(selectedOptD0);
50                 }
51             }
52         }
53     }
54     //Invoke the addOptions API and pass the cartID, selected product
line number, and the Option List retrieved from the getoptiongroups API
55     Apttus_CPQApi.CPQ.AddOptionsResponseD0 addOptRespD0 =
Apttus_CPQApi.CPQWebService.addOptions(cartId, lineNumber,
selectedOptD0List);
56
57 }
58 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQHmIRqgn4R90i1yQjWTIVk4UZmsDe_.eK0Z9z6qLij7Tu.L_Yo8dRA_p80mhKMeRs4uzCZTadIgQ9fEbD
KciXEQYRyaA</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:addOptions>
      <cpq:cartId>a10Z0000002ZQVZ</cpq:cartId>
      <cpq:lineNumber>1</cpq:lineNumber>
      <cpq:selectedOptions>
        <cpq1:Comments>Some comment</cpq1:Comments>
        <cpq1:ComponentId>a1YZ0000003pIGM</cpq1:ComponentId>
        <cpq1:ComponentProductId>01tZ0000004lUYI</cpq1:ComponentProductId>
        <cpq1:EndDate>2020-06-30</cpq1:EndDate>
        <cpq1:Quantity>5</cpq1:Quantity>
        <cpq1:SellingTerm>1</cpq1:SellingTerm>
        <cpq1:StartDate>2020-05-28</cpq1:StartDate>
      </cpq:selectedOptions>
    </cpq:addOptions>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:AddOptionsResponseD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <addOptionsResponse>
      <result>
        <AddOptionsResponseD0:addedOptionLineItems xsi:type="Apttus_Config2__LineItem__c">
          <Id>a19Z00000006sPeBIAU</Id>
          <Apttus_Config2__AddedBy__c>User</Apttus_Config2__AddedBy__c>
          <Apttus_Config2__AllowManualAdjustment__c>true</Apttus_Config2__AllowManualAdjustment__c>
          <Apttus_Config2__Comments__c>Some comment</Apttus_Config2__Comments__c>
          <Apttus_Config2__ConfigStatus__c>NA</Apttus_Config2__ConfigStatus__c>
          <Apttus_Config2__ConfigurationId__c>a10Z00000002ZQVZMA4</Apttus_Config2__ConfigurationId__c>
          <Apttus_Config2__ConstraintCheckStatus__c>NA</Apttus_Config2__ConstraintCheckStatus__c>
          <Apttus_Config2__Customizable__c>>false</Apttus_Config2__Customizable__c>
          <Apttus_Config2__Description__c>Auto_API_OptionProduct1</Apttus_Config2__Description__c>
          <Apttus_Config2__EndDate__c>2020-06-30</Apttus_Config2__EndDate__c>
          <Apttus_Config2__HasAttributes__c>>false</Apttus_Config2__HasAttributes__c>
          <Apttus_Config2__HasOptions__c>>false</Apttus_Config2__HasOptions__c>
          <Apttus_Config2__IsPrimaryLine__c>>true</Apttus_Config2__IsPrimaryLine__c>
          <Apttus_Config2__IsQuantityModifiable__c>>false</Apttus_Config2__IsQuantityModifiable__c>
          <Apttus_Config2__ItemSequence__c>2</Apttus_Config2__ItemSequence__c>
          <Apttus_Config2__LineNumber__c>1</Apttus_Config2__LineNumber__c>

```

```


        <Apttus_Config2__LineType__c>Option</Apttus_Config2__LineType__c>
        <Apttus_Config2__OptionId__c>01tZ00000041UYIIA2</
Apttus_Config2__OptionId__c>
        <Apttus_Config2__ParentBundleNumber__c>1</
Apttus_Config2__ParentBundleNumber__c>
        <Apttus_Config2__PriceListId__c>a1DZ0000002mg5nMAA</
Apttus_Config2__PriceListId__c>
        <Apttus_Config2__PricingStatus__c>Pending</
Apttus_Config2__PricingStatus__c>
        <Apttus_Config2__PrimaryLineNumber__c>4</
Apttus_Config2__PrimaryLineNumber__c>
        <Apttus_Config2__ProductId__c>01tZ00000041LUXUIA2</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductOptionId__c>a1YZ0000003pIGMMA2</
Apttus_Config2__ProductOptionId__c>
        <Apttus_Config2__ProductVersion__c>1.00</
Apttus_Config2__ProductVersion__c>
        <Apttus_Config2__Quantity__c>5</Apttus_Config2__Quantity__c>
        <Apttus_Config2__SellingTerm__c>1</Apttus_Config2__SellingTerm__c>
        <Apttus_Config2__StartDate__c>2020-05-28</
Apttus_Config2__StartDate__c>
        <Apttus_Config2__Uom__c>Each</Apttus_Config2__Uom__c>
    </AddOptionsResponseDO:addedOptionLineItems>
</result>
</addOptionsResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Cloning Bundle Line Items on the Cart

This method allows you to clone the primary bundle line items along with option line items and child line items (if applicable) on the Cart. This API is invoked when you click **Clone** action icon next to a bundle product on the Cart.

API	Signature
cloneBundleLineItems	<i>WebService static Apttus_CPQApi.CPQ.CloneLineItemsResponseDO cloneBundleLineItems(Apttus_CPQApi.CPQ.CloneLineItemsRequestDO request)</i>

Request Parameter		
Name	Type	Description
Request	Apttus_CPQApi.CPQ.CloneLineItemsRequestDO	This is the request data object.
Request Data Object - Apttus_CPQApi.CPQ.CloneLineItemsRequestDO		
Name	Type	Description
Cart ID	ID	The Id of the cart.
Primary LineNumber	Integer	The line numbers of the primary line items which have to be cloned using this API.
<div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p> You must pass the value <code>Apttus_Config2__LineNumber_c</code> field instead of <code>Apttus_Config2__PrimaryLineNumber_c</code> to clone bundles.</p> </div>		
Response Data Object - Apttus_CPQApi.CPQ.CloneLineItemsResponseDO		
Name	Type	Description
OriginalToCloneMap	List<Apttus_CPQApi.CPQ.IntegerMapDO>	The list of primary line item numbers.
Response Data Object - Apttus_CPQApi.CPQ.IntegerMapDO		
Name	Type	Description
mapItem.Key	Integer	The line item numbers of the source primary line item from which new line items are cloned using this API.
mapItem.Value	Integer	The line item numbers of the cloned line items.

Code Sample

Using the below sample, you can clone the primary bundle line items after you configure your products, add the attributes, configure your options and arrive on the cart. This API accepts the Cart ID and the primary bundle and option line item numbers. In the form of

response, this API provides the original line items in the `mapItem.Key` parameter and the newly cloned line items in the `mapItem.Value` parameter.

For example, once you configure your cart by adding products using `addBundle` or `addMultiProducts` API, you can invoke this API in order to clone the bundle and option line items on the cart at any of the following:

- After the product is added on the Cart.
- Before making changes to pricing of the products.
- After updating the cart pricing using `updatePriceForCart` API.

```

/**
 * The below method demonstrates how to clone bundle product in an existing cart
 (every quote has a cart)
 * Lets assume the Quote's Cart has a 3 products,
 * Laptop is a bundle product (line number 1) and Monitor and Wifi Router are
 standalone products (line number 2 and 3 respectively)
 * The input of this method is Quote Number and the line number of the Laptop bundle
 product
 */
public static void cloneBundleLineItems(String quoteNumber, List<Integer>
primaryLineNumbers)
{

    List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
Apttus_Config2__ProductConfiguration__c WHERE Apttus_QPConfig__ProposalId__r.Name
= :quoteNumber LIMIT 1];

    if(!cart.isEmpty() && primaryLineNumbers != null && !
primaryLineNumbers.isEmpty())
    {

        // Create the request object
        Apttus_CPQApi.CPQ.CloneLineItemsRequestDO request = new
Apttus_CPQApi.CPQ.CloneLineItemsRequestDO();
        request.CartId = cart.get(0).Id;
        request.PrimaryLineNumbers = primaryLineNumbers;

        // Execute the cloneBundleLineItems routine
        Apttus_CPQApi.CPQ.CloneLineItemsResponseDO response =
Apttus_CPQApi.CPQWebService.cloneBundleLineItems(request);

        for(Apttus_CPQApi.CPQ.IntegerMapDO intMapDO : response.OriginalToCloneMap)
        {
            System.debug('Source Bundle Line Number = ' + intMapDO.Key + ', Cloned
Bundle Line Number = ' + intMapDO.Value);
        }
    }
}

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding Products to a Cart OR Adding a Bundle to a Cart](#)
- [Updating Price For A Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQGrz6Z.wmD7Foe_ZhEj44N.Sh34LJRyn0uiVnJa1hQAZgWx3lQ2kM._9AWarLziTn5kpbVtSuMZEgdXN_
Mlze.kGwLVg</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:cloneBundleLineItems>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YouHMAS</cpq1:CartId>
        <cpq1:PrimaryLineNumbers>3</cpq1:PrimaryLineNumbers>
        <cpq1:PrimaryLineNumbers>4</cpq1:PrimaryLineNumbers>
      </cpq:request>
    </cpq:cloneBundleLineItems>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:CloneLineItemsResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <cloneBundleLineItemsResponse>
      <result>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>3</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>5</CloneLineItemsResponseD0:Value
        >
        </CloneLineItemsResponseD0:OriginalToCloneMap>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>4</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>6</CloneLineItemsResponseD0:Value
        >
        </CloneLineItemsResponseD0:OriginalToCloneMap>
      </result>
    </cloneBundleLineItemsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Cloning Line Items on the Cart

This method enables you to clone the primary line items on the Cart. This API is invoked when you click **Clone** action icon next to a standalone product on the Cart.

API	Signature
cloneLineItems	<i>webService static Apttus_CPQApi.CPQ.CloneLineItemsResponseDO cloneLineItems(Apttus_CPQApi.CPQ.CloneLineItemsRequestDO request)</i>

Request Parameter		
Name	Type	Description
Request	Apttus_CPQApi.CPQ.CloneLineItemsRequestDO	This is the request data object.

Request Data Object - Apttus_CPQApi.CPQ.CloneLineItemsRequestDO		
Name	Type	Description
Cart ID	ID	The Id of the cart.
PrimaryLineNumber	Integer	The line item numbers of the primary line items which have to be cloned using this API.

Response Data Object - Apttus_CPQApi.CPQ.CloneLineItemsResponseDO		
Name	Type	Description
OriginalToCloneMap	List<Apttus_CPQApi.CPQ.IntegerMapDO>	The list of primary line item numbers.

Response Data Object - Apttus_CPQApi.CPQ.IntegerMapDO		
Name	Type	Description
mapItem.Key	Integer	The line item numbers of the source primary line item from which new line items are cloned using this API.
mapItem.Value	Integer	The line item numbers of the cloned line items.

Code Sample

Using the following sample, you can clone the primary line items after you configure your products, add the attributes and arrive on the cart. This API accepts the Cart ID and the primary line item numbers, and clones these line items. In the form of the response, this API provides the original line items in the `mapItem.Key` parameter and the newly cloned line items in the `mapItem.Value` parameter.

For example, once you configure your cart using `addMultiProducts` API, you can invoke this API in order to clone the line items on the cart at any of the following:

- After the product is added on the Cart.

- Before making changes to pricing of the products.
- After updating the cart pricing using *updatePriceForCart* API.

```

/**
 * The below method demonstrates how to clone standalone product in an existing cart
 (every quote has a cart)
 * Lets assume the Quote's Cart has a 3 products,
 * Laptop is a bundle product (line number 1) and Monitor and Wifi Router are
 standalone products (line number 2 and 3 respectively)
 * The input of this method is Quote Number and the line numbers of the Monitor and
 Wifi Router are standalone products
 */
public static void cloneLineItems(String quoteNumber, List<Integer>
primaryLineNumbers)
{

    List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
Apttus_Config2__ProductConfiguration__c WHERE Apttus_QPConfig__ProposalId__r.Name
= :quoteNumber LIMIT 1];

    if(!cart.isEmpty() && primaryLineNumbers != null && !
primaryLineNumbers.isEmpty())
    {

        // Create the request object
        Apttus_CPQApi.CPQ.CloneLineItemsRequestDO request = new
Apttus_CPQApi.CPQ.CloneLineItemsRequestDO();
        request.CartId = cart.get(0).Id;
        request.PrimaryLineNumbers = primaryLineNumbers;

        // Execute the cloneLineItems routine
        Apttus_CPQApi.CPQ.CloneLineItemsResponseDO response =
Apttus_CPQApi.CPQWebService.cloneLineItems(request);

        for(Apttus_CPQApi.CPQ.IntegerMapDO intMapDO : response.OriginalToCloneMap)
        {
            System.debug('Source Bundle Line Number = ' + intMapDO.Key + ', Cloned
Bundle Line Number = ' + intMapDO.Value);
        }
    }
}

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding Products to a Cart](#)
- [Updating Price For A Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
      ASAAQGrz6Z.wmD7Foe_ZhEj44N.Sh34LJRyn0uiVnJa1hQAZgWx3lQ2kM._9AWarLziTn5kpbVtSuMZEgdXN_
      Mlze.kGwLVg</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:cloneLineItems>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YotOMAS</cpq1:CartId>
        <cpq1:PrimaryLineNumbers>1</cpq1:PrimaryLineNumbers>
        <cpq1:PrimaryLineNumbers>2</cpq1:PrimaryLineNumbers>
        <cpq1:PrimaryLineNumbers>5</cpq1:PrimaryLineNumbers>
      </cpq:request>
    </cpq:cloneLineItems>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:CloneLineItemsResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <cloneLineItemsResponse>
      <result>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>1</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>6</CloneLineItemsResponseD0:Value
        >

        </CloneLineItemsResponseD0:OriginalToCloneMap>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>2</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>7</CloneLineItemsResponseD0:Value
        >

        </CloneLineItemsResponseD0:OriginalToCloneMap>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>5</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>8</CloneLineItemsResponseD0:Value
        >

        </CloneLineItemsResponseD0:OriginalToCloneMap>
      </result>
    </cloneLineItemsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Cloning Option Line Items on the Cart

This method allows you to clone the option line items and child line items (if applicable) on the Cart. This API is invoked when you click **Clone** action icon next to an option product on the Cart.

API	Signature
cloneOptionLineItems	<i>webService static Apttus_CPQApi.CPQ.CloneLineItemsResponseDO cloneOptionLineItems(Apttus_CPQApi.CPQ.CloneLineItemsRequestDO request)</i>

Request Parameter		
Name	Type	Description
Request	Apttus_CPQApi.CPQ.CloneLineItemsRequestDO	This is the request data object.

Request Data Object - Apttus_CPQApi.CPQ.CloneLineItemsRequestDO		
Name	Type	Description
Cart ID	ID	The Id of the cart.
PrimaryLineNumber	Integer	The line numbers of the primary line items which have to be cloned using this API.

Response Data Object - Apttus_CPQApi.CPQ.CloneLineItemsResponseDO		
Name	Type	Description
OriginalToCloneMap	List<Apttus_CPQApi.CPQ.IntegerMapDO>	The list of primary line item numbers.

Response Data Object - Apttus_CPQApi.CPQ.IntegerMapDO		
Name	Type	Description
mapItem.Key	Integer	The line item numbers of the source primary line item from which new line items are cloned using this API.
mapItem.Value	Integer	The line item numbers of the cloned line items.

Code Sample

Using the below code sample, you can clone the option line items after you configure your bundle products, add the attributes and arrive on the cart. This API accepts the Cart ID and the option line item numbers, and clones these line items. In the form of the response, this API provides the original line items in the `mapItem.Key` parameter and the newly cloned line items in the `mapItem.Value` parameter.

For example, once you configure your cart by adding option products using *addoptions* API, you can invoke this API in order to clone the option line items on the cart at any of the following:

- After the product is added on the Cart.
- Before making changes to pricing of the products.
- After updating the cart pricing using *updatePriceForCart* API.

```

/**
 * The below method demonstrates how to clone option line items in an existing cart
 (every quote has a cart)
 * Lets assume the Quote's Cart has a 3 products,
 * Laptop is a bundle product (line number 1) and Monitor and Wifi Router are
 standalone products (line number 2 and 3 respectively)
 * The input of this method is Quote Number and the line number of the Laptop bundle
 product
 */
public static void cloneOptionLineItems(String quoteNumber, List<Integer>
primaryLineNumbers)
{

    List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
Apttus_Config2__ProductConfiguration__c WHERE Apttus_QPConfig__ProposalId__r.Name
= :quoteNumber LIMIT 1];

    if(!cart.isEmpty() && primaryLineNumbers != null && !
primaryLineNumbers.isEmpty())
    {

        // Create the request object
        Apttus_CPQApi.CPQ.CloneLineItemsRequestDO request = new
Apttus_CPQApi.CPQ.CloneLineItemsRequestDO();
        request.CartId = cart.get(0).Id;
        request.PrimaryLineNumbers = primaryLineNumbers;

        // Execute the cloneOptionLineItems routine
        Apttus_CPQApi.CPQ.CloneLineItemsResponseDO response =
Apttus_CPQApi.CPQWebService.cloneOptionLineItems(request);

        for(Apttus_CPQApi.CPQ.IntegerMapDO intMapDO : response.OriginalToCloneMap)
        {
            System.debug('Original Primary Line Number = ' + intMapDO.Key + ', Cloned
Primary Line Number = ' + intMapDO.Value);
        }
    }
}

```


Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding a Bundle to a Cart](#)
- [Updating Price For A Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQGYIEG86MxZJB2SAYA0.SoCSmGG7G3SzeD6x2lnQ_zQCcBu.SpLUCrn0Bk0Ph00tnf_OAAnE0nfpZfkaS
9mA_1G_1kmP</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:cloneOptionLineItems>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YqyaMAC</cpq1:CartId>
        <cpq1:PrimaryLineNumbers>1</cpq1:PrimaryLineNumbers>
        <cpq1:PrimaryLineNumbers>3</cpq1:PrimaryLineNumbers>
      </cpq:request>
    </cpq:cloneOptionLineItems>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:CloneLineItemsResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <cloneOptionLineItemsResponse>
      <result>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>1</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>9</CloneLineItemsResponseD0:Value
>
        </CloneLineItemsResponseD0:OriginalToCloneMap>
        <CloneLineItemsResponseD0:OriginalToCloneMap>
          <CloneLineItemsResponseD0:Key>3</CloneLineItemsResponseD0:Key>
          <CloneLineItemsResponseD0:Value>12</CloneLineItemsResponseD0:Valu
e>
        </CloneLineItemsResponseD0:OriginalToCloneMap>
      </result>
    </cloneOptionLineItemsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Comparing Products

This is used to retrieve products, based on product IDs, and compare them side by side. This is typically done from the Product Catalog, to decide between products before adding them to the cart.

Prerequisite: You must set up feature sets and associate them with the products you want to compare. There is no API for this process—you must configure this in your org. For more information, refer to the *CPQ on Salesforce Administrator Guide* topic [Configuring Product Comparison](#).

API	Signature
compareProducts	<i>WebService static List compareProducts(Apttus_CPQApi.CPQ.FeatureInfoRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.FeatureInfoRequestDO	The request data object.
Request Data Object - Apttus_CPQApi.CPQ.FeatureInfoRequestDO		
Field	Type	Description
productIds	List<ID>	The list of Ids of the product you want to compare.
Response Data Object - Apttus_CPQApi.CPQ.FeatureInfoResponseDO		
Field	Type	Description
FeatureInfos	List<Apttus_CPQApi.FeatureSupport.FeatureInfo>	This returns the list of features for each of the products included in the comparison.
ProductId	ID	ID of the products, which have a feature set to be compared.
Data Object - Apttus_CPQApi.FeatureSupport.FeatureInfo		
Field	Type	Description
ProductFeatureSet	FeatureSet	Associated Product Feature Set
ProductFeatureSOld	Id	Id of associated ProductFeature__c Salesforce Object

Data Object - Apttus_CPQApi.FeatureSupport.FeatureSet		
Field	Type	Description
Description	String	Description of associated product feature set
Features	List<Apttus_CPQApi.FeatureSupport.ProductFeatureValue>	List of associated feature values
FeatureSetSOld	Id	Id of associated Apttus_Config2__FeatureSet__cSalesforce Object
Name	String	Name of the associated Product Feature Set
Sequence	Decimal	Order of the feature set
Data Object - Apttus_CPQApi.FeatureSupport.ProductFeatureValue		
Field	Type	Description
FeatureSOld	Id	ID of the associated feature set.
IsIncluded	Boolean	Whether it is included
Name	String	Name of the feature
ProdFeatureValueSOld	Id	Product Feature Value Sold
Prodid	Id	ID of the product.
Sequence	Decimal	The feature display sequence
Value	String	Product Feature Value

Code Sample

The sample below enables you to fetch the IDs of the selected products. Two or more products should be selected to enable comparison. After the user selects two or more products such as a Laptop from different vendors, invoke this API.

```
public List<CPQ.FeatureInfoResponseDO> compareProducts(List<ID>productIds)
{
    //Prompt appropriate error message validation message when the productIds
    parameter has less than two products.

    if(productIds.size()< 2)
    {
        System.debug('Please select atleast two products to compare.');
```

```
        return null;
    }

    //If two or more products are selected execute the code below

    else{
        Apttus_CPQApi.CPQ.FeatureInfoRequestDO request = new
Apttus_CPQApi.CPQ.FeatureInfoRequestDO();
        request.ProductIds = productIds;
        //Invoke the compare products API
        List<Apttus_CPQApi.CPQ.FeatureInfoResponseDO> response =
Apttus_CPQApi.CPQWebService.compareProducts(request);
        return response;
    }
}
```

Code sample

The sample code below allows you to create a table in a Visualforce page to display the compared products:

```

1  'compareFeatureSets' in Visualforce code is the getter variable which hold
the
2  response from compareProducts apex method.
3
4
5  Visualforce code
6
7
8  <!-- Compare Products Panel -->
9
10 <apex:outputPanel layout="block" Id="compareProductsPanel"
styleClass="grid-2-13 clearfix compareProductsPanel">
11 <table>
12     <apex:repeat var="featureSetName" value="{!compareFeatureSets}">
13         <tr> <th data-priority="1" colspan="{!colSpan}"><h4>{!
featureSetName}</h4></th></tr>
14         <apex:repeat var="featureValue" value="{!compareFeatureSets
[featureSetName][0].productFeatureSet.features}">
15             <apex:outputPanel layout="none" rendered="{!
hasIncludedProduct[compareFeatureSets[featureSetName]
[0].productFeatureSet.featureSetS0Id]}">
16                 <tr><th class="label">{!featureValue.Name}</th>
17                     <apex:repeat var="product" value="{!productIds}">
18                         <apex:repeat var="prodFeatureInfo" value="{!
productFeatureInfosResponse[product]}">
19                             <apex:outputPanel layout="none" rendered="{!
prodFeatureInfo.productFeatureSet.Name == featureSetName}">
20                                 <apex:repeat var="prodFeatureValue" value="{!
prodFeatureInfo.productFeatureSet.features}">
21                                     <apex:outputPanel layout="none" rendered="{!
prodFeatureValue.featureS0Id == featureValue.featureS0Id &&
prodFeatureValue.isIncluded}">
22                                         <td style="border:1px #CCCCCC solid;">{!
prodFeatureValue.Value}</td>
23                                         </apex:outputPanel>
24                                     <apex:outputPanel layout="none" rendered="{!
prodFeatureValue.featureS0Id == featureValue.featureS0Id && NOT
(prodFeatureValue.isIncluded)}">
25                                         <td style="border:1px #CCCCCC solid;"></td>
26                                     </apex:outputPanel>
27                                 </apex:repeat>
28                             </apex:outputPanel>
29                         </apex:repeat>

```

```

30         </apex:repeat>
31     </tr>
32 </apex:outputPanel>
33 </apex:repeat>
34 </apex:repeat>
35 </table>
36 </apex:outputPanel>

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

None.

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQHmIRqgn4R90i1yQjWTIVk4UZmsDe_.eK0Z9z6qLij7Tu.L_Yo8dRA_p80mhKMeRs4uzCZTadIgQ9fEbD
KciXEQYRyaA</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:compareProducts>
      <cpq:request>
        <cpq1:ProductIds>01ti0000006iMl3</cpq1:ProductIds>
        <cpq1:ProductIds>01ti0000006iMl8</cpq1:ProductIds>
      </cpq:request>
    </cpq:compareProducts>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apptus_CPQApi/CPQWebService"
  xmlns:FeatureInfoResponseD0="http://soap.sforce.com/schemas/class/Apptus_CPQApi/
CPQ"
  xmlns:FeatureInfo="http://soap.sforce.com/schemas/class/Apptus_CPQApi/
FeatureSupport"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <compareProductsResponse>
      <result>
        <FeatureInfoResponseD0:FeatureInfos>
          <FeatureInfo:ProductFeatureSet>
            <FeatureInfo:Description xsi:nil="true"/>
            <FeatureInfo:Features>
              <FeatureInfo:FeatureSOId>a1wi0000000jcV3AAI</FeatureInfo:
FeatureSOId>
              <FeatureInfo:IsIncluded>>true</FeatureInfo:IsIncluded>
              <FeatureInfo:Name>AutoCPQ951Feature1</FeatureInfo:Name>
              <FeatureInfo:ProdFeatureValueSOId>a1zi0000000WsYeAAK</
FeatureInfo:ProdFeatureValueSOId>
              <FeatureInfo:ProdId>01ti00000006iMl3AAE</FeatureInfo:ProdI
d>
              <FeatureInfo:Sequence>1</FeatureInfo:Sequence>
              <FeatureInfo:Value>No</FeatureInfo:Value>
            </FeatureInfo:Features>
            <FeatureInfo:Features>
              <FeatureInfo:FeatureSOId>a1wi0000000jcV4AAI</FeatureInfo:
FeatureSOId>
              <FeatureInfo:IsIncluded>>true</FeatureInfo:IsIncluded>
              <FeatureInfo:Name>AutoCPQ951Feature1</FeatureInfo:Name>
              <FeatureInfo:ProdFeatureValueSOId>a1zi0000000WsYfAAK</
FeatureInfo:ProdFeatureValueSOId>
              <FeatureInfo:ProdId>01ti00000006iMl3AAE</FeatureInfo:ProdI
d>
              <FeatureInfo:Sequence>2</FeatureInfo:Sequence>
              <FeatureInfo:Value>Yes</FeatureInfo:Value>
            </FeatureInfo:Features>
          <FeatureInfo:FeatureSetSOId>a1vi0000000psEiAAI</FeatureInfo:F
eatureSetSOId>

```



```

        <FeatureInfo:Name>AutoCPQ951FeatureSet</FeatureInfo:Name>
        <FeatureInfo:Sequence>1</FeatureInfo:Sequence>
    </FeatureInfo:ProductFeatureSet>
    <FeatureInfo:ProductFeatureS0Id xsi:nil="true"/>
</FeatureInfoResponseD0:FeatureInfos>
<FeatureInfoResponseD0:ProductId>01ti0000006iML3AAE</
FeatureInfoResponseD0:ProductId>
</result>
<result>
    <FeatureInfoResponseD0:FeatureInfos>
        <FeatureInfo:ProductFeatureSet>
            <FeatureInfo:Description xsi:nil="true"/>
            <FeatureInfo:Features>
                <FeatureInfo:FeatureS0Id>a1wi0000000jcv3AAI</FeatureInfo:
FeatureS0Id>
                <FeatureInfo:IsIncluded>true</FeatureInfo:IsIncluded>
                <FeatureInfo:Name>AutoCPQ951Feature1</FeatureInfo:Name>
                <FeatureInfo:ProdFeatureValueS0Id>a1zi00000000WsYjAAK</
FeatureInfo:ProdFeatureValueS0Id>
                <FeatureInfo:ProdId>01ti00000006iML8AAE</FeatureInfo:ProdI
d>
                <FeatureInfo:Sequence>1</FeatureInfo:Sequence>
                <FeatureInfo:Value>Yes</FeatureInfo:Value>
            </FeatureInfo:Features>
            <FeatureInfo:Features>
                <FeatureInfo:FeatureS0Id>a1wi0000000jcv4AAI</FeatureInfo:
FeatureS0Id>
                <FeatureInfo:IsIncluded>true</FeatureInfo:IsIncluded>
                <FeatureInfo:Name>AutoCPQ951Feature1</FeatureInfo:Name>
                <FeatureInfo:ProdFeatureValueS0Id>a1zi00000000WsYkAAK</
FeatureInfo:ProdFeatureValueS0Id>
                <FeatureInfo:ProdId>01ti00000006iML8AAE</FeatureInfo:ProdI
d>
                <FeatureInfo:Sequence>2</FeatureInfo:Sequence>
                <FeatureInfo:Value>No</FeatureInfo:Value>
            </FeatureInfo:Features>
            <FeatureInfo:FeatureSetS0Id>a1vi00000000psEiAAI</FeatureInfo:F
eatureSetS0Id>
                <FeatureInfo:Name>AutoCPQ951FeatureSet</FeatureInfo:Name>
                <FeatureInfo:Sequence>1</FeatureInfo:Sequence>
            </FeatureInfo:ProductFeatureSet>
            <FeatureInfo:ProductFeatureS0Id xsi:nil="true"/>
        </FeatureInfoResponseD0:FeatureInfos>

```

```

        <FeatureInfoResponseD0:ProductId>01ti0000006iM18AAE</
FeatureInfoResponseD0:ProductId>
    </result>
</compareProductsResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Associating Constraint Rules to a Cart

This associates constraints rules to a cart.

API	Signature	
associateConstraintRules	<i>webservice static void associateConstraintRules(Id cartId, List existingPrimaryNumbers)</i>	
Parameters		
Name	Type	Description
cartId	ID	The id of the cart.
existingPrimaryNumbers	List<Integer>	This is a collection of primary numbers for which rules are already attached. When existing primary numbers are supplied, rules are associated with the new lines; whereas when null or empty collection is supplied, rules are attached to all the line items.

Code Sample

The sample below enables you to associate a constraint rule to a product added as a line item in a cart. The sample below fetches the line numbers of the products in the cart and associates the constraint rule to the new line numbers of the cart. If the list object for primary line items is null, then the constraint rules are associated with all the products in the line items of the cart. For example if the delivery and packaging charge constraint rule is already applied to the existing products in the cart, you will provide a list of *collection of primary line items comprising selected products* to which the rules are already applied,

thus enabling the delivery and packaging constraint rule to be associated with the new line items added to the cart.

```

1  public void associateConstraintRules()
2  {
3      List<Apttus_Config2__LineItem__c> liSOList = [select
Apttus_Config2__ProductID__c,
4      Apttus_Config2__LineNumber__c from Apttus_Config2__LineItem__c where
5      Apttus_Config2__ConfigurationId__c = :cartID];
6
7      acrList = new List<Apttus_Config2__LineItem__c>();
8
9      List<Integer> primaryLines = new List<Integer>();
10     for(Apttus_Config2__LineItem__c liS0: liSOList)
11     {
12         for(Apttus_Config2__LineItem__c acrS0: acrList)
13         {
14             if(acrS0.Id == liS0.Id)
15             {
16
17                 primaryLines.Add(liS0.Apttus_Config2__LineNumber__c.intValue());
18             }
19         }
20
21     for(Apttus_Config2__LineItem__c liS0: liSOList)
22     {
23         for(LineItemWrapperClass objLineItemWrapperClass : lstWrapItems)
24         {
25             if(objLineItemWrapperClass.Selected)
26             {
27                 acrList.add(liS0);
28                 break;
29             }
30         }
31     }
32
33     Apttus_CPQApi.CPQWebService.associateConstraintRules(cartId,
primaryLines);
34 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQGL6XYy.QsjqQQ6RTBnh.1ApTbiqkGAdVz9BS70lxobcyXgHHpImGXAE7p_cf6ziWJ8tpQt_4Q4Bi2VtY
eMyzjhaPbf0</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:associateConstraintRules>
      <cpq:cartId>a1l4P00000Bg6eAQR</cpq:cartId>
      <!--Zero or more repetitions:-->
      <cpq:existingPrimaryNumbers>1</cpq:existingPrimaryNumbers>
    </cpq:associateConstraintRules>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Body>
    <associateConstraintRulesResponse/>
  </soapenv:Body>
</soapenv:Envelope>
```

Applying Constraint Rules to a Cart

This processes and applies all the constraint rules.

Best Practice

It is recommended that you use the [associateConstraintRules API](#) before using this API. Directly using this API may not trigger the constraint rule.

API	Signature
applyConstraintRules	<i>webservice static void applyConstraintRules(Id cartId, Boolean finalCheck)</i>

Parameters		
Name	Type	Description
cartId	ID	The id of the cart.
finalCheck	Boolean	If this is set to true, runs rules that are marked as check on finalization.

Code Sample

The sample below enables you to apply constraint rules to a cart with a specific cart ID. If you set the finalCheck flag as true, the constraint rules are run when you finalize the cart. If the flag is set as false, the rules are run before cart finalization. For example, if you want to add a Shipping Costs constraint rule only after the cart is finalized, set the finalCheck

as true and the shipping costs constraint rule is applied once the user finalized the cart. If you want to apply constraint rules before the cart is finalized, set finalCheck as false. For example, if you set the finalCheck flag as false, installation charges are added along with a product selected before the cart is finalized.

```
1 public void applyConstraintRules()
2 {
3     // For rules that are not marked as Check on Finalization
4     Apttus_CPQApi.CPQWebService.applyConstraintRules(cartID, false);
5
6     // For rules that are marked as Check on Finalization
7     //Apttus_CPQApi.CPQWebService.applyConstraintRules(cartID, true);
8 }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Associating Constraint Rules to a Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQFudWwmQHka0g8qt7T4KJ9MmTK0J0550XmfoUk9bUEL_idltBYg5muQuM4Pm0HVjinAgttLfi55uyxVSv
F5yrkoH.rH4</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:applyConstraintRules>
      <cpq:cartId>a1l4P00000Bg7CkQAJ</cpq:cartId>
      <cpq:finalCheck>>false</cpq:finalCheck>
    </cpq:applyConstraintRules>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ht
tp://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Body>
    <applyConstraintRulesResponse/>
  </soapenv:Body>
</soapenv:Envelope>
```

Applying Constraint Rules to Deleted Products

This runs the rules that are related to the deleted products.

API	Signature
applyConst rainerRulesO nDelete	<i>webService static void applyConstraintRulesOnDelete(Id cartId, List deletedProductIds)</i>

Parameters		
Name	Type	Description
cartId	ID	The id of the cart.
deletedProductIds	List<ID>	This is a list of product ids of the line item deleted from the cart.

Code Sample

The sample below enables you to delete any constraint rules applied to a product that is deleted by a customer. For example, for all products you have added an inclusion constraint rule which states whenever you add a product, an installation charge is included along with the product. When the user deletes the product from the cart, this API enables you to delete the associated installation constraint rule applied to the product. Using the Product_ID parameter you can specify the product from which the constraint rule is to be disassociated from.

```
1 Apttus_CPQApi.CPQWebService.applyConstraintRulesOnDelete(CART_ID, new
String[] {PRODUCT_IDS});
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQQAQHIR1W9.1as89Auz.CvNYxqyg56gLLWgUtP5VZxidvTsb1DpQZpmyDuqZOiF4VctBp3jhhJIxG9oRQ4A
4F9h98N0inT</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:applyConstraintRulesOnDelete>
      <cpq:cartId>a1l4P00000Bg7D9QAJ</cpq:cartId>
      <cpq:deletedProductIds>01t4P0000080fLL</cpq:deletedProductIds>
    </cpq:applyConstraintRulesOnDelete>
  </soapenv:Body>
</soapenv:Envelope>
```


Example Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ht
tp://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Body>
    <applyConstraintRulesOnDeleteResponse/>
  </soapenv:Body>
</soapenv:Envelope>
```


Adding Price Ramps to a Cart (CPQ Web Service)

After you add a line item to a cart, this API enables you to add primary and secondary ramp line items for the line item. Once the ramp line items are created, you can also update the ramp line item details or delete ramp line item details using standard SOQL queries.

When you use Apttus CPQ out of the box, invoke the ramp using the red icon to the left of the primary line item.

 Product	Standard Price	\$100.00	\$100.00	1/13/2015	2/12/2015	1	\$100.00	\$100.00	--None--		\$100	\$100.00	0.0000%	0.0000%
---	----------------	----------	----------	-----------	-----------	---	----------	----------	----------	--	-------	----------	---------	---------

Once you click the ramp icon, the ramp dialog appears:



The ramp dialog allows you to add, edit dates and quantity, make adjustments, save the changes, and cancel the changes.

Once the customer adds a ramp to a cart line item, they can do the following:

- Edit the start date, end date, quantity, adjustment type and adjustment amount based on the custom setting.
- The start date of a ramp line item defaults to the end date+1 of the previous line item.
- The end date of a ramp line item defaults to a date such that the difference between the start date and end date is the same as that of the previous line item.
- The user can add more ramp line items after or in between the ramp line items.
- The user can remove the new line before saving by clicking on the icon in the right most column.

Use the addMultiProducts API to add products to the cart.

This API adds one or more products (with default options) to the cart along with quantity, term, start date, and end date.

API	Signature	
addMultiProducts	<i>webservice static Apttus_CPQApi.CPQ.AddMultiProductResponseDO addMultiProducts(Apttus_CPQApi.CPQ.AddMultiProductRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.AddMultiProductRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.AddMultiProductRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
SelectedProducts	List <Apttus_CPQApi.CPQ.SelectedProductDO>	The list of selected product data objects.
Data Object - Apttus_CPQApi.CPQ.SelectedProductDO		
Field	Type	Description
AttributeValues	List	List of attributes values.
Comments	String	Comments associated with the record.
CopyBundleConfigurationFromSource	Boolean	You can use this to copy the configuration of the bundle from the source
CustomData	Apttus_Config2__LineItem_c	This can be used to include the list of custom fields you have added to the product.
CustomFields	List<String> CustomFields	List of custom fields created for your product.
EndDate	Date	The end date.
ProductId	ID	Id of the product bundle.
Quantity	Decimal	The bundle quantity.
RelatedLineItems	List	List of related line items for bundle
SellingTerm	Decimal	The bundle selling term.
SourceFields	List	List of the fields in the source bundle that you want to copy.
SourceId	ID	ID of the source bundle.
StartDate	Date	The start date. You should ensure you use the correct date format.

Response Data Object - Apttus_CPQApi.CPQ.AddMultiProductResponseDO		
Field	Type	Description
LineNumbers	List<Decimal>	The list of line numbers added to the cart.

Code Sample

The sample below enables you to add ramp line items after you have:

- Added Products to the cart using the AddMultiProducts APIs,
- Updated the Price for the added products using the updatePriceforCart API.
- Selected the products for which you want to add a ramp for.

Using the sample below you fetch the list of selected products for which you want to add a ramp. You also fetch the parameters for each of the selected products. For all the ramps you create, set PriceGroup as Price Ramp and PricingStatus as Pending. For a primary line item, set IsPrimaryLine__c = true, IsPrimaryRampLine__c = true, and PrimaryLineNumber__c = 1.

```

1  public void createRampLineItems()
2  {
3      List<String> rampLineItems = new List<String>();
4
5      if(lstWrapItems.size() > 0)
6      {
7          // Create a list of selected products for which you want to create
a ramp for
8          for(LineItemWrapperClass objLineItemWrapperClass : lstWrapItems)
9          {
10             if(objLineItemWrapperClass.Selected)
11             {
12                 rampLineItems.add(objLineItemWrapperClass.Name);
13             }
14         }
15
16         // Sort Ramp Line Items by name
17         rampLineItems.sort();
18
19         Integer rampLineItemIndex = 1;
20
21         for(String rampLineItemName : rampLineItems)
22         {
23             // Get Line Item parameters for the selected products
24             Apptus_Config2__LineItem__c lineItem = [SELECT
Apptus_Config2__ItemSequence__c, Apptus_Config2__PricingStatus__c,
Apptus_Config2__PriceGroup__c,
25             Apptus_Config2__IsPrimaryRampLine__c,
Apptus_Config2__IsPrimaryLine__c, Apptus_Config2__LineNumber__c,
Apptus_Config2__PrimaryLineNumber__c from Apptus_Config2__LineItem__c
WHERE
26             Name=:rampLineItemName];
27
28             //Set the parameters for each of the line items
29             lineItem.Apptus_Config2__PriceGroup__c = 'Price Ramp';
30             lineItem.Apptus_Config2__PricingStatus__c = 'Pending';
31             lineItem.Apptus_Config2__LineNumber__c = 1;
32             lineItem.Apptus_Config2__PrimaryLineNumber__c = 1;
33             lineItem.Apptus_Config2__ItemSequence__c = rampLineItemIndex;
34
35             //For a primary line item set the following
36             if(rampLineItemIndex == 1)
37             {
38                 lineItem.Apptus_Config2__IsPrimaryLine__c = true;

```

```

39         lineItem.Apptus_Config2__IsPrimaryRampLine__c = true;
40     }
41
42     //For all secondary line items set the following parameters
43     else
44     {
45         lineItem.Apptus_Config2__IsPrimaryLine__c = false;
46         lineItem.Apptus_Config2__IsPrimaryRampLine__c = false;
47     }
48
49     // Update Line Items
50     update lineItem;
51
52     rampLineItemIndex++;
53 }
54 }
55 else
56 {
57     ApexPages.addMessage(new
58     ApexPages.Message(ApexPages.severity.info, 'No line items available.));
59 }

```

Computing the Net Price for a Bundle

This API is used to calculate the price for the individual and summary line items of the cart. It runs the pricing rules, calculate bundle, line item, option level net prices and update the cart line with calculated prices. After the pricing is calculated for the cart line items, the resulting information is stored in the *Line Item* and *Summary Group* objects.

This API will also apply all the relevant rules and calculate the pricing including following among others:

- Line Item level discount
- Total Price based on the specified quantity
- Applied Tiered Pricing
- Apply Ramp Pricing
- Apply Contractual Pricing
- Apply Related Pricing Rules

API	Signature
computeNetPriceForBundle	<i>WebService static Apttus_CPQApi.CPQ.ComputeNetPriceResponseDO computeNetPriceForBundle(Apttus_CPQApi.CPQ.ComputeNetPriceRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.ComputeNetPriceRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.ComputeNetPriceRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
LineNumber	Decimal	The bundle line number.

Response Data Object - Apttus_CPQApi.CPQ.ComputeNetPriceResponseDO		
Field	Type	Description
IsSuccess	Boolean	Indicates whether getting the total net price was successful.

Code Sample

The sample below prompts the user with the appropriate messages if a cart does not exist or when no products exist in the cart. If the user clicks calculate net price and products exist in the cart, the API computes the net price for all the line numbers of products in the cart with a specific cartID. For example, if the user wants to check the aggregate price of all the products in the cart, you can create a **Total Net Price** button on your cart page and invoke the `computeNetPriceForBundle()` API on click of the button. The API will calculate the total

price taking into account any discount or pricing rules associated with the line items in the cart.

```

1  public void computeNetPriceForBundle()
2  {
3      //If a cart does not exist, there is no cartID. Show the following
4      //message to the user.
5      if(cartId == null)
6      {
7          ApexPages.addMessage(new
8          ApexPages.Message(ApexPages.severity.info, 'Please create cart.));
9      }
10     //If no products are added to the cart, the lineNumber of the cart is
11     //null. Prompt the use to add products to the cart.
12     else if(lineNumber == null)
13     {
14         ApexPages.addMessage(new
15         ApexPages.Message(ApexPages.severity.info, 'Please add a bundle to the
16         cart.));
17     }
18     else
19     {
20         //Selected products are added to the cart. The request object
21         //comprises the id of the cart and the line number in the cart
22         for(Decimal line: lineNumber)
23         {
24             Apttus_CPQApi.CPQ.ComputeNetPriceRequestDO request = new
25             Apttus_CPQApi.CPQ.ComputeNetPriceRequestDO();
26             request.CartId = cartId;
27             request.LineNumber = line;
28
29             Apttus_CPQApi.CPQ.ComputeNetPriceResponseDO priceResponse =
30             Apttus_CPQApi.CPQWebService.computeNetPriceForBundle(request);
31             ApexPages.addMessage(new
32             ApexPages.Message(ApexPages.severity.info, 'Success: ' +
33             priceResponse.IsSuccess));
34         }
35     }
36 }

```


Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding Products to a Cart](#)
- [Adding a Bundle to a Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQAHIR1W9.1as89Auz.CvNYxqyg56gLLWgUtP5VZxidvTsb1DpQZpmyDuqZOiF4VctBp3jhhJIxG9oRQ4A
4F9h98N0inT</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:computeNetPriceForBundle>
      <cpq:request>
        <cpq1:CartId>a1L4P00000Bg7D9QAJ</cpq1:CartId>
        <cpq1:LineNumber>5</cpq1:LineNumber>
      </cpq:request>
    </cpq:computeNetPriceForBundle>
  </soapenv:Body>
</soapenv:Envelope>
```

```

Example Response

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ht
tp://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:ComputeNetPriceResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/
CPQ">
  <soapenv:Body>
    <computeNetPriceForBundleResponse>
      <result>
        <ComputeNetPriceResponseDO:IsSuccess>true</ComputeNetPriceResponseDO:IsSu
ccess>
      </result>
    </computeNetPriceForBundleResponse>
  </soapenv:Body>
</soapenv:Envelope>
    
```

Updating Price For A Cart

This API enables you to update the price for items in a given cart. Only line items in pending status are updated.

API	Signature
updatePriceForCart	<i>webservice static Apttus_CPQApi.CPQ.UpdatePriceResponseDO updatePriceForCart(Apttus_CPQApi.CPQ.UpdatePriceReques tDO request)</i>

Parameters		
Name	Type	Description
Request	Apttus_CPQApi.CPQ.UpdatePriceReque stDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.UpdatePriceRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart to update the price for.

Response Data Object - Apttus_CPQApi.CPQ.UpdatePriceResponseDO		
Field	Type	Description
Completed LineNumbers	List<Integer>	The list of line numbers representing line items that were updated in the current update price invocation.
IsPostPricePending	Boolean	Indicates whether the execution of post-price logic is pending.
IsPrePricePending	Boolean	Indicates whether the execution of pre-price logic is pending.
IsPricePending	Boolean	Indicates whether there are more items to update in future invocations. The caller needs to invoke the update price method in a separate transaction. This should be repeated until there are no more items pending.
IsTotalPricePending	Boolean	Indicates whether the calculation of the total price is pending.
PendingLineNumbers	List<Integer>	The list of line numbers in pending status after the method completes.

Code Sample

The sample below enables you to update the net price in the cart for pending line items. In the sample below, with a single call of updatePriceForCart API, the API computes the net price for a single line item with status pending. updatePriceForCart API is invoked using <apex:actionPoller> command until compute net price operation is completed for all the line items in the cart. For example, there are 10 line items in the cart and you invoke updatePriceForCart API 10 times at a regular interval of 5 seconds using <apex:actionPoller> command to complete the computing net price operation for all 10 line items.

1	<pre><apex:actionPoller action="{!doUpdatePrice}" re-render="MessageID" interval="5" rendered="{!actionPollerActive}" enabled="{! actionPollerActive}"/> .</pre>
---	--

In the sample below the action poller is executed as soon as the page is loaded. The *hasPendingItems* flag returns false since no pending items have been added to the cart yet. If a valid cartID has been passed as an argument to the API and *isPricePending* returns true, run the action poller and invoke the *updatePriceforCart* API. The action poller does not run when *hasPendingItems*=false. You can invoke this API when the user adds discounts to the cart and clicks Reprice.

```

1  public void updatePriceforCart()
2  {
3      hasPendingItems = false;
4      actionPollerActive = true;
5
6      if(String.isBlank(cartId))
7      {
8          ApexPages.addMessage(new
9              ApexPages.Message(ApexPages.severity.info, 'Please create cart.'));
10
11         objUpdatePriceRequestDO = new
12             Apttus_CpqApi.CPQ.UpdatePriceRequestDO();
13     }
14     else
15     {
16         // create the update price request
17         objUpdatePriceRequestDO = new
18             Apttus_CpqApi.CPQ.UpdatePriceRequestDO();
19
20         // add request parameters
21         objUpdatePriceRequestDO.CartId = cartId;
22
23         // update price for the cart
24         Apttus_CpqApi.CPQ.UpdatePriceResponseDO result =
25             Apttus_CpqApi.CPQWebService.updatePriceForCart(objUpdatePriceRequestDO);
26
27         hasPendingItems = result.IsPricePending;
28
29         // Start the action poller. If isPricePending=true returns true,
30         run the action poller and the updatePrice API is invoked again
31         if (hasPendingItems)
32         {
33             actionPollerActive = true;
34             flagUpdatePrice = true;
35         }
36     }
37 }
38
39 // invoke the following in a new transaction using action poller
40 public void doUpdatePrice()
41 {
42
43     // update price for the cart

```

```

40     if(String.isNotBlank(cartId) && flagUpdatePrice == true)
41     {
42         // create the update price request
43         objUpdatePriceRequestDO = new
Apttus_CpqApi.CPQ.UpdatePriceRequestDO();
44
45         // add request parameters
46         objUpdatePriceRequestDO.CartId = cartId;
47
48         Apttus_CpqApi.CPQ.UpdatePriceResponseDO result =
Apttus_CpqApi.CPQWebService.updatePriceForCart(objUpdatePriceRequestDO);
49
50         hasPendingItems = result.IsPricePending;
51         List<Integer> pendingLineNumbers = result.PendingLineNumbers;
52         List<Integer> completedLineNumbers = result.CompletedLineNumbers;
53
54         if( hasPendingItems == false && completedLineNumbers.size() != 0 )
55         {
56             // stop the action poller
57             actionPollerActive = false;
58         }
59         else if( hasPendingItems == true && pendingLineNumbers.size() > 0
60     )
61     {
62         actionPollerActive = true;
63     }
64 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding Products to a Cart OR Adding a Bundle to a Cart](#)

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQLC3r1a0VIL_gk7v0A9K1n7dLEcCAANQHwNfXAPFKZEH292fAdeal5Nps8X2k1Nu98fcp6usnVFmzKARw
E99xq_dE8U6</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:updatePriceForCart>
      <cpq:request>
        <cpq1:CartId>a10Z0000002ZQVZ</cpq1:CartId>
      </cpq:request>
    </cpq:updatePriceForCart>
  </soapenv:Body>
</soapenv:Envelope>

```

```

Example Response

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:UpdatePriceResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <updatePriceForCartResponse>
      <result>
        <UpdatePriceResponseDO:CompletedLineNumbers>1</UpdatePriceResponseDO:CompletedLineNumbers>
        <UpdatePriceResponseDO:IsPostPricePending>>false</UpdatePriceResponseDO:IsPostPricePending>
      </result>
    </updatePriceForCartResponse>
  </soapenv:Body>
</soapenv:Envelope>
    
```

Price Breakup for a Cart or Specific Line Item

This method can be used to retrieve the price breakup for a cart or specific line item.

API	Signature
getPriceBreakup	<i>webservice static Apttus_CPQApi.CPQ.GetPriceBreakupResponseDO getPriceBreakup(Apttus_CPQApi.CPQ.GetPriceBreakupRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.GetPriceBreakupRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.GetPriceBreakupRequestDO			
Name	Type	Required	Description
CartId	ID	Yes	The ID of the new cart object. Mandatory parameter.
LineItemId	ID	No	The ID of the line item. This can be null. If it is null the price breakup for all applicable line items in the cart is retrieved. If a value is provided, only the price breakup for that specific line item is retrieved.

Response Data Object - Apttus_CPQApi.CPQ.GetPriceBreakupResponseDO		
Name	Type	Description
HasPriceBreakups	Boolean	Indicates whether there are price breakups for the cart.
PriceBreakups	List <Apttus_CPQApi.CPQ.PriceBreakupCollDO>	The list of price breakup collection objects

Data Object - Apttus_CPQApi.CPQ.PriceBreakupCollDO		
Name	Type	Description
BreakupItems	List<Apttus_Config2__PriceBreakup__c>	The list of price breakup subjects associated with the line item.
LineItemId	ID	The ID of the line item associated with the price break subjects.

Code Sample

Using the sample below you can enable the end-user to view the price breakup for a selected product. Suppose the user has selected a product Laptop, using the Price Breakup API, you can show the end-user the pricing breakup. For example, if the user has bought 25 laptops and for 20 quantities of the laptop a 5% discount is provided on the net price, and for the other 5 quantities, a discount of 10% is given. Using the getPriceBreakup API you can

show the user the tiered pricing pattern applied to a product.

```

1  public void getPriceBreakup()
2  {
3      lstPriceBreakup = new List<PriceBreakUpWrapperClass>();
4      //For a selected product in a cart execute this loop.
5      for(LineItemWrapperClass objLineItemWrapperClass: lstWrapItems)
6      {
7          if(objLineItemWrapperClass.selected)
8          {
9              Apttus_CPQApi.CPQ.GetPriceBreakupRequestD0 priceBreakUpRequest
= new Apttus_CPQApi.CPQ.GetPriceBreakupRequestD0();
10             priceBreakUpRequest.CartId = cartId;
11             priceBreakUpRequest.LineItemId = objLineItemWrapperClass.Id;
12
13             //Pass the parameters to the API
14             Apttus_CPQApi.CPQ.GetPriceBreakupResponseD0
priceBreakUpResponse =
Apttus_CPQApi.CPQWebService.getPriceBreakup(priceBreakUpRequest);
15
16             //If the response returns true i.e. HasProducts=true execute
the loop below and fetch the priceBreakup list.
17             if(priceBreakUpResponse.HasPriceBreakups)
18             {
19                 lstPriceBreakUpCalls = new
List<Apttus_CPQApi.CPQ.PriceBreakupCollD0>();
20                 lstPriceBreakUpCalls = priceBreakUpResponse.PriceBreakups;
21
22                 for(Apttus_CPQApi.CPQ.PriceBreakupCollD0
objPriceBreakUpCall : lstPriceBreakUpCalls )
23                 {
24                     //priceBreakUpList = new
List<Apttus_Config2__PriceBreakup__c>();
25                     //priceBreakUpList = objPriceBreakUpCall.BreakupItems;
26
27                     String lineItemID = objPriceBreakUpCall.LineItemId;
28
29                     List<Apttus_Config2__PriceBreakup__c>
lis0priceBreakUpList = [select id, Apttus_Config2__Sequence__c,
Apttus_Config2__BreakupType__c,
30                     Apttus_Config2__TierStartValue__c,
Apttus_Config2__TierEndValue__c, Apttus_Config2__TierQuantity__c,
Apttus_Config2__TierBasePrice__c, Apttus_Config2__TierExtendedPrice__c
from Apttus_Config2__PriceBreakup__c where Apttus_Config2__LineItemId__c
= :lineItemID];
31

```

```

32         for(Apttus_Config2__PriceBreakup__c
lipriceBreakUpList : liSOpriceBreakUpList)
33             {
34                 PriceBreakUpWrapperClass
objPriceBreakUpWrapperClass = new PriceBreakUpWrapperClass();
35                 objPriceBreakUpWrapperClass.BreakUpID =
lipriceBreakUpList.Id;
36                 objPriceBreakUpWrapperClass.Sequence =
lipriceBreakUpList.Apttus_Config2__Sequence__c;
37                 objPriceBreakUpWrapperClass.BreakupType =
lipriceBreakUpList.Apttus_Config2__BreakupType__c;
38                 objPriceBreakUpWrapperClass.TierStartValue =
lipriceBreakUpList.Apttus_Config2__TierStartValue__c;
39                 objPriceBreakUpWrapperClass.TierEndValue =
lipriceBreakUpList.Apttus_Config2__TierEndValue__c;
40                 objPriceBreakUpWrapperClass.TierQty =
lipriceBreakUpList.Apttus_Config2__TierQuantity__c;
41                 objPriceBreakUpWrapperClass.TierUnitPrice =
lipriceBreakUpList.Apttus_Config2__TierBasePrice__c;
42                 objPriceBreakUpWrapperClass.TierUnitPrice =
objPriceBreakUpWrapperClass.TierUnitPrice.setScale(2,
System.RoundingMode.HALF_UP);
43                 objPriceBreakUpWrapperClass.TierExtendedPrice =
lipriceBreakUpList.Apttus_Config2__TierExtendedPrice__c;
44                 objPriceBreakUpWrapperClass.TierExtendedPrice =
objPriceBreakUpWrapperClass.TierExtendedPrice.setScale(2,
System.RoundingMode.HALF_UP);
45
46                 lstPriceBreakup.add(objPriceBreakUpWrapperClass);
47             }
48         }
49     }
50 }
51 //If the product selected has no price breakups show an
appropriate message.
52 else
53 {
54     ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'No Price Breakup
Available.'));
55 }
56 }
57 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService" xmlns:cpq1="http://
soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQQAHIR1W9.1as89Auz.CvNYxqyg56gLLWgUtP5VZxidvTsb1DpQZpmyDuqZ0iF4VctBp3jhhJIxG9oRQ4A
4F9h98N0inT</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getPriceBreakup>
      <cpq:request>
        <cpq1:CartId>a1l4P00000Bg7DTQAZ</cpq1:CartId>
        <cpq1:LineItemId>a1V4P0000053bKq</cpq1:LineItemId>
      </cpq:request>
    </cpq:getPriceBreakup>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:GetPriceBreakupResponseD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getPriceBreakupResponse>
      <result>
        <GetPriceBreakupResponseD0:HasPriceBreakups>true</
GetPriceBreakupResponseD0:HasPriceBreakups>
        <GetPriceBreakupResponseD0:PriceBreakups>
          <GetPriceBreakupResponseD0:BreakupItems xsi:type="Apttus_Config2__PriceBreakup__c">
            <Id>a1W4P00000FIAW0UAP</Id>
            <Apttus_Config2__BreakupType__c>Tier Price</
Apttus_Config2__BreakupType__c>
            <Apttus_Config2__LineItemId__c>a1V4P0000053bKqUAI</
Apttus_Config2__LineItemId__c>
            <Apttus_Config2__Sequence__c>1</Apttus_Config2__Sequence__c>
            <Apttus_Config2__TierBasePrice__c>2204.25000</
Apttus_Config2__TierBasePrice__c>
            <Apttus_Config2__TierEndValue__c>10.00000</
Apttus_Config2__TierEndValue__c>
            <Apttus_Config2__TierQuantity__c>10.00000</
Apttus_Config2__TierQuantity__c>
            <Apttus_Config2__TierStartValue__c>0.00000</
Apttus_Config2__TierStartValue__c>
            <Name>PB-00000084</Name>
          </GetPriceBreakupResponseD0:BreakupItems>
          <GetPriceBreakupResponseD0:BreakupItems xsi:type="Apttus_Config2__PriceBreakup__c">
            <Id>a1W4P00000FIAW1UAP</Id>
            <Apttus_Config2__BreakupType__c>Tier Price</
Apttus_Config2__BreakupType__c>
            <Apttus_Config2__LineItemId__c>a1V4P0000053bKqUAI</
Apttus_Config2__LineItemId__c>
            <Apttus_Config2__Sequence__c>2</Apttus_Config2__Sequence__c>
            <Apttus_Config2__TierBasePrice__c>1469.50000</
Apttus_Config2__TierBasePrice__c>
            <Apttus_Config2__TierEndValue__c>25.00000</
Apttus_Config2__TierEndValue__c>

```

```

        <Apttus_Config2__TierQuantity__c>15.00000</
Apttus_Config2__TierQuantity__c>
        <Apttus_Config2__TierStartValue__c>10.00000</
Apttus_Config2__TierStartValue__c>
        <Name>PB-00000085</Name>
    </GetPriceBreakupResponseDO:BreakupItems>
    <GetPriceBreakupResponseDO:BreakupItems xsi:type="Apttus_Config2__Pric
eBreakup__c">
        <Id>a1W4P00000FIAW2UAP</Id>
        <Apttus_Config2__BreakupType__c>Tier Price</
Apttus_Config2__BreakupType__c>
        <Apttus_Config2__LineItemId__c>a1V4P0000053bKqUAI</
Apttus_Config2__LineItemId__c>
        <Apttus_Config2__Sequence__c>3</Apttus_Config2__Sequence__c>
        <Apttus_Config2__TierBasePrice__c>2939.00000</
Apttus_Config2__TierBasePrice__c>
        <Apttus_Config2__TierEndValue__c>40.00000</
Apttus_Config2__TierEndValue__c>
        <Apttus_Config2__TierQuantity__c>15.00000</
Apttus_Config2__TierQuantity__c>
        <Apttus_Config2__TierStartValue__c>25.00000</
Apttus_Config2__TierStartValue__c>
        <Name>PB-00000086</Name>
    </GetPriceBreakupResponseDO:BreakupItems>
    <GetPriceBreakupResponseDO:BreakupItems xsi:type="Apttus_Config2__Pric
eBreakup__c">
        <Id>a1W4P00000FIAW3UAP</Id>
        <Apttus_Config2__BreakupType__c>Total</
Apttus_Config2__BreakupType__c>
        <Apttus_Config2__LineItemId__c>a1V4P0000053bKqUAI</
Apttus_Config2__LineItemId__c>
        <Apttus_Config2__NetUnitPrice__c>2204.25000</
Apttus_Config2__NetUnitPrice__c>
        <Apttus_Config2__Sequence__c>4</Apttus_Config2__Sequence__c>
        <Apttus_Config2__TierBasePrice__c>2204.25000</
Apttus_Config2__TierBasePrice__c>
        <Apttus_Config2__TierQuantity__c>40.00000</
Apttus_Config2__TierQuantity__c>
        <Name>PB-00000087</Name>
    </GetPriceBreakupResponseDO:BreakupItems>
    <GetPriceBreakupResponseDO:LineItemId>a1V4P0000053bKqUAI</
GetPriceBreakupResponseDO:LineItemId>
    </GetPriceBreakupResponseDO:PriceBreakups>
</result>

```

```

    </getPriceBreakupResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Removing a Bundle from a Cart

This removes a product bundle and related line items and options from the cart.

API	Signature
removeBundle	<i>webservice static</i> <i>Apttus_CPQApi.CPQ.RemoveBundleResponseDO</i> <i>removeBundle(Apttus_CPQApi.CPQ.RemoveBundleRequestDO</i> <i>request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.RemoveBundleRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.RemoveBundleRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
LineNumber	Decimal	The bundle line number.

Response Data Object - Apttus_CPQApi.CPQ.RemoveBundleResponseDO		
Field	Type	Description
IsSuccess	Boolean	Indicates the success of the operation.

Code Sample

The sample below enables you remove a selected bundle from the cart using the line number and a cart id. Invoke the API, when the user selects a bundle from the cart and click Remove or Delete. Based on the line number and the cartID the asset is removed from the cart. Update the new line items using the getLineItems function.

```

1  /**
2   * The below method demonstrates how to remove a bundle product from an
3   * existing cart (every quote has a cart)
4   * Lets assume the Quote's Cart has a bundle product called Laptop and its
5   * two options are Keyboard and Mouse
6   * The input of this method is Quote Number and the line number of the
7   * Laptop bundle product
8   */
9  public static void removeBundle(String quoteNumber, Integer lineNumber)
10 {
11     List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
12     Apttus_Config2__ProductConfiguration__c WHERE
13     Apttus_QPConfig__Proposald__r.Name = :quoteNumber LIMIT 1];
14
15     if(!cart.isEmpty() && lineNumber != null)
16     {
17         // Create the request object
18         Apttus_CPQApi.CPQ.RemoveBundleRequestDO request = new
19         Apttus_CPQApi.CPQ.RemoveBundleRequestDO();
20         request.CartId = cart.get(0).Id;
21         request.LineNumber = lineNumber;
22
23         // Execute the removeBundle routine
24         Apttus_CPQApi.CPQ.RemoveBundleResponseDO response =
25         Apttus_CPQApi.CPQWebService.removeBundle(request);
26
27         System.debug('Remove bundle from cart response status = ' +
28         response.IsSuccess);
29     }
30 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

- [Adding a Bundle to a Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService" xmlns:cpq1="http://
soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQFudWwmQHKa0g8qt7T4KJ9MmTK0J0550XmfoUk9bUEL_idltBYg5muQuM4Pm0HVjinAgttLfi55uyxVSv
F5yrkoH.rH4</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:removeBundle>
      <cpq:request>
        <cpq1:CartId>a1l4P00000Bg7D9QAJ</cpq1:CartId>
        <cpq1:LineNumber>1</cpq1:LineNumber>
      </cpq:request>
    </cpq:removeBundle>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ht
tp://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:RemoveBundleResponseD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/
CPQ">
  <soapenv:Body>
    <removeBundleResponse>
      <result>
        <RemoveBundleResponseD0:IsSuccess>>true</RemoveBundleResponseD0:IsSuccess>
      </result>
    </removeBundleResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Removing Multiple Bundles from a Cart

This removes one or more products (with default options) or bundles from the cart along with quantity, term, start date, and end date.

API		Signature
removeMultiBundles		<i>WebService static</i> <i>Apttus_CPQApi.CPQ.RemoveMultiBundlesResponseDO</i> <i>removeMultiBundles(Apttus_CPQApi.CPQ.RemoveMultiBundlesRequestDO request)</i>
Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.RemoveMultiBundlesRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.RemoveMultiBundlesRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.
LineNumber	List<Decimal>	The List of LineNumbers that need to be removed from the cart.

Response Data Object - Apttus_CPQApi.CPQ.RemoveMultiBundlesResponseDO		
Field	Type	Description
IsSuccess	Boolean	Indicates the success of the operation.

Code Sample

Use the sample below to remove one or more products of the cart. When the user selects multiple products on the cart and clicks Delete or Remove, invoke this API. The multiple products are deleted from the cart. Based on the line number and the cartID the selected assets are removed from the cart. Update the new line items using the `getLineItems` function.

```

1  /**
2   * The below method demonstrates how to remove multiple products from an
3   * existing cart (every quote has a cart)
4   * Lets assume the Quote's Cart has a 3 products,
5   * Laptop is a bundle product (line number 1) and Monitor and Wifi Router
6   * are standalone products (line number 2 and 3 respectively)
7   * The input of this method is Quote Number and the line numbers of the
8   * Laptop bundle product and Monitor and Wifi Router are standalone products
9   */
10 public static void removeMultiBundles(String quoteNumber, List<Integer>
11 lineNumbers) {
12
13     List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
14 Apttus_Config2__ProductConfiguration__c WHERE
15 Apttus_QPConfig__ProposalId__r.Name = :quoteNumber LIMIT 1];
16
17     if(!cart.isEmpty() && lineNumbers != null && !lineNumbers.isEmpty()) {
18
19         // Create the request object
20         Apttus_CPQApi.CPQ.RemoveMultiBundlesRequestDO request = new
21 Apttus_CPQApi.CPQ.RemoveMultiBundlesRequestDO();
22         request.CartId = cart.get(0).Id;
23         request.LineNumbers = lineNumbers;
24
25         // Execute the removeMultiBundles routine
26         Apttus_CPQApi.CPQ.RemoveMultiBundlesResponseDO response =
27 Apttus_CPQApi.CPQWebService.removeMultiBundles(request);
28
29         System.debug('Remove bundle from cart response status = ' +
30 response.IsSuccess);
31     }
32 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService" xmlns:cpq1="http://
soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQQAHIR1W9.1as89Auz.CvNYxqyg56gLLWgUtP5VZxidvTsb1DpQZpmyDuqZOiF4VctBp3jhhJIxG9oRQ4A
4F9h98N0inT</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:removeMultiBundles>
      <cpq:request>
        <cpq1:CartId>a1l4P00000Bg7D9QAJ</cpq1:CartId>
        <cpq1:LineNumbers>1</cpq1:LineNumbers>
        <cpq1:LineNumbers>3</cpq1:LineNumbers>
      </cpq:request>
    </cpq:removeMultiBundles>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ht
tp://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:RemoveMultiBundlesResponseDO="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <removeMultiBundlesResponse>
      <result>
        <RemoveMultiBundlesResponseDO:IsSuccess>true</
RemoveMultiBundlesResponseDO:IsSuccess>
      </result>
    </removeMultiBundlesResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Removing Line Items from the Cart

This API enables you to remove specific line items from the Cart. This API is invoked when you click **Remove** action icon next to any product on the Cart.

API	Signature	
removeLineItems	<i>webService static Apttus_CPQApi.CPQ.RemoveLineItemsResponseDO removeLineItems(Apttus_CPQApi.CPQ.RemoveLineItemsRequestDO request)</i>	
Request Parameter		
Name	Type	Description
Request	Apttus_CPQApi.CPQ.RemoveLineItemsRequestDO	This is the request data object.
Request Data Object - Apttus_CPQApi.CPQ.RemoveLineItemsRequestDO		
Name	Type	Description
Cart ID	ID	The Id of the cart.
PrimaryLineNumbers	Integer	The line item numbers of the primary line items which have to be removed using this API.

Response Data Object - Apttus_CPQApi.CPQ.RemoveLineItemsResponseDO		
Name	Type	Description
IsSuccess	Boolean	Indicates whether the operation of removing the line items was a success. True indicates success, false indicates that the line items were not removed from the Cart.

Code sample

You can use this API after you realize that the end-user has added some products (bundle, standalone, or option) and you want to remove those products from the Cart at once. Along with the primary line items, this API also removes the child line items under these primary line items (if applicable).


```

/**
 * The below method demonstrates how to remove multiple line items from an existing
 * cart (every quote has a cart)
 * Lets assume the Quote's Cart has 3 products,
 * a bundle product called Laptop (line number 1) and its two options are Keyboard
 * and Mouse
 * and Monitor and Wifi Router are standalone products (line number 2 and 3
 * respectively)
 * The input of this method is Quote Number and the line numbers of the Laptop bundle
 * product and Monitor standalone product
 */
public static void removeLineItems(String quoteNumber, List<Integer>
primaryLineNumbers)
{
    List<Apttus_Config2__ProductConfiguration__c> cart = [SELECT Id FROM
Apttus_Config2__ProductConfiguration__c WHERE Apttus_QPConfig__ProposalId__r.Name
= :quoteNumber LIMIT 1];

    if(!cart.isEmpty() && primaryLineNumbers != null && !
primaryLineNumbers.isEmpty())
    {
        // Create the request object
        Apttus_CPQApi.CPQ.RemoveLineItemsRequestDO request = new
Apttus_CPQApi.CPQ.RemoveLineItemsRequestDO();
        request.CartId = cart.get(0).Id;
        request.PrimaryLineNumbers = primaryLineNumbers;

        // Execute the removeLineItems routine
        Apttus_CPQApi.CPQ.RemoveLineItemsResponseDO response =
Apttus_CPQApi.CPQWebService.removeLineItems(request);

        System.debug('Remove line items from cart response status = ' +
response.IsSuccess);
    }
}

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding Products to a Cart OR Adding a Bundle to a Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQGYIEG86MxZJB2SAYA0.SocSmGG7G3SzeD6x2lnQ_zQCcBu.SpLUCrn0Bk0Ph00tnf_OAAnE0nfpZfkaS
9mA_1G_1kmP</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:removeLineItems>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YqyaMAC</cpq1:CartId>
        <cpq1:PrimaryLineNumbers>2</cpq1:PrimaryLineNumbers>
        <cpq1:PrimaryLineNumbers>7</cpq1:PrimaryLineNumbers>
      </cpq:request>
    </cpq:removeLineItems>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:RemoveLineItemsResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <removeLineItemsResponse>
      <result>
        <RemoveLineItemsResponseD0:IsSuccess>true</RemoveLineItemsResponseD0:
IsSuccess>
      </result>
    </removeLineItemsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Removing Options from a Bundle

This API removes options from the bundle.

API	Signature
removeOptions	<i>webService static Apttus_CPQApi.CPQ.RemoveOptionsResponseDO removeOptions(Id cartId, Integer lineNumber, List componentIds)</i>

Request Parameter		
Name	Type	Description
cartID	ID	The ID of the cart the bundle belongs to.
lineNumber	Integer	The line number of the bundle line items.
componentIds	List<ID>	The list of component IDs of the relevant option line items

Response Data Object - Apttus_CPQApi.CPQ.RemoveOptionsResponseDO		
Field	Type	Description
IsSuccess	Boolean	Indicated whether the removal was successful. The values returned are <i>true</i> and <i>false</i> .
RemovedIds	List<ID>	The IDs of removed option line items.

Code Sample

The sample code below enables you to remove options from the bundle and get the removal status and list of IDs of the removed options.

```

1  /**
2   * The below method demonstrates how to remove options from bundle
3   */
4  Public void deleteOptions(Id cartId, Integer lineNumber, List<Id>
   componentIds) {
5      Apttus_CPQApi.CPQ.RemoveOptionsResponseDO response =
   Apttus_CPQApi.CPQ.RemoveOptionsResponseDO();
6      Response = Apttus_CPQApi.CPQWebService.removeOptions(cartId,
   lineNumber, componentIds);
7      System.debug('Has removed? ' + Response.IsSuccess);
8      System.debug('Options removed ' + Response.RemovedIds);
9  }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Query Product Option Component Id](#)

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQHmIRqgn4R90i1yQjWTIVk4UZmsDe_.eK0Z9z6qLij7Tu.L_Yo8dRA_p80mhKMeRs4uzCZTadIgQ9fEbd
KciXEQYRyaA</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:removeOptions>
      <cpq:cartId>a10Z0000002ZQVZ</cpq:cartId>
      <cpq:lineNumber>1</cpq:lineNumber>
      <cpq:componentIds>a1YZ0000003pIGMMA2</cpq:componentIds>
    </cpq:removeOptions>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:RemoveOptionsResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <removeOptionsResponse>
      <result>
        <RemoveOptionsResponseD0:IsSuccess>true</RemoveOptionsResponseD0:IsSu
ccess>
        <RemoveOptionsResponseD0:RemovedIds>a19Z00000006sPeBIAU</
RemoveOptionsResponseD0:RemovedIds>
      </result>
    </removeOptionsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Retrieving Constraint Rules Results

This API retrieves the constraints rules applied to a cart.

API	Signature
getConstraintRuleResult	<pre> webService static Apttus_CPQApi.CPQ.ConstraintResultDO getConstraintRuleResult(Id cartId) </pre>

Parameters		
Name	Type	Description
CartId	ID	The cart ID

Response Data Object - Apttus_CPQApi.CPQ.ConstraintResultDO		
Field	Type	Description
CartId	ID	The Id of the cart.
ConstraintRuleActions	List<Apttus_CPQApi.CPQ.AppliedActionDO>	The list of constraint rule action applied to the cart.
HasPendingError	Boolean	Indicates whether there are pending rule actions that are error type.
HasPendingWarning	Boolean	Indicates whether there are pending rule actions that are warning type.
NeedMoreProcessing	Boolean	Indicates whether the rule required more processing.

Response Data Object - Apttus_CPQApi.CPQ.AppliedActionDO		
Field	Type	Description
ActionIntent	String	The action intent of the applied constraint rule.
ActionType	String	The action type of the applied constraint rule.
AffectedPrimaryNumbers	List	The primary line number of the line item the constraint rule is applied on.
AffectedProductIds	List	IDs of the line item the constraint rule is applied on.
AppliedActionId	ID	The ID of the constraint rule action applied on the cart.
AppliedRuleInfoId	ID	The Applied Rule Info ID of the constraint rule action
CartId	ID	The ID of the cart.
ConstraintRuleActionId	ID	The ID of the constraint rule action.
CriteriaFields	List	The criteria fields in the constraint rule action.

Response Data Object - Apttus_CPQApi.CPQ.AppliedActionDO		
Field	Type	Description
IsAutoExecuted	Boolean	Indicates whether the auto-execution is enabled for the constraint rule.
IsHideMessage	Boolean	Indicates whether the messages are hidden.
IsIgnoredByUser	Boolean	Indicates whether ignoring the constraint rule is allowed.
IsPending	Boolean	Indicates whether any action is pending from the user to execute the constraint rule.
IsShowPrompt	Boolean	Indicates whether prompt is required.
IsTargetOptionProduct	Boolean	Indicates whether the target include or exclude products should be present in the shopping cart as options.
IsTargetPrimaryProduct	Boolean	Indicates whether the include or exclude products should be present in the shopping cart as primary lines.
MatchCountRule	String	
Message	String	The message added to the constraint rule action.
MessageType	String	The type of the message defined in the constraint rule action.
SuggestedProductIds	List	The IDs of the product suggested by rule action definition to be included in the cart.
TargetBundleNumber	Integer	The parent bundle number of the included or excluded products. For the products that are not option the number is set as zero which represents the cart as the parent.
TriggeringPrimaryNumbers	List	The primary numbers of the line items that have triggered the rule action.
TriggeringProductIds	List	The list of ids representing the products that caused the rule to trigger

Code Sample

The sample below enables you to fetch the constraint rules applied to a cart with a specific Cart ID. Use this API when you want to view the constraint rules applied to a cart. For example, to generate a report about the constraint rules applied to a cart, you can fetch the constraint rules using this API.

```
1  public void getConstraintRuleResult()
2  {
3      Integer numErrors = 0;
4
5      Apttus_CPQApi.CPQ.ConstraintResultDO constraintResult =
6      Apttus_CPQApi.CPQWebService.getConstraintRuleResult(cartID);
7
8      List<Apttus_CPQApi.CPQ.AppliedActionDO> appliedActionDOList =
9      constraintResult.ConstraintRuleActions;
10
11     for(Apttus_CPQApi.CPQ.AppliedActionDO
12     appliedActDO:appliedActionDOList)
13     {
14         ApexPages.addMessage(new
15         ApexPages.Message(ApexPages.severity.info, appliedActDO.Message));
16         if(appliedActDO.MessageType.equals('Error') &&
17         appliedActDO.IsPending)
18         {
19             numErrors++;
20         }
21     }
22 }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQQAHIR1W9.1as89Auz.CvNYxqyg56gLLWgUtP5VZxidvTsb1DpQZpmyDuqZOiF4VctBp3jhhJIxG9oRQ4A
4F9h98N0inT</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getConstraintRuleResult>
      <cpq:cartId>a1l4P00000Bg7D9QAJ</cpq:cartId>
    </cpq:getConstraintRuleResult>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="ht
tp://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:ConstraintResultD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getConstraintRuleResultResponse>
      <result>
        <ConstraintResultD0:CartId xsi:nil="true"/>
        <ConstraintResultD0:ConstraintRuleActions>
          <ConstraintResultD0>ActionIntent>Show Message</ConstraintResultD0:Acti
onIntent>
          <ConstraintResultD0>ActionType>Exclusion</ConstraintResultD0:ActionTyp
e>
          <ConstraintResultD0:AffectedPrimaryNumbers>13</ConstraintResultD0:Affe
ctedPrimaryNumbers>
          <ConstraintResultD0:AffectedProductIds>01t4P0000080fIrQAK</
ConstraintResultD0:AffectedProductIds>
          <ConstraintResultD0:AppliedActionId>a0y4P00000GHs7nQAD</
ConstraintResultD0:AppliedActionId>
          <ConstraintResultD0:AppliedRuleInfoId>a0z4P00000JyUToQAN</
ConstraintResultD0:AppliedRuleInfoId>
          <ConstraintResultD0:CartId>a1l4P00000Bg7D9QAJ</ConstraintResultD0:Cart
Id>
          <ConstraintResultD0:ConstraintRuleActionId>a1H4P000005JdfVUAS</
ConstraintResultD0:ConstraintRuleActionId>
          <ConstraintResultD0:IsAutoExecuted>>false</ConstraintResultD0:IsAutoExe
cuted>
          <ConstraintResultD0:IsHideMessage>>false</ConstraintResultD0:IsHideMess
age>
          <ConstraintResultD0:IsIgnoredByUser>>false</ConstraintResultD0:IsIgnore
dByUser>
          <ConstraintResultD0:IsPending>>true</ConstraintResultD0:IsPending>
          <ConstraintResultD0:IsShowPrompt>>false</ConstraintResultD0:IsShowPromp
t>
          <ConstraintResultD0:IsTargetOptionProduct>>true</ConstraintResultD0:IS
targetOptionProduct>
          <ConstraintResultD0:IsTargetPrimaryProduct>>true</ConstraintResultD0:IS
TargetPrimaryProduct>
          <ConstraintResultD0:MatchCountRule xsi:nil="true"/>
          <ConstraintResultD0:Message>The MSM410 Access Point is not compatible
with the selected blade server</ConstraintResultD0:Message>

```

```

        <ConstraintResultDO:MessageType>Error</ConstraintResultDO:MessageType>
        <ConstraintResultDO:SuggestedProductIds>01t4P0000080fIrQAK</
ConstraintResultDO:SuggestedProductIds>
        <ConstraintResultDO:TargetBundleNumber>0</ConstraintResultDO:TargetBun
dleNumber>
        <ConstraintResultDO:TriggeringPrimaryNumbers>14</ConstraintResultDO:Tr
iggeringPrimaryNumbers>
        <ConstraintResultDO:TriggeringProductIds>01t4P0000080fIzQAK</
ConstraintResultDO:TriggeringProductIds>
        </ConstraintResultDO:ConstraintRuleActions>
        <ConstraintResultDO:HasPendingError>>true</ConstraintResultDO:HasPendingEr
ror>
        <ConstraintResultDO:HasPendingWarning>>false</ConstraintResultDO:HasPendin
gWarning>
        <ConstraintResultDO:NeedMoreProcessing>>false</ConstraintResultDO:NeedMore
Processing>
        </result>
    </getConstraintRuleResultResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Retrieving Incentives on the Cart

You can use this API to retrieve the incentives that your users want to apply automatically or manually to the products in their shopping cart.

API	Signature
getIncentives ForCart	<i>webservice static Apttus_CPQApi.CPQ.GetIncentivesForCartResponseDO getIncentivesForCart(Apttus_CPQApi.CPQ.GetIncentivesForCartRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.GetIncentivesForCa rtRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.GetIncentivesForCartRequestDO		
Field	Type	Description
CartID	ID	The id of the cart, containing products on which the promotions are applied.
InclCoupons	Boolean	Indicates whether the coupons are included in the response.
Response Data Object - Apttus_CPQApi.CPQ.GetIncentivesForCartResponseDO		
Field	Type	Description
AppliedIncentives	List <AppliedIncentives>	A list of incentives applied on the given cart.
IncentiveCoupons	List <IncentiveCoupons>	A list of coupons available on the cart.
IncentiveItems	List <IncentiveItems>	A list of incentives by line item
Incentives	List<Incentives>	A list of incentives available in the cart
getAppliedIncentivesByItem()	Map	A list of incentives applied on a line item.
getCouponsByIncentive()	Map	A list of coupons in an incentive.
getIncentivesByItem()	Map	A list of incentives available for a line item.
Data Object - Apttus_Config2__Incentive__c		
Field	Type	Description
AccountScopeOper	Picklist	Consists of options such as Include and Exclude. These allow you to define a promotion by choosing to include or exclude an account.
AccountScope	Look up	Enables you to define promotions for a particular Account. While defining a promotion, you can choose to include or exclude the Account based on which the promotion is applied.

Data Object - Apttus_Config2__Incentive__c		
Field	Type	Description
AccountTypeScopeOper	Picklist	Consists of options such as Include and Exclude. These allow you to define a promotion by choosing to include or exclude an account type.
AccountTypeScope	Look up	Enables you to define promotions for a particular Account type. While defining a promotion, you can choose to include or exclude the Account Type based on which the promotion is applied.
Active	Boolean	Can be set to <i>Yes</i> or <i>No</i> . Set it to <i>Yes</i> when you want a promotion to be applied and active for the criteria you specify. The Active flag on the promotions will be set using a workflow linked to approvals similar to what you would do for any other custom object approval. For example, you can write a workflow rule to set the active status to true after the promotion is Approved (if approval is setup). Approvals set up would be similar to custom object approvals for any object.
Active	Boolean	Can be set to <i>Yes</i> or <i>No</i> . Set it to <i>Yes</i> when you want a promotion to be applied and active for the criteria you specify. The Active flag on the promotions will be set using a workflow linked to approvals similar to what you would do for any other custom object approval. For example, you can write a workflow rule to set the active status to true after the promotion is Approved (if approval is setup). Approvals set up would be similar to custom object approvals for any object.
AutoApply	Boolean	Can be set to <i>Yes</i> or <i>No</i> . Set it to <i>Yes</i> when you want a promotion to be automatically applied when a promotion criteria is fulfilled. Set it to <i>No</i> when you want the user to manually enter an Incentive Code to apply promotions.

Data Object - Apttus_Config2__Incentive__c		
Field	Type	Description
CountryScopeOper	Picklist	Consists of options such as Include and Exclude. These allow you to control if you want to include or exclude a country for a particular promotion.
CountryScope	Look up	Enables you to define promotions for a particular country. While defining a promotion you can choose to include or exclude a country. The country picklist must be defined for the Account object.
EffectiveDate	Date	Start Date from which the promotion is applicable.
ExpirationDate	Date	Date on which the promotion expires. It can be blank. It needs to be greater than the Start Date.
IncentiveCode	String	This is the code that is used for applying the incentive. This code is captured on the order or proposal line items when an incentive is applied to the line item. By default, this value is set to Incentive Number, but is editable. The marketing team can also use this for marketing campaigns. When a promotion is not auto-applied, (that is, when the Auto Apply ? check box is deselected), the user can use the incentive code to avail a promotional offer.
IncentiveNumber	Auto Number	System generated unique number for the Incentive. This differs from the Salesforce record id. When an active incentive is changed over time, the Incentive number remains same.
Name	String	User-specific name for the Incentive. This promotion name is displayed to the user wherever the Incentive information is displayed. For example, whenever a user looks-up the promotion information applicable to a specific product, the promotion name you provide here is displayed.

Data Object - Apttus_Config2__Incentive__c		
Field	Type	Description
PriceListScopeOper	Picklist	Based on the selected Price List, you can control whether to include or exclude that particular price list and its products.
PriceListScope	Look up	Consists of the price list for which you have defined promotions.
ProductFamilyScope	Look up	Consists of a product family for which you have defined promotions.
ProductFamilyScopeOper	Picklist	Based on the selected Product Family, you can control whether to include or exclude that particular product family.
ProductScopeOper	Picklist	Based on the selected Product, you can control whether to include or exclude that product.
ProductScope	Look up	Consists of the products for which you have defined promotions.
RegionScopeOper	Picklist	Consists of options such as Include and Exclude. These allow you to control if you want to include or exclude a region for a particular promotion.
RegionScope	Look up	Enables you to define promotions for a particular region. While defining a promotion, you can choose to include or exclude a region. You must define the region picklist for the Account object.
UseType	Picklist	This picklist indicates whether the incentive is of type Promotion or Rebate. In our case, select <i>Promotion</i> .
Sequence	Number	Defines the sequence in which incentives are applied, when there are more than one incentives.

Data Object - Apptus_Config2__Incentive__c		
Field	Type	Description
Status	Picklist	Specifies the status of the Promotion, which is dependent on the promotion life cycle. After a promotion is approved, you can set the status of the approval as active. Approvals on Promotions: Admins can set up approval processes and other workflows on promotions. Marketing managers can send promotions for approval and approvers can view the promotion, approve or reject the promotions with or without comments, and activate it.
StopProcessingMoreIncentives	Boolean	Indicates if CPQ need not process other incentives if there are multiple incentives applicable at the same time.

Code Sample

This code sample enables you to retrieve incentives and coupons available in cart or a line item. You can also retrieve incentives that are applied on the cart or a line item.

```
// Api - get incentive for cart
Apttus_CPQApi.CPQ.GetIncentivesForCartRequestDO request2 = new
  Apttus_CPQApi.CPQ.GetIncentivesForCartRequestDO();
request2.CartId = configS0.Id;
request2.InclCoupons = true;

Apttus_CPQApi.CPQ.GetIncentivesForCartResponseDO result2 =
  Apttus_CPQApi.CPQWebService.getIncentivesForCart(request2);

// incentives by item
Map<ID, List<Apttus_Config2__Incentive__c>> incentivesByItem =
  result2.getIncentivesByItem();

// applied incentives by item
Map<ID, List<Apttus_Config2__AdjustmentLineItem__c>> appliedIncentivesByItem =
  result2.getAppliedIncentivesByItem();

// incentive coupons by incentive
Map<ID, List<Apttus_Config2__IncentiveCoupon__c>> couponsByIncentive =
  result2.getCouponsByIncentive();
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService" xmlns:cpq1="http://
soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQFRdZcUFQ8LrHGF_qYNN9deP0ee.07JRqgeS3IF8IILzILBdAOPySGSkif1VBtALP6pryVNOXfhn0faHO
pGsc9GFVLL0</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getIncentivesForCart>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YdG6</cpq1:CartId>
        <cpq1:InclCoupons>true</cpq1:InclCoupons>
      </cpq:request>
    </cpq:getIncentivesForCart>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:GetIncentivesForCartResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getIncentivesForCartResponse>
      <result>
        <GetIncentivesForCartResponseD0:Incentives xsi:type="Apttus_Config2__
Incentive__c">
          <Id>a400v00000005FtMEAU</Id>
          <Apttus_Config2__AccountScopeOper__c>in</
Apttus_Config2__AccountScopeOper__c>
          <Apttus_Config2__AccountScope__c>All</
Apttus_Config2__AccountScope__c>
          <Apttus_Config2__AccountTypeScopeOper__c>in</
Apttus_Config2__AccountTypeScopeOper__c>
          <Apttus_Config2__AccountTypeScope__c>All</
Apttus_Config2__AccountTypeScope__c>
          <Apttus_Config2__Active__c>true</Apttus_Config2__Active__c>
          <Apttus_Config2__ApplicationMethod__c>Buy X Get X</
Apttus_Config2__ApplicationMethod__c>
          <Apttus_Config2__AutoApply__c>false</Apttus_Config2__AutoApply__c>
          <Apttus_Config2__ContextType__c>Line Item</
Apttus_Config2__ContextType__c>
          <Apttus_Config2__CountryScopeOper__c>in</
Apttus_Config2__CountryScopeOper__c>
          <Apttus_Config2__CountryScope__c>All</
Apttus_Config2__CountryScope__c>
          <Apttus_Config2__EffectiveDate__c>2018-10-15</
Apttus_Config2__EffectiveDate__c>
          <Apttus_Config2__ExpirationDate__c>2025-10-31</
Apttus_Config2__ExpirationDate__c>
          <Apttus_Config2__IncentiveCode__c>ICT-002510</
Apttus_Config2__IncentiveCode__c>
          <Apttus_Config2__IncentiveNumber__c>ICT-002510.0</
Apttus_Config2__IncentiveNumber__c>
          <Apttus_Config2__PriceListScopeOper__c>in</
Apttus_Config2__PriceListScopeOper__c>

```

```

        <Apttus_Config2__PriceListScope__c>All</
Apttus_Config2__PriceListScope__c>
        <Apttus_Config2__ProductFamilyScope0per__c>in</
Apttus_Config2__ProductFamilyScope0per__c>
        <Apttus_Config2__ProductFamilyScope__c>All</
Apttus_Config2__ProductFamilyScope__c>
        <Apttus_Config2__ProductScope0per__c>in</
Apttus_Config2__ProductScope0per__c>
        <Apttus_Config2__ProductScope__c>All</
Apttus_Config2__ProductScope__c>
        <Apttus_Config2__RegionScope0per__c>in</
Apttus_Config2__RegionScope0per__c>
        <Apttus_Config2__RegionScope__c>All</
Apttus_Config2__RegionScope__c>
        <Apttus_Config2__Sequence__c>1</Apttus_Config2__Sequence__c>
        <Apttus_Config2__Status__c>Draft</Apttus_Config2__Status__c>
        <Apttus_Config2__StopProcessingMoreIncentives__c>true</
Apttus_Config2__StopProcessingMoreIncentives__c>
        <Apttus_Config2__SubUseType__c>Promotion</
Apttus_Config2__SubUseType__c>
        <Apttus_Config2__UseType__c>Promotion</Apttus_Config2__UseType__c>
        <Name>002I-Auto Single Rate Type Promotion</Name>
    </GetIncentivesForCartResponseD0:Incentives>
    <GetIncentivesForCartResponseD0:Incentives xsi:type="Apttus_Config2__
Incentive__c">
        <Id>a400v00000005FtHEAU</Id>
        <Apttus_Config2__AccountScope0per__c>in</
Apttus_Config2__AccountScope0per__c>
        <Apttus_Config2__AccountScope__c>All</
Apttus_Config2__AccountScope__c>
        <Apttus_Config2__AccountTypeScope0per__c>in</
Apttus_Config2__AccountTypeScope0per__c>
        <Apttus_Config2__AccountTypeScope__c>All</
Apttus_Config2__AccountTypeScope__c>
        <Apttus_Config2__Active__c>true</Apttus_Config2__Active__c>
        <Apttus_Config2__ApplicationMethod__c>Buy X Get X</
Apttus_Config2__ApplicationMethod__c>
        <Apttus_Config2__AutoApply__c>false</Apttus_Config2__AutoApply__c>
        <Apttus_Config2__ContextType__c>Line Item</
Apttus_Config2__ContextType__c>
        <Apttus_Config2__CountryScope0per__c>in</
Apttus_Config2__CountryScope0per__c>
        <Apttus_Config2__CountryScope__c>All</
Apttus_Config2__CountryScope__c>

```

```

        <Apttus_Config2__EffectiveDate__c>2018-10-14</
Apttus_Config2__EffectiveDate__c>
        <Apttus_Config2__ExpirationDate__c>2024-10-18</
Apttus_Config2__ExpirationDate__c>
        <Apttus_Config2__IncentiveCode__c>ICT-002509</
Apttus_Config2__IncentiveCode__c>
        <Apttus_Config2__IncentiveNumber__c>ICT-002509.0</
Apttus_Config2__IncentiveNumber__c>
        <Apttus_Config2__PriceListScope0per__c>in</
Apttus_Config2__PriceListScope0per__c>
        <Apttus_Config2__PriceListScope__c>All</
Apttus_Config2__PriceListScope__c>
        <Apttus_Config2__ProductFamilyScope0per__c>in</
Apttus_Config2__ProductFamilyScope0per__c>
        <Apttus_Config2__ProductFamilyScope__c>All</
Apttus_Config2__ProductFamilyScope__c>
        <Apttus_Config2__ProductScope0per__c>in</
Apttus_Config2__ProductScope0per__c>
        <Apttus_Config2__ProductScope__c>All</
Apttus_Config2__ProductScope__c>
        <Apttus_Config2__RegionScope0per__c>in</
Apttus_Config2__RegionScope0per__c>
        <Apttus_Config2__RegionScope__c>All</
Apttus_Config2__RegionScope__c>
        <Apttus_Config2__Sequence__c>1</Apttus_Config2__Sequence__c>
        <Apttus_Config2__Status__c>Draft</Apttus_Config2__Status__c>
        <Apttus_Config2__StopProcessingMoreIncentives__c>true</
Apttus_Config2__StopProcessingMoreIncentives__c>
        <Apttus_Config2__SubUseType__c>Promotion</
Apttus_Config2__SubUseType__c>
        <Apttus_Config2__UseType__c>Promotion</Apttus_Config2__UseType__c>
        <Name>002H-Auto Single Rate Type Promotion</Name>
    </GetIncentivesForCartResponseD0:Incentives>
</result>
</getIncentivesForCartResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Retrieving Asset Line Items

Gets the list of asset line item objects matching the parameters used as the search criteria.

API	Signature
<code>getAssetsForSearchText</code>	<i>webservice static</i> <i>Apttus_CPQApi.CPQ.AssetSearchResultDO</i> <i>getAssetsForSearchText(Id accountId, List locationIds, String searchText)</i>

 You cannot use the parameters *accountId* and *locationIds* simultaneously.

Parameters		
Name	Type	Description
<code>accountId</code>	ID	The id of the account associated with the asset.
<code>locationIds</code>	List <ID>	The ids of the different locations associated with the assets.
<code>searchText</code>	String	The search text.

Response Data Object - <code>Apttus_CPQApi.CPQ.AssetSearchResultDO</code>		
Name	Type	Description
<code>AssetItems</code>	List < <code>Apttus_Config2__AssetLineItem__c</code> >	This is a list of the asset line items. This returns the asset line item records and the values for the fields that belong to each record.
<code>HasAssetItems</code>	Boolean	Indicates whether there are asset line items, that match the parameters used for the search.

Code Sample

When you generate a quote for an existing customer, it is possible that the customer has some assets associated with the account. You can provide a search field on the cart page that enables the customer to search for existing assets and view them. When the user types the search criteria for fetching the assets and clicks Search, invoke the API. This sample

should enable the user to search a product by product name, product code, product description, category name, and configuration type. The search for get assets is similar to the product search in the catalog page and installed products page.


```

1  public void searchAssets()
2  {
3      Apttus_CPQApi.CPQ.AssetSearchResultDO assetResults =
Apttus_CPQApi.CPQWebService.getAssetsForSearchText(accountId, null,
assetSearchText);
4      List<AssetWrapperClass> lstAssetWrapper = new
List<AssetWrapperClass>();
5
6      // if assets items that are searched by a keyword exist (i.e
hasassetitems=true)
7      // and some value is returned, show the following as a part of the
list
8      if (assetResults.HasAssetItems == true)
9      {
10         List<Apttus_Config2__AssetLineItem__c> aliSOList =
assetResults.AssetItems;
11         for (Apttus_Config2__AssetLineItem__c aliSO : aliSOList)
12         {
13             AssetWrapperClass objAssetWrapperClass = new AssetWrapperClass
();
14             objAssetWrapperClass.AssetId = aliSO.ID;
15             objAssetWrapperClass.ProductId =
aliSO.Apttus_Config2__Description__c;
16             objAssetWrapperClass.Quantity =
aliSO.Apttus_Config2__Quantity__c;
17             objAssetWrapperClass.StartDate =
aliSO.Apttus_Config2__StartDate__c;
18             objAssetWrapperClass.EndDate =
aliSO.Apttus_Config2__EndDate__c;
19             lstAssetWrapper.add(objAssetWrapperClass);
20         }
21     }
22
23     // if there are no assets by the search text that the user entered,
24     // display an appropriate message.
25     else
26     {
27         lstAssetWrapper.clear();
28         ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'No result found. Please try
again.'));
29     }
30 }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:cpq="
http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQAQGL6XYy.QsjqQQ6RTBnh.1ApTbiqkGAdVz9BS70lxobcyXgHHpImGXAE7p_cf6ziWJ8tpQt_4Q4Bi2VtY
eMyzjhaPbf0</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:getAssetsForSearchText>
      <cpq:accountId>0014P000028PFFS</cpq:accountId>
      <!--<cpq:locationIds></cpq:locationIds>-->
      <cpq:searchText></cpq:searchText>
    </cpq:getAssetsForSearchText>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:AssetSearchResultD0="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <soapenv:Body>
    <getAssetsForSearchTextResponse>
      <result>
        <AssetSearchResultD0:AssetItems xsi:type="Apttus_Config2__AssetLineItem__c">
          <Id>a114P000004ie6cQAA</Id>
          <Apttus_Config2__AccountId__c>0014P000028PFFSQA4</Apttus_Config2__AccountId__c>
          <Apttus_Config2__AssetStatus__c>Activated</Apttus_Config2__AssetStatus__c>
          <Apttus_Config2__BasePriceMethod__c>Per Unit</Apttus_Config2__BasePriceMethod__c>
          <Apttus_Config2__BasePrice__c>160.00000</Apttus_Config2__BasePrice__c>
          <Apttus_Config2__BusinessObjectId__c>a0c4P00000G3AikQAF</Apttus_Config2__BusinessObjectId__c>
          <Apttus_Config2__ChargeType__c>Standard Price</Apttus_Config2__ChargeType__c>
          <Apttus_Config2__Description__c>SecureCloud Enterprise</Apttus_Config2__Description__c>
          <Apttus_Config2__EndDate__c>2017-06-19</Apttus_Config2__EndDate__c>
          <Apttus_Config2__Frequency__c>Monthly</Apttus_Config2__Frequency__c>
          <Apttus_Config2__IsPrimaryLine__c>true</Apttus_Config2__IsPrimaryLine__c>
          <Apttus_Config2__IsPrimaryRampLine__c>false</Apttus_Config2__IsPrimaryRampLine__c>
          <Apttus_Config2__IsReadOnly__c>false</Apttus_Config2__IsReadOnly__c>
          <Apttus_Config2__IsUsageTierModifiable__c>false</Apttus_Config2__IsUsageTierModifiable__c>
          <Apttus_Config2__ItemSequence__c>1</Apttus_Config2__ItemSequence__c>
          <Apttus_Config2__LineNumber__c>1</Apttus_Config2__LineNumber__c>
          <Apttus_Config2__LineType__c>Product/Service</Apttus_Config2__LineType__c>
          <Apttus_Config2__MustUpgrade__c>false</Apttus_Config2__MustUpgrade__c>
          <Apttus_Config2__NetPrice__c>729600.00000</Apttus_Config2__NetPrice__c>
          <Apttus_Config2__PriceType__c>Recurring</Apttus_Config2__PriceType__c>
          <Apttus_Config2__ProductId__c>01t4P00000884AHQAY</Apttus_Config2__ProductId__c>
        </AssetSearchResultD0:AssetItems>
      </result>
    </getAssetsForSearchTextResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

```

        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P00000884AHQAY</Id>
            <Apttus_Config2__Customizable__c>>false</
Apttus_Config2__Customizable__c>
            <Apttus_Config2__HasAttributes__c>>true</
Apttus_Config2__HasAttributes__c>
            <Apttus_Config2__HasDefaults__c>>false</
Apttus_Config2__HasDefaults__c>
            <Apttus_Config2__HasOptions__c>>true</Apttus_Config2__HasOptions__c>
            <Family>CSD Products</Family>
        </Apttus_Config2__ProductId__r>
        <Apttus_Config2__Quantity__c>400.00000</Apttus_Config2__Quantity__c>
        <Apttus_Config2__SellingFrequency__c>Monthly</
Apttus_Config2__SellingFrequency__c>
            <Apttus_Config2__SellingTerm__c>12.00000</
Apttus_Config2__SellingTerm__c>
            <Apttus_Config2__StartDate__c>2016-06-20</Apttus_Config2__StartDate__c>
            <Name>SecureCloud Enterprise</Name>
        </AssetSearchResultDO:AssetItems>
        <AssetSearchResultDO:AssetItems xsi:type="Apttus_Config2__AssetLineItem__
c">
            <Id>a114P000004ie6dQAA</Id>
            <Apttus_Config2__AccountId__c>0014P0000028PFFSQA4</
Apttus_Config2__AccountId__c>
            <Apttus_Config2__AssetStatus__c>Activated</
Apttus_Config2__AssetStatus__c>
            <Apttus_Config2__BasePriceMethod__c>Per Unit</
Apttus_Config2__BasePriceMethod__c>
            <Apttus_Config2__BasePrice__c>131328.00000</
Apttus_Config2__BasePrice__c>
            <Apttus_Config2__BusinessObjectId__c>a0c4P00000G3AikQAF</
Apttus_Config2__BusinessObjectId__c>
            <Apttus_Config2__ChargeType__c>Subscription Fee</
Apttus_Config2__ChargeType__c>
            <Apttus_Config2__Description__c>SecureCloud Premier Support</
Apttus_Config2__Description__c>
            <Apttus_Config2__EndDate__c>2017-06-19</Apttus_Config2__EndDate__c>
            <Apttus_Config2__Frequency__c>Yearly</Apttus_Config2__Frequency__c>
            <Apttus_Config2__IsPrimaryLine__c>>true</
Apttus_Config2__IsPrimaryLine__c>
            <Apttus_Config2__IsPrimaryRampLine__c>>false</
Apttus_Config2__IsPrimaryRampLine__c>
            <Apttus_Config2__IsReadOnly__c>>false</Apttus_Config2__IsReadOnly__c>

```

```

        <Apttus_Config2__IsUsageTierModifiable__c>>false</
Apttus_Config2__IsUsageTierModifiable__c>
        <Apttus_Config2__ItemSequence__c>1</Apttus_Config2__ItemSequence__c>
        <Apttus_Config2__LineNumber__c>2</Apttus_Config2__LineNumber__c>
        <Apttus_Config2__LineType__c>Product/Service</
Apttus_Config2__LineType__c>
        <Apttus_Config2__MustUpgrade__c>>false</Apttus_Config2__MustUpgrade__c>
        <Apttus_Config2__NetPrice__c>131328.00000</Apttus_Config2__NetPrice__c>
        <Apttus_Config2__PriceType__c>Recurring</Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01t4P000000884tTQAQ</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P000000884tTQAQ</Id>
            <Apttus_Config2__Customizable__c>>false</
Apttus_Config2__Customizable__c>
            <Apttus_Config2__HasAttributes__c>>false</
Apttus_Config2__HasAttributes__c>
            <Apttus_Config2__HasDefaults__c>>false</
Apttus_Config2__HasDefaults__c>
            <Apttus_Config2__HasOptions__c>>false</Apttus_Config2__HasOptions__c>
            <Family>CSD Products</Family>
        </Apttus_Config2__ProductId__r>
        <Apttus_Config2__Quantity__c>1.00000</Apttus_Config2__Quantity__c>
        <Apttus_Config2__SellingFrequency__c>Yearly</
Apttus_Config2__SellingFrequency__c>
        <Apttus_Config2__SellingTerm__c>1.00000</
Apttus_Config2__SellingTerm__c>
        <Apttus_Config2__StartDate__c>2016-06-20</Apttus_Config2__StartDate__c>
        <Name>SecureCloud Premier Support</Name>
    </AssetSearchResultD0:AssetItems>
    <AssetSearchResultD0:AssetItems xsi:type="Apttus_Config2__AssetLineItem__
c">
        <Id>a114P0000004ie6eQAA</Id>
        <Apttus_Config2__AccountId__c>0014P0000028PFFSQA4</
Apttus_Config2__AccountId__c>
        <Apttus_Config2__AssetStatus__c>Activated</
Apttus_Config2__AssetStatus__c>
        <Apttus_Config2__BasePriceMethod__c>Per Unit</
Apttus_Config2__BasePriceMethod__c>
        <Apttus_Config2__BasePrice__c>500.00000</Apttus_Config2__BasePrice__c>
        <Apttus_Config2__BusinessObjectId__c>a0c4P000000G3AikQAF</
Apttus_Config2__BusinessObjectId__c>
        <Apttus_Config2__ChargeType__c>Subscription Fee</
Apttus_Config2__ChargeType__c>

```

```

        <Apttus_Config2__Description__c>SecureTraining Online</
Apttus_Config2__Description__c>
        <Apttus_Config2__EndDate__c>2020-06-19</Apttus_Config2__EndDate__c>
        <Apttus_Config2__Frequency__c>Yearly</Apttus_Config2__Frequency__c>
        <Apttus_Config2__IsPrimaryLine__c>true</
Apttus_Config2__IsPrimaryLine__c>
        <Apttus_Config2__IsPrimaryRampLine__c>>false</
Apttus_Config2__IsPrimaryRampLine__c>
        <Apttus_Config2__IsReadOnly__c>>false</Apttus_Config2__IsReadOnly__c>
        <Apttus_Config2__IsUsageTierModifiable__c>>false</
Apttus_Config2__IsUsageTierModifiable__c>
        <Apttus_Config2__ItemSequence__c>1</Apttus_Config2__ItemSequence__c>
        <Apttus_Config2__LineNumber__c>3</Apttus_Config2__LineNumber__c>
        <Apttus_Config2__LineType__c>Product/Service</
Apttus_Config2__LineType__c>
        <Apttus_Config2__MustUpgrade__c>>false</Apttus_Config2__MustUpgrade__c>
        <Apttus_Config2__NetPrice__c>5000.00000</Apttus_Config2__NetPrice__c>
        <Apttus_Config2__PriceType__c>Recurring</Apttus_Config2__PriceType__c>
        <Apttus_Config2__ProductId__c>01t4P00000884t9QAA</
Apttus_Config2__ProductId__c>
        <Apttus_Config2__ProductId__r xsi:type="Product2">
            <Id>01t4P00000884t9QAA</Id>
            <Apttus_Config2__Customizable__c>>false</
Apttus_Config2__Customizable__c>
            <Apttus_Config2__HasAttributes__c>>false</
Apttus_Config2__HasAttributes__c>
            <Apttus_Config2__HasDefaults__c>>false</
Apttus_Config2__HasDefaults__c>
            <Apttus_Config2__HasOptions__c>>false</Apttus_Config2__HasOptions__c>
            <Family>CSD Products</Family>
        </Apttus_Config2__ProductId__r>
        <Apttus_Config2__Quantity__c>10.00000</Apttus_Config2__Quantity__c>
        <Apttus_Config2__SellingFrequency__c>Yearly</
Apttus_Config2__SellingFrequency__c>
        <Apttus_Config2__SellingTerm__c>1.00000</
Apttus_Config2__SellingTerm__c>
        <Apttus_Config2__StartDate__c>2019-06-20</Apttus_Config2__StartDate__c>
        <Name>SecureTraining Online</Name>
    </AssetSearchResultDO:AssetItems>
    <AssetSearchResultDO:HasAssetItems>>true</AssetSearchResultDO:HasAssetItem
s>

    </result>
</getAssetsForSearchTextResponse>

```

```
</soapenv:Body>
</soapenv:Envelope>
```

Setting Incentives for Cart

You can use this API to set the incentives for a cart.

API	Signature
setIncentivesForCart	<pre>webservice static Apttus_CPQApi.CPQ.SetIncentivesForCartResponseDO setIncentivesForCart(Apttus_CPQApi.CPQ.SetIncentivesForC artRequestDO request)</pre>

Request Parameter		
Name	Type	Description
request	Apttus_CPQApi.CPQ.SetIncentivesForCartRequestDO	The Set Incentive request data object.

Request Data Object - Apttus_CPQApi.CPQ.SetIncentivesForCartRequestDO		
Name	Type	Description
CartId	Id	The ID of the cart for which you want to set the incentives.
IncentiveCodes	List	The list incentives code that you want to set for cart or line item.
LineItemId	Id	The ID of the line item for which you want to set the incentive.

Data Object - Apttus_CPQApi.CPQApi.CPQ.SetIncentivesForCartResponseDO		
Name	Type	Description
IsSuccess	Boolean	Indicates whether the incentives were successfully set on the cart or line item.

Code Sample

The sample code below enables you to set incentives for a cart or a line item.

```

1  // set incentives for cart
2  Apttus_CPQApi.CPQ.SetIncentivesForCartRequestDO request = new
   Apttus_CPQApi.CPQ.SetIncentivesForCartRequestDO();
3  request.CartId = configS0.Id;
4  request.IncentiveCodes.add(incentiveS0.Apttus_Config2__IncentiveCode__c);
5
6  Apttus_CPQApi.CPQ.SetIncentivesForCartResponseDO result =
   Apttus_CPQApi.CPQWebService.setIncentivesForCart(request);
7
8  // set incentives for cart line item
9  Apttus_CPQApi.CPQ.SetIncentivesForCartRequestDO request4 = new
   Apttus_CPQApi.CPQ.SetIncentivesForCartRequestDO();
10 request4.LineItemId = lineItemS0.Id;
11 request4.IncentiveCodes.add(incentiveS0.Apttus_Config2__IncentiveCode__c);
12
13 Apttus_CPQApi.CPQ.SetIncentivesForCartResponseDO result4 =
   Apttus_CPQApi.CPQWebService.setIncentivesForCart(request4);

```

Retrieving Incentives Applied on the Cart

You can use this API to fetch the incentives that are applied on a cart.

API	Signature
getAppliedIncentiveCodesForCart	<i>webService static Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartResponseDO getAppliedIncentiveCodesForCart(Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartRequestDO request)</i>

Request Parameter		
Name	Type	Description
request	Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartRequestDO	The incentive code request data object

Request Data Object - Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartRequestDO		
Name	Type	Description
CartId	Id	The ID of the cart from which you want to fetch the applied promotion

Data Object - Apttus_CPQApi.CPQ.SetIncentivesForCartResponseDO		
Name	Type	Description
IncentiveCodes	List <IncentiveCodes>	The list of the incentives codes that are applied on the cart

Code Sample

The sample code below enables you to fetch the incentives applied on the cart.

```

1  Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartRequestDO request3 = new
    Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartRequestDO();
2  request3.CartId = configS0.Id;
3
4  Apttus_CPQApi.CPQ.GetAppliedIncentiveCodesForCartResponseDO result3 =
    Apttus_CPQApi.CPQWebService.getAppliedIncentiveCodesForCart(request3);

```

Abandoning a Cart

This deletes the selected cart in *Draft* status.

API	Signature
abandonCart	<i>webservice static Apttus_CPQApi.CPQ.AbandonCartResponseDO abandonCart(Apttus_CPQApi.CPQ.AbandonCartRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.AbandonCartRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.AbandonCartRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.

Response Data Object - Apttus_CPQApi.CPQ.AbandonCartResponseDO		
Field	Type	Description
IsSuccess	Boolean	Indicates whether the cart is deleted successfully.

Code Sample

The sample below enables you to send an API request for abandon cart along with the cart ID. The cart whose id has been passed will be abandoned when the request is successful. The response message in the sample indicates whether the request was successful. When the user clicks Abandon Cart the *abandonCart* API will be invoked and the cartID associated with the request is abandoned.

```
1 public void abandonCart()  
2 {  
3     Apttus_CPQApi.CPQ.AbandonCartRequestDO request = new  
4     Apttus_CPQApi.CPQ.AbandonCartRequestDO();  
5     request.CartId = cartId;  
6  
7     Apttus_CPQApi.CPQ.AbandonCartResponseDO response =  
8     Apttus_CPQApi.CPQWebService.abandonCart(request);  
9     ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info,  
10    'Success: ' + response.IsSuccess));  
11 }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

Request/Response XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ0000000NAEIA!
ASAAQN7k3xhhvMe.j.8gpR.ijcGq77HJeF4MEDfbxbBAqZ8r4WWNTv30Vb6o1bjtHJLbq5mvHcuAH_ie6sTC3
DzrWgnLdUuD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:abandonCart>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YqyaMAC</cpq1:CartId>
      </cpq:request>
    </cpq:abandonCart>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:AbandonCartResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/
CPQ">
  <soapenv:Body>
    <abandonCartResponse>
      <result>
        <AbandonCartResponseDO:IsSuccess>true</AbandonCartResponseDO:IsSuccess>
      </result>
    </abandonCartResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Finalizing a Cart

This finalizes the cart, synchronizing the cart line items with the quote/proposal.

API	Signature
finalizeCart	<pre> webService static Apttus_CPQApi.CPQ.FinalizeCartResponseDO finalizeCart(Apttus_CPQApi.CPQ.FinalizeCartRequestDO request) </pre>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.FinalizeCartRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.FinalizeCartRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.

Response Data Object - Apttus_CPQApi.CPQ.FinalizeCartResponseDO		
Field	Type	Description
IsSuccess	Boolean	Indicates whether finalizing the cart items was successful.

Code Sample

The sample enables you to finalize a cart with a specific cartID and synchronizes the products (line items) added to the cart with the quote or proposal used to generate the cart. You can create a button finalize cart which the user will click once the products in the cart are adjusted and final. Invoke this API on click of the button.

```

1  public void finalizeCart()
2      {
3          // create the finalize cart request
4          Apttus_CpqApi.CPQ.FinalizeCartRequestDO request = new
Apttus_CpqApi.CPQ.FinalizeCartRequestDO();
5
6          // add request parameters
7          request.CartId = CartId;
8
9          // finalize the cart
10         Apttus_CpqApi.CPQ.FinalizeCartResponseDO response =
Apttus_CpqApi.CPQWebService.finalizeCart(request);
11     }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Adding Products to a Cart OR Adding a Bundle to a Cart](#)
- [Updating Price For A Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQN7k3xhhvMe.j.8gpR.ijcGq77HJeF4MEDfbxbBAqZ8r4WWNTv30Vb6o1bjtHJLbq5mvHcuAH_ie6sTC3
DzrWgnLdUuD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:finalizeCart>
      <cpq:request>
        <cpq1:CartId>a10Z0000002YqyaMAC</cpq1:CartId>
      </cpq:request>
    </cpq:finalizeCart>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:FinalizeCartResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <finalizeCartResponse>
      <result>
        <FinalizeCartResponseDO:IsSuccess>true</FinalizeCartResponseDO:IsSuccess>
      </result>
    </finalizeCartResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Synchronizing a Cart

This is used to sync the shopping cart with the product configuration on the quote record.

API	Signature
synchronizeCart	<pre> webService static Apttus_CPQApi.CPQ.SynchronizeCartResponseDO synchronizeCart(Apttus_CPQApi.CPQ.SynchronizeCartRequestDO request) </pre>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.SynchronizeCartRequestDO	The request data object.

Request Data Object - Apttus_CPQApi.CPQ.SynchronizeCartRequestDO		
Name	Type	Description
CartId	ID	The ID of the cart (Product Configuration) you want to synchronize.

Response Data Object - Apttus_CPQApi,CPQ.SynchronizeCartResponseDO		
Name	Type	Description
IsSuccess	Boolean	Indicates whether synchronizing the cart items was successful.

Code Sample

The sample below enables you to synchronize the cart items with a quote. When the customer has finalized the cart, you can synchronize the products in the cart with the quote used to generate the cart. Invoke this API when the user has finalized the cart. The cartID with the updated products is provided as a parameter to the API.

```

1  public void synchronizeCart()
2  {
3      //Pass the cartID as a parameter to the API to synchronize your quote
      with the updated cart items.
4      Apttus_CPQApi.CPQ.SynchronizeCartRequestDO request = new
      Apttus_CPQApi.CPQ.SynchronizeCartRequestDO();
5      request.CartId = cartId;
6
7      Apttus_CPQApi.CPQ.SynchronizeCartResponseDO response =
      Apttus_CPQApi.CPQWebService.synchronizeCart(request);
8      ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info,
      'Success: ' + response.IsSuccess));
9  }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)
- [Finalizing a Cart](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00D4P000000z7dE!
AQQQAHIR1W9.1as89Auz.CvNYxqyg56gLLWgUtP5VZxidvTsb1DpQZpmyDuqZOiF4VctBp3jhhJIxG9oRQ4A
4F9h98N0inT</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:synchronizeCart>
      <cpq:request>
        <cpq1:CartId>a1l4P00000Bg7D9</cpq1:CartId>
      </cpq:request>
    </cpq:synchronizeCart>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
xmlns:SynchronizeCartResponseDO="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <synchronizeCartResponse>
      <result>
        <SynchronizeCartResponseDO:IsSuccess>true</SynchronizeCartResponseDO:IsSuccess>
      </result>
    </synchronizeCartResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Updating Quote Terms

This method enables you to update the expected start date and expected end date of the quote, along with its selling term. This method does the following:

- Updates *Expected Start Date* and *Expected End Date* for the Apttus Quote/Proposal object.
- Retrieves the finalized cart associated with the quote.
- Creates a new cart by checking out the finalized cart.
- Updates Expected Start Date & Expected End Date in the cart object. Note this is for the new *Apttus Product Configuration* cart object.
- Updates Start Date, End Date, and Selling Term on line item terms that have a valid start date, i.e. when the start date is not null.
- Selling Term may be set to null to clear out the existing selling term which triggers a recalculation of the selling term using the start and end dates. Alternatively, if start date and selling term are provided, the end date is automatically calculated.
- Updates the net price and total price for the cart.
- The ID of the new cart is returned to the caller.
- It is the caller's responsibility to finalize the cart.

The field *QuoteLineItemColl*, which is part of the *Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO*, can accept a list of quote line item sObjects which can hold the data to override one or more line items. For this the line items need to have the following fields populated:

- Start Date

- End Date
- Selling Term
- Derived Form

Line items that match the *Derived From* value gets overridden values from the Quote Line items. The remaining fields will default to values provided in the request object. A null value in the *Start Date* field in the request will prevent the values from defaulting to the line items from the request object.

API	Signature
updateQuoteTerm	<i>WebService static</i> <i>Apttus_CPQApi.CPQ.UpdateQuoteTermResponseDO</i> <i>updateQuoteTerm(Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO	This is the request call made by the method.

Request Data Object - Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO			
Field	Type	Required	Description
EndDate	Date	No	The expected end of the quote.
LineItemColl	Apttus_CPQApi.CPQ.LineItemCollDO	No	The list of line items
QuoteId	ID	Yes	The Id of the quote you want to change the dates and selling term for.

Request Data Object - Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO			
Field	Type	Required	Description
QuoteLineItemCollDO	Apttus_CPQApi.CPQ.QuoteLineItemCollDO	No	The collection of Line items to be updated.
ReCalcSellingTerm	Boolean	No	You can use this method enabled recalculating the selling term
SellingTerm	Decimal	No	The selling term of the quote is typically measured in years, months, or days.
StartDate	Date	Yes	The expected start date of the quote.

Data Object - Apttus_CPQApi.CPQ.LineItemCollDO		
Field	Type	Description
LineItems	List	The list of line items

Data Object - Apttus_CPQApi.CPQ.QuoteLineItemCollDO		
Field	Type	Description
LineItems	List	The list of line items

Response Data Object - Apttus_CPQApi.CPQ.UpdateQuoteTermResponseDO		
Field	Type	Description
CartId	ID	Id of the cart updated.

Code Sample

The sample below enables you update the end date of a cart after the date of acceptance of the proposal. The auto-roll up end date is the sum of the proposal acceptance start date and selling term. When the recipient of the proposal accepts the quote and updates the status, invoke this API to update the start date and selling term of the products associated to the quote. In the sample below, the user enters the quote name in a search

field and clicks Search. If a valid quote exists by the name, the quote is fetched. If the user clicks the update Quote Terms button, the API is invoked and the end date is updated.

```

1  public void autoroll()
2  {
3      //Search a quote by its name and fetch its ID
4      List<Apttus_Proposal__Proposal__c> listQuote = [Select Id from
Apttus_Proposal__Proposal__c where Name=:quoteNumber LIMIT 1];
5
6      //If a valid quote exists with the name execute the if loop
7      if(listQuote.size() > 0)
8      {
9          Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO updateQTRRequest = new
Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO();
10         updateQTRRequest.QuoteId = listQuote[0].Id;
11
12         //Start date=current date entered in the from field of the
proposal.
13         updateQTRRequest.StartDate = fromdate;
14
15         //End date=startdate+selling term
16         updateQTRRequest.EndDate =
updateQTRRequest.StartDate.addMonths(sellingTerm);
17         /**updateQTRRequest.EndDate = endDate;**/
18
19         /*updateQTRRequest.SellingTerm = 12;*/
20
21         //Execute the API to update quote term
22         Apttus_CPQApi.CPQ.UpdateQuoteTermResponseDO updateQTRReponse =
Apttus_CPQApi.CPQWebService.updateQuoteTerm(updateQTRRequest);
23
24         ID cartID = updateQTRReponse.cartID;
25
26         //Invoke the finalize cart request to update end date with the
cart
27         Apttus_CPQApi.CPQ.FinalizeCartRequestDO finalizeRequest = new
Apttus_CPQApi.CPQ.FinalizeCartRequestDO();
28         finalizeRequest.CartId = cartId;
29
30         //Invoke the finalize cart API to update the cart details
31         Apttus_CPQApi.CPQ.FinalizeCartResponseDO finalizeResponse =
Apttus_CPQApi.CPQWebService.finalizeCart(finalizeRequest);
32     }
33 }

```

The sample below enables you to update the start date and end date of a cart after the date of acceptance of the proposal. When the recipient of the proposal accepts the quote and updates the status, invoke this API to update the start date, end date and selling term of the products associated to the quote. In the sample below, the user enters the quote name in a search field and clicks Search. If a valid quote exists by the name, the quote is fetched. If the user clicks the update Quote Terms button, the API is invoked and the start date is updated. The validity i.e the selling term has to be updated on a pro-rata basis.


```

1  public void prorata()
2  {
3      //Search a quote by its name and fetch its ID
4      List<Apttus_Proposal__Proposal__c> listQuote = [Select Id from
Apttus_Proposal__Proposal__c where Name=:quoteNumber LIMIT 1];
5
6
7      //If a valid quote exists with the name execute the if loop
8      if(listQuote.size() > 0)
9      {
10
11         Apttus_Proposal__Proposal__c propSO = [select id,
Apttus_Proposal__ExpectedStartDate__c, Apttus_Proposal__ExpectedEndDate__c
from Apttus_Proposal__Proposal__c      where id = :listQuote[0].Id limit 1]
;
12         Date startDate = propSO.Apttus_Proposal__ExpectedStartDate__c;
13         Date endDate = propSO.Apttus_Proposal__ExpectedEndDate__c;
14
15         Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO updateQTRequest = new
Apttus_CPQApi.CPQ.UpdateQuoteTermRequestDO();
16         updateQTRequest.QuoteId = listQuote[0].Id;
17         //Fetch the start date of the proposal
18         updateQTRequest.StartDate = fromdate;
19
20         /**updateQTRequest.EndDate =
updateQTRequest.StartDate.addMonths(12);**/
21         //Fetch the end date of the proposal
22         updateQTRequest.EndDate = endDate ;
23         updateQTRequest.SellingTerm = null;
24
25         //Selling Term to be recalculated based on the start date and end
date
26         updateQTRequest.ReCalcSellingTerm = true;
27         /*updateQTRequest.SellingTerm = 12;*/
28
29         //Execute the API to update quote term
30         Apttus_CPQApi.CPQ.UpdateQuoteTermResponseDO updateQTReponse =
Apttus_CPQApi.CPQWebService.updateQuoteTerm(updateQTRequest);
31         ID cartID = updateQTReponse.cartID;
32
33         //Invoke the finalize cart request to update selling term of
product with the cart
34         Apttus_CPQApi.CPQ.FinalizeCartRequestDO finalizeRequest = new
Apttus_CPQApi.CPQ.FinalizeCartRequestDO();

```

```
35         finalizeRequest.CartId = cartId;
36         Apttus_CPQApi.CPQ.FinalizeCartResponseDO finalizeResponse =
Apttus_CPQApi.CPQWebService.finalizeCart(finalizeRequest);
37     }
38 }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Finalizing a Cart](#)

Response/Request XML

Example Request

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:cpq1="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQ">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQLC3r1a0VIL_gk7v0A9K1n7dLEcCAANQHwNfXAPFKZEH292fAdeal5Nps8X2k1Nu98fcp6usnVFmzKARw
E99xq_dE8U6</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:updateQuoteTerm>
      <cpq:request>
        <cpq1:EndDate>2020-12-30</cpq1:EndDate>
        <cpq1:QuoteId>a0eZ0000005pG5NIAU</cpq1:QuoteId>
        <cpq1:QuoteLineItemColl>
          <cpq1:LineItems>
            <cpq:Apttus_QPConfig__EndDate__c>2020-12-30</cpq:Apttus_QPCon
fig__EndDate__c>
            <cpq:Apttus_QPConfig__SellingTerm__c>1</cpq:Apttus_QPConfig__
SellingTerm__c>
            <cpq:Apttus_QPConfig__StartDate__c>2020-11-01</cpq:Apttus_QPC
onfig__StartDate__c>
            <cpq:Apttus_QPConfig__DerivedFromId__c>a19Z00000006sPdw</cpq:A
pttus_QPConfig__DerivedFromId__c>
          </cpq1:LineItems>
        </cpq1:QuoteLineItemColl>
        <cpq1:ReCalcSellingTerm>>false</cpq1:ReCalcSellingTerm>
        <cpq1:SellingTerm>1</cpq1:SellingTerm>
        <cpq1:StartDate>2020-11-01</cpq1:StartDate>
      </cpq:request>
    </cpq:updateQuoteTerm>
  </soapenv:Body>
</soapenv:Envelope>

```

Example Response

```

<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_CPQApi/CPQWebService"
  xmlns:UpdateQuoteTermResponseD0="http://soap.sforce.com/schemas/class/
Apttus_CPQApi/CPQ">
  <soapenv:Body>
    <updateQuoteTermResponse>
      <result>
        <UpdateQuoteTermResponseD0:CartId>a10Z00000002hsIXMAY</
UpdateQuoteTermResponseD0:CartId>
      </result>
    </updateQuoteTermResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

Modifying Assets (Deprecated)

This method enables you to complete standard asset based ordering actions of renew, terminate, amend, upgrade and increment.

This method creates the cart line item and associates it to the corresponding asset id. Actions can be performed on a single line item or a selected set of asset line items. Actions can also be performed on standalone product or bundle product.

When doing a renewal, you can use any of the standard adjustment types, including % *Uplift* which is used to pass an uplift percentage that is applied to the *base price* of the renewed line item, resulting in an updated *net renewal* price.

Note

CartId, *AssetLineItemId_c*, and *AssetActions* are required parameters, the use of other parameters depends on your business case.

API	Signature
modifyAsset	<i>webService static Apttus_CPQApi.CPQ.ModifyAssetResponseDO modifyAsset(Apttus_CPQApi.CPQ.ModifyAssetRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.ModifyAssetRequestDO	This is the request call made by the method.

Request Data Object - Apttus_CPQApi.CPQ.ModifyAssetRequestDO		
Field	Type	Description
AssetActions	List<Apttus_CPQApi.CPQ.AssetActionDO>	The list of asset actions, which is either <i>Renew</i> , <i>Amend</i> , <i>Increment</i> , <i>Cancel</i> , <i>Upgrade</i> .
CartId	ID	The Id of cart.

Response Data Object - Apttus_CPQApi.CPQ.ModifyAssetResponseDO		
Field	Type	Description
AssetActions	List<Apttus_CPQApi.CPQ.AssetActionDO>	The list of asset actions, which is either <i>Renew</i> , <i>Amend</i> , <i>Increment</i> , <i>Cancel</i> , <i>Upgrade</i> .
LineNumber	List<Decimal>	The asset line number.

Data Object - Apttus_CPQApi.CPQ.AssetActionDO		
Field	Type	Description
AdjustmentAmount	Decimal	Enter the value (number) for the adjustment. How the value is interpreted is based on the Adjustment Type. For example, 10 with an Adjustment Type of <i>% Uplift</i> means the price will be cut in half, whereas that same value of 10 with an Adjustment Type of <i>Price Override</i> means the price will become 10.

Data Object - Apttus_CPQApi.CPQ.AssetActionDO		
Field	Type	Description
AdjustmentType	String	This is the type of adjustment that will be used. You can select from types such as % Discount, Discount Amount, and Price Override. Your specific implementation may have more or less types.
AssetAction	String	This is the specific asset action for the asset line item, referenced by AssetLineItemId.
AssetLineItemId	ID	This is the ID for the asset line item that you are going to renew, amend, increment, or cancel. This is mandatory.
Comments	String	Text string containing comments.
CustomData	Apttus_Config2__LineItem__c	This can be used to include custom fields in line item object.
CustomFields	List	This can be used to include custom fields you have added to the asset object.
EndDate	Date	This is the end date for the asset action. If you are terminating an asset you only need an end date.
Message	String	Text string containing comments.
Pending	Boolean	This indicates whether an asset action is pending.
Quantity	Decimal	The amount of assets.
SellingTerm	Decimal	This is the selling term of the asset line item that you want to renew, amend, or increment.
StartDate	Date	This is the start date for the asset action.

Code Sample

You can amend a list of standalone or bundle products. You can change the dates, quantity, or some options for a product using the Amend API. You can also cancel or change options in an Option Group using Amend.

The Sample below enables you to change amend the start and end date for selected assets of an account. The response returns the lineitem number of the asset to be updated. The `assetAction` status, the status of the asset is modified and updated. When the customer clicks Amend, you can invoke the `modifyAssets` API and choose to amend the date, quantity.

```

1  public void Amend()
2  {
3  //Create an assetAction variable with value as amend
4      string assetAction = 'Amend';
5
6      List<Apttus_CPQApi.CPQ.AssetActionDO> assetActDOList = new
7      List<Apttus_CPQApi.CPQ.AssetActionDO>();
8
9  //If Asset is selected in the cart page, execute the loop
10 for(AssetWrapperClass objAssetWrapper : lstAssetWrapper)
11     {
12         if(objAssetWrapper.selected)
13         {
14             Apttus_CPQApi.CPQ.AssetActionDO assetActDO = new
15             Apttus_CPQApi.CPQ.AssetActionDO();
16             assetActDO.AssetAction = assetAction;
17             assetActDO.AssetLineItemId = objAssetWrapper.AssetId ;
18             //Change the end date to five months from start date
19             assetActDO.EndDate = Date.today().addMonths(5);
20             //assetAction pending is true
21             assetActDO.Pending = true;
22             assetActDO.Quantity = objAssetWrapper.Quantity;
23             //Amend the start date to include today's date
24             assetActDO.StartDate = Date.today().addMonths(0);
25
26             List<String> customFields = new List<String>();
27             customFields.add('Apttus_Config2__Comments__c');
28             customFields.add('Apttus_Config2__PricingStatus__c');
29
30             assetActDO.CustomFields = customFields;
31
32             Apttus_Config2__LineItem__c liS0 = new
33             Apttus_Config2__LineItem__c();
34             liS0.Apttus_Config2__Comments__c = 'Comments Added my Modify
35             Asset API Code';
36             liS0.Apttus_Config2__PricingStatus__c = 'Complete';
37             assetActDO.CustomData = liS0;
38
39             assetActDOList.add(assetActDO);
40         }
41     }
42
43 //Execute the API for a specific cart using CartID

```



```

40     Apttus_CPQApi.CPQ.ModifyAssetRequestDO modifyRequest = new
Apttus_CPQApi.CPQ.ModifyAssetRequestDO();
41     modifyRequest.CartId = cartID;
42     modifyRequest.AssetActions = assetActDOList;
43
44     Apttus_CPQApi.CPQ.ModifyAssetResponseDO modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
45
46     List<Decimal> lineNumberList = modifyReponse.LineNumbers;
47
48     List<Apttus_CPQApi.CPQ.AssetActionDO> assetList =
modifyReponse.AssetActions;
49
50     //Signifies the status of the assetAction
51     Boolean bIsPending = false;
52
53     Integer iCounter = 0;
54
55     while (iCounter < 1000)
56     {
57         bIsPending = false;
58         for(Apttus_CPQApi.CPQ.AssetActionDO objAsset: assetList)
59         {
60             if(objAsset.Pending == true)
61             {
62                 bIsPending = true;
63                 break;
64             }
65         }
66         //If the asset action is pending execute the loop below to change the
status
67         if(bIsPending == true)
68         {
69             modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
70             lineNumberList = modifyReponse.LineNumbers;
71             assetList = modifyReponse.AssetActions;
72         }
73         else
74         {
75             break;
76         }
77         iCounter++;
78     }
79

```

```

80     bindAssets();
81 }
82 //This function enables you to bind updated assets to an account
83 //dynamically.
84 public void bindAssets()
85 {
86     List<Apttus_Config2__AssetLineItem__c> aliSOList = [select id,
87     Apttus_Config2__Description__c,
88     Apttus_Config2__Quantity__c, Apttus_Config2__StartDate__c,
89     Apttus_Config2__EndDate__c from Apttus_Config2__AssetLineItem__c
90     where Apttus_Config2__AccountID__c = :accountID];
91
92     lstAssetWrapper = new List<AssetWrapperClass>();
93
94     for(Apttus_Config2__AssetLineItem__c aliS0 : aliSOList)
95     {
96         AssetWrapperClass objAssetWrapperClass = new AssetWrapperClass ();
97         objAssetWrapperClass.AssetId = aliS0.ID;
98         objAssetWrapperClass.ProductId =
99         aliS0.Apttus_Config2__Description__c;
100        objAssetWrapperClass.Quantity = aliS0.Apttus_Config2__Quantity__c;
101        objAssetWrapperClass.StartDate =
102        aliS0.Apttus_Config2__StartDate__c;
103        objAssetWrapperClass.EndDate = aliS0.Apttus_Config2__EndDate__c;
104
105        lstAssetWrapper.Add(objAssetWrapperClass);
106    }
107 }

```

You can renew a list of standalone or bundled products. You can choose to renew recurring items, overall bundle, and recurring options. You can also cancel or change the quantity, price, or an entire option. The sample below enables you to renew the assets. When the user selects an asset and clicks renew, invoke this API and use the sample below to extend the end date of the assets by 12 months.

```

1  public void ReNew()
2  {
3  //Declare assetAction variable with value as Renew
4      string assetAction = 'Renew';
5      List<Apttus_CPQApi.CPQ.AssetActionDO> assetActDOList = new
List<Apttus_CPQApi.CPQ.AssetActionDO>();
6
7      //For a selected asset you can execute the loop
8      for(AssetWrapperClass objAssetWrapper : lstAssetWrapper)
9      {
10         if(objAssetWrapper.selected)
11         {
12             Apttus_CPQApi.CPQ.AssetActionDO assetActDO = new
Apttus_CPQApi.CPQ.AssetActionDO();
13             assetActDO.AssetAction = assetAction;
14             assetActDO.AssetLineItemId = objAssetWrapper.AssetId ;
15
16             //Enables you to set end date as 12 months from the existing
end date
17             assetActDO.EndDate = objAssetWrapper.EndDate.addMonths(12);
18             assetActDO.Pending = true;
19             assetActDO.Quantity = objAssetWrapper.Quantity;
20
21             //Increment start date by One day from the existing start date
22             assetActDO.StartDate = objAssetWrapper.EndDate.addDays(1);
23
24             List<String> customFields = new List<String>();
25             customFields.add('Apttus_Config2__Comments__c');
26             customFields.add('Apttus_Config2__PricingStatus__c');
27             assetActDO.CustomFields = customFields;
28
29             //Fetch asset line item number
30             Apttus_Config2__LineItem__c liSO = new
Apttus_Config2__LineItem__c();
31             liSO.Apttus_Config2__Comments__c = 'Comments Added my Modify
Asset API Code';
32             liSO.Apttus_Config2__PricingStatus__c = 'Complete';
33             assetActDO.CustomData = liSO;
34             assetActDOList.add(assetActDO);
35         }
36     }
37     //Invoke the modify assets API and specify the cart for which the API
is invoked.

```

```

38     Apttus_CPQApi.CPQ.ModifyAssetRequestDO modifyRequest = new
Apttus_CPQApi.CPQ.ModifyAssetRequestDO();
39     modifyRequest.CartId = cartID;
40     modifyRequest.AssetActions = assetActDOList;
41
42     Apttus_CPQApi.CPQ.ModifyAssetResponseDO modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
43     List<Decimal> lineNumberList = modifyReponse.LineNumbers;
44     List<Apttus_CPQApi.CPQ.AssetActionDO> assetList =
modifyReponse.AssetActions;
45     Boolean bIsPending = false;
46     Integer iCounter = 0;
47     while (iCounter < 1000)
48     {
49         bIsPending = false;
50         for(Apttus_CPQApi.CPQ.AssetActionDO objAsset: assetList)
51         {
52             if(objAsset.Pending == true)
53             {
54                 bIsPending = true;
55                 break;
56             }
57         }
58
59         //If asset Action is pending execute the following loop
60         if(bIsPending == true)
61         {
62             modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
63             lineNumberList = modifyReponse.LineNumbers;
64             assetList = modifyReponse.AssetActions;
65         }
66         else
67         {
68             break;
69         }
70         iCounter++;
71     }
72     bindAssets();
73 }
74
75 //This function enables you to bind updated asset.
76 public void bindAssets()

```

```

77 {
78     List<Apttus_Config2__AssetLineItem__c> aliSOList = [select id,
Apttus_Config2__Description__c,
79     Apttus_Config2__Quantity__c, Apttus_Config2__StartDate__c,
Apttus_Config2__EndDate__c from Apttus_Config2__AssetLineItem__c
80     where Apttus_Config2__AccountID__c = :accountID];
81
82     lstAssetWrapper = new List<AssetWrapperClass>();
83
84     for(Apttus_Config2__AssetLineItem__c aliSO : aliSOList)
85     {
86         AssetWrapperClass objAssetWrapperClass = new AssetWrapperClass ();
87         objAssetWrapperClass.AssetId = aliSO.ID;
88         objAssetWrapperClass.ProductId =
aliSO.Apttus_Config2__Description__c;
89         objAssetWrapperClass.Quantity = aliSO.Apttus_Config2__Quantity__c;
90         objAssetWrapperClass.StartDate =
aliSO.Apttus_Config2__StartDate__c;
91         objAssetWrapperClass.EndDate = aliSO.Apttus_Config2__EndDate__c;
92
93         lstAssetWrapper.Add(objAssetWrapperClass);
94     }
95 }

```

You can increment the quantity or the dates of the asset items using the increment asset action. For example, the user selects an asset item and clicks Increment. You can use the sample below to update the quantity and the end date by five months and bind the updated assets to the account.

```

1  public void Increment()
2  {
3      //Declare the assetAction variable with value as Increment
4      string assetAction = 'Increment';
5
6      List<Apttus_CPQApi.CPQ.AssetActionDO> assetActDOList = new
List<Apttus_CPQApi.CPQ.AssetActionDO>();
7
8      for(AssetWrapperClass objAssetWrapper : lstAssetWrapper)
9      {
10         if(objAssetWrapper.selected)
11         {
12             //For a selected asset increment the quantity by 5 and
increment the end date by 5.
13             Apttus_CPQApi.CPQ.AssetActionDO assetActDO = new
Apttus_CPQApi.CPQ.AssetActionDO();
14             assetActDO.AssetAction = assetAction;
15             assetActDO.AssetLineItemId = objAssetWrapper.AssetId ;
16             assetActDO.EndDate = Date.today().addMonths(5);
17             assetActDO.Pending = true;
18             assetActDO.Quantity = objAssetWrapper.Quantity + 5;
19             assetActDO.StartDate = Date.today().addMonths(0);
20
21             List<String> customFields = new List<String>();
22             customFields.add('Apttus_Config2__Comments__c');
23             customFields.add('Apttus_Config2__PricingStatus__c');
24
25             assetActDO.CustomFields = customFields;
26             //Line number of the asset items
27             Apttus_Config2__LineItem__c liSO = new
Apttus_Config2__LineItem__c();
28             liSO.Apttus_Config2__Comments__c = 'Comments Added my Modify
Asset API Code';
29             liSO.Apttus_Config2__PricingStatus__c = 'Complete';
30             assetActDO.CustomData = liSO;
31             assetActDOList.add(assetActDO);
32         }
33     }
34     //Invoke the modifyAsset API to increment the quantity and end date
35     Apttus_CPQApi.CPQ.ModifyAssetRequestDO modifyRequest = new
Apttus_CPQApi.CPQ.ModifyAssetRequestDO();
36     modifyRequest.CartId = cartID;
37     modifyRequest.AssetActions = assetActDOList;

```

```

38
39     Apttus_CPQApi.CPQ.ModifyAssetResponseDO modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
40     List<Decimal> lineNumberList = modifyReponse.LineNumbers;
41     List<Apttus_CPQApi.CPQ.AssetActionDO> assetList =
modifyReponse.AssetActions;
42     Boolean bIsPending = false;
43     Integer iCounter = 0;
44     while (iCounter < 1000)
45     {
46         bIsPending = false;
47         for(Apttus_CPQApi.CPQ.AssetActionDO objAsset: assetList)
48         {
49             if(objAsset.Pending == true)
50             {
51                 bIsPending = true;
52                 break;
53             }
54         }
55
56         //If asset action is pending, execute this loop
57         if(bIsPending == true)
58         {
59             modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
60             lineNumberList = modifyReponse.LineNumbers;
61             assetList = modifyReponse.AssetActions;
62         }
63         else
64         {
65             break;
66         }
67         iCounter++;
68     }
69
70     bindAssets();
71 }
72
73 //Bind updated asset items
74 public void bindAssets()
75 {
76     List<Apttus_Config2__AssetLineItem__c> aliSOList = [select id,
Apttus_Config2__Description__c,
77     Apttus_Config2__Quantity__c, Apttus_Config2__StartDate__c,
Apttus_Config2__EndDate__c from Apttus_Config2__AssetLineItem__c

```

```
78     where Apttus_Config2__AccountID__c = :accountID];
79
80     lstAssetWrapper = new List<AssetWrapperClass>();
81
82     for(Apttus_Config2__AssetLineItem__c aliS0 : aliS0List)
83     {
84         AssetWrapperClass objAssetWrapperClass = new AssetWrapperClass ();
85         objAssetWrapperClass.AssetId = aliS0.ID;
86         objAssetWrapperClass.ProductId =
87         aliS0.Apttus_Config2__Description__c;
88         objAssetWrapperClass.Quantity = aliS0.Apttus_Config2__Quantity__c;
89         objAssetWrapperClass.StartDate =
90         aliS0.Apttus_Config2__StartDate__c;
91         objAssetWrapperClass.EndDate = aliS0.Apttus_Config2__EndDate__c;
92
93         lstAssetWrapper.Add(objAssetWrapperClass);
94     }
95 }
```

The terminate asset action enables you to terminate or cancel the selected asset items. The sample below enables you to terminate the asset and change its status by setting the end date as current date.


```

1  public void Terminate()
2  {
3      //Declaring variable assetAction and assigning it a value Cancel
4      string assetAction = 'Cancel';
5      List<Apttus_CPQApi.CPQ.AssetActionDO> assetActDOList = new
List<Apttus_CPQApi.CPQ.AssetActionDO>();
6
7      //To terminate a selected Asset, set the end date as today
8      for(AssetWrapperClass objAssetWrapper : lstAssetWrapper)
9      {
10         if(objAssetWrapper.selected)
11         {
12             Apttus_CPQApi.CPQ.AssetActionDO assetActDO = new
Apttus_CPQApi.CPQ.AssetActionDO();
13             assetActDO.AssetAction = assetAction;
14             assetActDO.AssetLineItemId = objAssetWrapper.AssetId ;
15             assetActDO.EndDate = Date.today().addMonths(0);
16             assetActDO.Pending = true;
17             assetActDO.Quantity = objAssetWrapper.Quantity;
18             //assetActDO.StartDate = Date.today().addMonths(0);
19
20             List<String> customFields = new List<String>();
21             customFields.add('Apttus_Config2__Comments__c');
22             customFields.add('Apttus_Config2__PricingStatus__c');
23
24             assetActDO.CustomFields = customFields;
25
26             Apttus_Config2__LineItem__c liSO = new
Apttus_Config2__LineItem__c();
27             liSO.Apttus_Config2__Comments__c = 'Comments Added my Modify
Asset API Code';
28             liSO.Apttus_Config2__PricingStatus__c = 'Complete';
29             assetActDO.CustomData = liSO;
30
31             assetActDOList.add(assetActDO);
32         }
33     }
34     //For a specific cart ID, invoke the API and modify the assets based
on the terminate function above.
35     Apttus_CPQApi.CPQ.ModifyAssetRequestDO modifyRequest = new
Apttus_CPQApi.CPQ.ModifyAssetRequestDO();
36     modifyRequest.CartId = cartID;
37     modifyRequest.AssetActions = assetActDOList;
38

```

```

39     Apttus_CPQApi.CPQ.ModifyAssetResponseDO modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
40
41     List<Decimal> lineNumberList = modifyReponse.LineNumbers;
42
43     List<Apttus_CPQApi.CPQ.AssetActionDO> assetList =
modifyReponse.AssetActions;
44
45     Boolean bIsPending = false;
46
47     Integer iCounter = 0;
48
49     while (iCounter < 1000)
50     {
51         bIsPending = false;
52         for(Apttus_CPQApi.CPQ.AssetActionDO objAsset: assetList)
53         {
54             if(objAsset.Pending == true)
55             {
56                 bIsPending = true;
57                 break;
58             }
59         }
60         //if asset action is pending execute the loop below
61         if(bIsPending == true)
62         {
63             modifyReponse =
Apttus_CPQApi.CPQWebservice.modifyAsset(modifyRequest);
64             lineNumberList = modifyReponse.LineNumbers;
65             assetList = modifyReponse.AssetActions;
66         }
67         else
68         {
69             break;
70         }
71         iCounter++;
72     }
73
74     bindAssets();
75 }
76
77 //Use the function below to bind the updated asset items.
78 public void bindAssets()

```

```

79  {
80      List<Apttus_Config2__AssetLineItem__c> aliSOList = [select id,
Apttus_Config2__Description__c,
81      Apttus_Config2__Quantity__c, Apttus_Config2__StartDate__c,
Apttus_Config2__EndDate__c from Apttus_Config2__AssetLineItem__c
82      where Apttus_Config2__AccountID__c = :accountID];
83
84      lstAssetWrapper = new List<AssetWrapperClass>();
85
86      for(Apttus_Config2__AssetLineItem__c aliSO : aliSOList)
87      {
88          AssetWrapperClass objAssetWrapperClass = new AssetWrapperClass ();
89          objAssetWrapperClass.AssetId = aliSO.ID;
90          objAssetWrapperClass.ProductId =
aliSO.Apttus_Config2__Description__c;
91          objAssetWrapperClass.Quantity = aliSO.Apttus_Config2__Quantity__c;
92          objAssetWrapperClass.StartDate =
aliSO.Apttus_Config2__StartDate__c;
93          objAssetWrapperClass.EndDate = aliSO.Apttus_Config2__EndDate__c;
94
95          lstAssetWrapper.Add(objAssetWrapperClass);
96      }
97  }

```

The upgrade asset action enables you to update selected asset items. The sample below enables you to upgrade the asset. Using the sample below you can fetch the asset items using the `getAssetsForSearchText` API and upgrade the selected `assetLineItems` using `AssetAction = Upgrade`. You can upgrade the date and the quantity for an asset line item.

```

public static void processForUpgrade(ID cartId, ID accountId)
{
    //Declaration
    Set<ID> assetLineItemIds = new Set<ID>();

    Apttus_CPQApi.CPQ.AssetSearchResultDO result
    = Apttus_CPQApi.CPQWebService.getAssetsForSearchText(accountId, null, null);

    Apttus_CPQApi.CPQ.ModifyAssetRequestDO assetRequest = new
    Apttus_CPQApi.CPQ.ModifyAssetRequestDO();
    assetRequest.CartId = cartId;

    for (Apttus_Config2__AssetLineItem__c assetItemSO : result.AssetItems)
    {
        Apttus_CPQApi.CPQ.AssetActionDO assetAction = new
    Apttus_CPQApi.CPQ.AssetActionDO();
        assetAction.AssetId = 'Upgrade';
        assetAction.AssetId = assetItemSO.Id;
        assetAction.Quantity = assetItemSO.Apttus_Config2__Quantity__c.intValue();
        assetAction.EndDate = Date.today();
        assetAction.Pending = true;
        assetLineItemIds.add(assetItemSO.Id);
        assetRequest.AssetActions.add(assetAction);
    }

    Apttus_CPQApi.CPQ.ModifyAssetResponseDO assetResponse =
    Apttus_CPQApi.CPQWebService.modifyAsset(assetRequest);

    Set<Decimal> lineNumbers = new Set<Decimal>(assetResponse.LineNumbers);

    for (Apttus_Config2__LineItem__c lineSO : [Select Id,
    Apttus_Config2__AssetLineItemId__c from Apttus_Config2__LineItem__c Where
    Apttus_Config2__ConfigurationId__c = :cartId])
    {

    }
}

```

Computing Shipping for Cart Line Items

This API enables you to calculate the shipping amount for an entire order and does not display the breakup for each line item.

API	Signature
computeShippingForCart	<i>webservice static</i> <i>Apttus_CPQApi.CPQ.ComputeShippingResponseDO</i> <i>computeShippingForCart(Apttus_CPQApi.CPQ.ComputeShippingRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.ComputeShippingRequestDO	The compute shipping request.

Request Data Object - Apttus_CPQApi.CPQ.ComputeShippingRequestDO		
Field	Type	Description
CartID	ID	The id of the cart.

Response Data Object - Apttus_CPQApi.CPQ.ComputeShippingResponseDO		
Field	Type	Description
ShippingResults	Map<ID, Apttus_Config2.CustomClass.ShippingResult>	The shipping result object populated by the line item id. This is only available when called from Apex.
TotalShippingItem	Apttus_Config2__LineItem__c	The line item with total taxes.

Data Object - Apttus_Config2.CustomClass.ShippingResult		
Field	Type	Description
Handback	Object	<p>Any Apex Object passed by the calling class and passed back to the calling class in the result. Handback is used only in case when the shipping charge needs to be calculated for an object other than Cart line item e.g. Billing Schedule line items.</p> <ul style="list-style-type: none"> • For calculating shipping charges for a cart, there is no need to pass the Handback object. It can be blank • For calculating the shipping charges for objects other than line items, "Item" field will be blank and the actual object will be passed as handback object to identify the object for which shipping charges are calculated.
ShippingCharge	Decimal	Shipping amount total of all the cart line items. This is the total shipping amount for the line item. Line item is identified by the sequence in which the shipping result is added. This needs to be calculated and populated by the implementation.

Code Sample

The sample below enables you to compute shipping for a cart with a valid cartID. Using the sample below, you can compute shipping for the entire cart using the values fetched from the shipping callback class. If the shipping charge is location dependent, ensure that the account associated with the order or proposal has a valid shipping to and billing to address. For more information about Tax and Shipping scenarios refer, [Updating Taxes and Shipping for an Order](#).

```

1  public void computeShippingForCart()
2  {
3      if(String.isNotBlank(cartId))
4      {
5          // Start timer
6          startTime = System.currentTimeMillis();
7
8          // Create the request
9          Apttus_CPQApi.CPQ.ComputeShippingRequestDO request = new
Apttus_CPQApi.CPQ.ComputeShippingRequestDO();
10
11         // Add request parameters
12         request.CartId = cartId;
13
14         // Compute Shipping For Cart
15         Apttus_CPQApi.CPQ.ComputeShippingResponseDO result =
Apttus_CPQApi.CPQWebService.computeShippingForCart(request);
16
17         // End timer
18         ResponseTime('computeShippingForCart');
19
20         // Get Total Tax Item
21         ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'Total Shipping Item : ' +
result.TotalShippingItem));
22
23         Map<ID, Apttus_Config2.CustomClass.ShippingResult> shippingResults
= new Map<ID, Apttus_Config2.CustomClass.ShippingResult>();
24
25         shippingResults = result.ShippingResults;
26
27         for(Id sId : shippingResults.keySet()) {
28
29             Apttus_Config2.CustomClass.ShippingResult shippingResult =
shippingResults.get(sId);
30
31             ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'Shipping Charges : ' +
shippingResult.ShippingCharge));
32         }
33     }
34     else
35     {

```

```

36         ApexPages.addMessage(new
37             ApexPages.Message(ApexPages.severity.info, 'Invalid or blank cart Id.));
38     }

```

Computing Taxes for Cart Line Items

This API enables you to calculate tax breakups for cart line item.

API	Signature
computeTaxForCart	<i>webservice static Apttus_CPQApi.CPQ.ComputeTaxResponseDO computeTaxForCart(Apttus_CPQApi.CPQ.ComputeTaxRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.ComputeTaxRequestDO	The compute tax request object.

Request Data Object - Apttus_CPQApi.CPQ.ComputeTaxRequestDO		
Field	Type	Description
CartID	ID	The id of the cart.

Response Data Object - Apttus_CPQApi.CPQ.ComputeTaxResponseDO		
Field	Type	Description
TaxResults	Map<ID, Apttus_Config2.CustomClass.TaxResult>	The Tax Result object populated by the line item id. This is only available when called from Apex.
TotalTaxItem	Apttus_Config2__LineItem__c	The line item with total taxes.

Data Object - Apttus_Config2.CustomClass.TaxResult		
Field	Type	Description
Handback	Object	<p>Any Apex Object passed by the calling class and passed back to the calling class in the result.</p> <p>Handback is used only in case when the tax needs to be calculated for an object other than Cart line item e.g. Billing Schedule line items.</p> <ul style="list-style-type: none"> • For calculating tax for cart line items, there is no need to pass the Handback object. It can be blank • For calculating the tax for object other than line items, "Item" field will be blank and the actual object will be passed as handback object to identify object for which tax is calculated.
TaxAmount	Decimal	This is the total amount for the line item. This is sum of the breakup tax amounts for the line item. Line item is identified by the sequence in which the tax result is added. This needs to be calculated and populated by the implementation.
TaxBreakups	List<Apttus_Config2__TaxBreakup_c>	Tax breakup provide the different components of the tax for a given line item. This needs to be implemented and provided by the implementation. Tax breakup has structure specified below.

Data Object - Apttus_Config2__TaxBreakup_c		
Field	Type	Description
BreakupType	String	If you specify the breakup type as Detail, then the quote or order line items show the detailed tax break up for a cart line item.
TaxAmount	Decimal	The tax amount calculated based on the formulae defined in the callback.

Data Object - Apttus_Config2__TaxBreakup_c		
Field	Type	Description
TaxAppliesTo	String	The field on which the tax is applied to. For example, net price.
TaxRate	Decimal	Tax percentage to be applied
TaxType	String	Type of tax to be applied. For example, sales, custom, excise.

Tax Breakup Type Example

Breakup Type	Tax Type	Tax Rate	Tax Applies to	Tax Amount
Detail	State Tax	10	Net Price	100
Detail	City Tax	1	Net Price	10
Total				110

Code Sample

The sample below enables you to compute tax for a cart with a valid cartID. Using the sample below, you can compute tax for the entire cart using the values fetched from the tax callback class. The fields Taxable, Tax Inclusive, and Tax Code are inherited from the quote or order line item. The tax code must be populated on the Price list item for each product and charge type combination. The Account and Account Location has a Tax Exempt indicator that overrides everything. For example, if the Account has a Tax Exempt flag enabled, then Tax is not calculated for the account. The system gives preference to location unless it is blank. If a product is not taxable or tax inclusive, the system will skip that line item.

For more information about Tax and Shipping scenarios refer, [Updating Taxes and Shipping for an Order](#).

```

1  public void computeTaxForCart()
2  {
3      if(String.isNotBlank(cartId))
4      {
5
6          // Create the request
7          Apttus_CPQApi.CPQ.ComputeTaxRequestDO request = new
Apttus_CPQApi.CPQ.ComputeTaxRequestDO();
8
9          // Add request parameters
10         request.CartId = cartId;
11
12         // Compute Tax for cart
13         Apttus_CPQApi.CPQ.ComputeTaxResponseDO result =
Apttus_CPQApi.CPQWebService.computeTaxForCart(request);
14
15
16         // Get Total Tax Item
17         ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'Total Tax Item : ' +
result.TotalTaxItem));
18
19         Map<ID, Apttus_Config2.CustomClass.TaxResult> taxResults = new
Map<ID, Apttus_Config2.CustomClass.TaxResult>();
20         lstTaxBreakUpWrapper = new List<TaxBreakUpWrapper>();
21
22         taxResults = result.TaxResults;
23
24         for(ID tId : taxResults.keySet())
25         {
26             Apttus_Config2.CustomClass.TaxResult taxResult =
taxResults.get(tId);
27
28             // Tax Amount
29             ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'Tax Amount : ' +
taxResult.TaxAmount));
30
31             // Tax BreakUps
32             for(Apttus_Config2__TaxBreakup__c taxBreakUp :
taxResult.TaxBreakups)
33             {
34
35                 TaxBreakUpWrapper temp = new TaxBreakUpWrapper();

```

```

36         temp.TaxBreakUpId = taxBreakUp.Id;
37         temp.TaxType = taxBreakUp.Apttus_Config2__TaxType__c;
38         temp.TaxAppliedTo =
taxBreakUp.Apttus_Config2__TaxAppliesTo__c;
39         temp.TaxRate = taxBreakUp.Apttus_Config2__TaxRate__c;
40         temp.TaxAmount = taxBreakUp.Apttus_Config2__TaxAmount__c;
41         temp.Sequence = taxBreakUp.Apttus_Config2__Sequence__c;
42
43         lstTaxBreakUpWrapper.add(temp);
44     }
45 }
46 }
47 else
48 {
49     ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'Invalid or blank cart Id.));
50 }
51 }

```

Adding a Miscellaneous Item to the Cart

This API creates and assigns a miscellaneous item to the cart.

API	Signature
addMiscItem	<i>webservice static Apttus_CPQApi.CPQ.AddMiscItemResponseDO addMiscItem(Apttus_CPQApi.CPQ.AddMiscItemRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_CPQApi.CPQ.AddMiscItemRequestDO	This is the request data object.

Request Data Object - Apttus_CPQApi.CPQ.AddMiscItemRequestDO		
Field	Type	Description
AllocateGroupAdjustment	Boolean	Indicates whether group adjustment should be allocated.
AllowRemoval	Boolean	Indicates whether removing the miscellaneous item is allowed.
Amount	Decimal	The Base Price for the miscellaneous item.
CartId	Id	The id of the cart where you want to add the miscellaneous item.
ChargeType	String	The charge type of the miscellaneous item.
Description	String	Description of the miscellaneous item.

Response Data Object - Apttus_CPQApi.CPQ.AddMiscItemResponseDO		
Field	Type	Description
MiscItem	Apttus_Config2__LineItem_c	The miscellaneous item that is created.

Code Sample

The sample code below enables you to add a miscellaneous item to a cart by passing proposal, charge type, description, and base amount.

```

1  /**
2   * The below method demonstrates how to add a misc to an existing cart
   (every quote has a cart)
3   * Let's assume that the quote cart is already added Laptop as a bundle
   product and its two options are Keyboard and Mouse.
4   * Inside this method, we will add delivery charge as misc item to the
   cart.
5  */
6  public Apttus_CPQApi.CPQ.AddMiscItemResponseDO addMiscItem(String
   proposalName, String chargeType, String description, Decimal amount)
7  {
8     Apttus_Config2__ProductConfiguration__c cart = [SELECT Id
9                                                       FROM
   Apttus_Config2__ProductConfiguration__c
10                                                       WHERE
   Apttus_QPConfig__ProposalId__r.Name = :proposalName LIMIT 1];
11
12     // Create the request object
13     Apttus_CPQApi.CPQ.AddMiscItemRequestDO request = new
   Apttus_CPQApi.CPQ.AddMiscItemRequestDO();
14
15     // add misc attributes to the request
16     request.CartId = cart.Id;
17     request.ChargeType = ChargeType;
18     request.Description = Description;
19     request.Amount = amount;
20     request.AllocateGroupAdjustment = true;
21     request.AllowRemoval = true;
22
23     // create the response object
24     Apttus_CPQApi.CPQ.AddMiscItemResponseDO response =
   Apttus_CPQApi.CPQWebService.addMiscItem(request);
25
26     return response;
27 }
28

```

CPQ Web Service (Apttus_Config2)

The CPQ web service APIs account for the standard actions to configure, price, and quote.

You can invoke APIs in CPQ Web Service(Apttus_Config2) from the following command:

```
Apttus_Config2.CPQWebService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

You can use the CPQ web service APIs to complete the following tasks:



Creating Product Line Items

This API creates product line items.

API	Signature
createProductLineItems	<i>webService static List createProductLineItems(Apttus_Config2__ProductConfigura tion__c configSO, Apttus_Config2.CPQStruct.ProductCollDO prodCollDO)</i>

Request Parameter		
Name	Type	Description
configSO	Apttus_Config2__ProductConfigura tion__c	The ID of product configuration subject.
prodCollDO	Apttus_Config2. CPQStruct.ProductCollDO	The product details request data object

Request Data Object - Apttus_Config2.CPQStruct.ProductCollDO		
Name	Type	Description
Products	Apttus_Config2. CPQStruct.ProductLineItemDO	The bundle product request data object

Request Data Object - Apttus_Config2.CPQStruct.ProductCollDO		
Name	Type	Description
HasOptionProducts	Boolean	Indicate whether has option products or not.
ProductIds	List<ID>	The list of product Ids
Data Object - Apttus_Config2.CPQStruct.ProductLineItemDO		
Name	Type	Description
AddedBy	String	Indicate how was the product added. For example, added by constraint rule, APIs.
Comments	String	The comments added in the product.
CustomData	Apttus_Config2__LineItem__c	The custom data based on list of custom fields to initialize Line Item record.
CustomFields	List<String>	List of Custom Fields.
EndDate	Date	The end date of the product.
productOptionComponentId	ID	The ID of the Product Option Component (only for option products).
ProductSO	Product2	The product subject.
Quantity	Decimal	The quantity of the product.
SellingTerm	Decimal	The selling term of the product.
StartDate	Date	The start date of the product.
Response Parameters		
Field	Type	Description
productLineItems	List<Apttus_Config2__LineItem__c>	The list of IDs for the new product line items.

Code Sample

The sample code below enables you to create product line items for an existing cart. After the API is executed, the list of line items is returned without committing the changes into Salesforce. These line items can be used for further modification and later associate to cart by performing insert operation.

```

1  /**
2   * The below method demonstrates how to create bundle lineitems with
3   * option (every quote has a cart)
4   * Let's assume the Quote's Cart is not blank and Laptop is a bundle
5   * product and its two options are Keyboard and Mouse
6   * The input of this method is Quote Number and the bundle and related
7   * option product names
8   * Inside the method we will create the line items for the Laptop bundle
9   * product and also its two options Keyboard and Mouse
10  */
11  public List<Apttus_Config2__LineItem__c> createProductLineItems(String
12  proposalID, List<String> bundleProductName)
13  {
14      Apttus_Config2__ProductConfiguration__c cart = [SELECT
15  Apttus_Config2__PriceListId__c,
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

```

```

27         Apttus_Config2__Customizable__c,
28         Apttus_Config2__HasDefaults__c,
29         Apttus_Config2__HasAttributes__c,
30         Apttus_Config2__HasOptions__c
31     FROM Product2
32     WHERE Name IN :bundleProductName])
33     {
34         prodItems.add(new
35             Apttus_Config2.CPQStruct.ProductLineItemDO(ProductSO, 10, 1, null, null,
36             'Comment from API'));
37     }
38     Apttus_Config2.CPQStruct.ProductCollDO prodCollDO = new
39     Apttus_Config2.CPQStruct.ProductCollDO(prodItems);
40     List<Apttus_Config2__LineItem__c> productLineItems =
41     Apttus_Config2.CPQWebService.createProductLineItems(cart,prodCollDO);
42     return productLineItems;
43 }

```

Registering Split Cart Parameters

The global method *setSplitCartInfo* is used to group the line items in the cart for pricing. You can define the parameters, namely the threshold and the split criteria based on which you want to split the line items in the cart through the API. If you do not define the parameters, the values of settings **Split Cart Threshold** and **Split Cart Criteria Fields** in Config System Properties are used to split the line items instead.

API	Signature
setSplitCart Info	<i>static void setSplitCartInfo(Id cartId, Apttus_Config2.CustomClass.SplitCartInfo splitInfo)</i>

Parameters			
Name	Type	Required?	Description
cartId	ID	Yes	The id of the Cart you want to split.

Parameters			
Name	Type	Required?	Description
splitInfo	Apttus_Config2.CustomClass. CustomClass.SplitCartInfo	Yes	The request object.

Request Object - Apttus_Config2.CustomClass.SplitCartInfo		
Field	Type	Description
SplitCriteriaFields	List	The list of API names of the fields to use as criteria.
SplitThreshold	Integer	The number of line items in a group.

Code Sample

The sample below enables you to set the values of **Split Cart Threshold** and **Split Cart Criteria Fields** to define the information required to split a cart.

```

1  //Setting Split info
2  Apttus_Config2.CustomClass.SplitCartInfo splitInfo = new
    Apttus_Config2.CustomClass.SplitCartInfo();
3  splitInfo.SplitCriteriaFields.add('Apttus_Config2_LocationId_c');
4  splitInfo.SplitThreshold = 10;
5  //Calling SplitInfo
6  // cartID can be Main Cart Id or Config Cart Id
7  ID cartID = 'a1I2f00000029Iy';
8  Apttus_Config2.CPQWebService.setSplitCartInfo(cartID , splitInfo);

```

Finalizing the Configuration Version

This API finalizes the configuration version and related line items. After the configuration is finalized, an email notification is sent when concurrent access enabled for the cart. The cart should be configured and priced before invoking this API. You can create a button to finalize the cart which the user can click to invoke this API once the products in the cart are adjusted and final.

API	Signature
<code>finalizeConfiguration</code>	<i>webservice static void finalizeConfiguration(Id configId)</i>

Request Parameter		
Name	Type	Description
configId	ID	The ID of product configuration you want to finalize.

Code Sample

The sample code below enables you to finalize a cart with a specific configuration and synchronizes the products (line items) added to the cart with the quote or proposal used to generate the cart.

```

1  /**
2   * Below method demonstrate to finalize the cart by passing the
3   * configuration request Id.
4   */
5  public void finalizeCart(Id configId)
6  {
7     // finalize the cart
8     Apttus_Config2.CPQWebService.finalizeConfiguration(configId);
9  }
```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

API Prerequisites

- [Creating a Cart from a Quote](#)

- [Updating Price](#)

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:cpq="http://soap.sforce.com/schemas/class/Apttus_Config2/CPQWebService">
  <soapenv:Header>
    <cpq:SessionHeader>
      <cpq:sessionId>00DZ000000NAEIA!
ASAAQN7k3xhhvMe.j.8gpR.ijcGq77HJeF4MEDfbxbBAqZ8r4WWNTv30Vb6o1bjtHJLbq5mvHcuAH_ie6sTC3
DzrWgnLdUuD</cpq:sessionId>
    </cpq:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <cpq:finalizeConfiguration>
      <cpq:configId>a10Z0000002YrHD</cpq:configId>
    </cpq:finalizeConfiguration>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_Config2/CPQWebService">
  <soapenv:Body>
    <finalizeConfigurationResponse/>
  </soapenv:Body>
</soapenv:Envelope>
```

Finalizing the Configuration Version with Synchronization Tasks

This API finalizes the configuration version and finalizes the cart. This API also execute async Action Callback. Based on cart type (large cart/normal cart) the callback will be executed synchronously or asynchronously. The cart should be configured and priced before invoking this API. You can create a button to finalize the cart which the user can click to invoke this API once the products in the cart are adjusted and final.

API	Signature
<code>finalizeConfigurationAndSync</code>	<i>webservice static void finalizeConfigurationAndSync(Id configId, Id requestId, String finalizeClassName)</i>

Request Parameter		
Name	Type	Description
configId	ID	The ID of product configuration you want to finalize.
requestId	ID	The ID of the request of the configuration you want to finalize.
finalizeClassName	String	The finalize Callback class name.

Code Sample

The sample code below enables you to finalize a cart with the configuration you provided. After the finalization product line items added to the cart are synchronized with the quote or proposal used to generate the cart. The action defined in the callback class you mentioned in the **finalizeClassName** parameter is also executed. Based on cart type (large cart/normal cart) the callback that implements *CustomClass.IActionCallback* and *CustomClass.IActionCallback2* interfaces are executed synchronously or asynchronously.

```

1  /**
2   * Below method demonstrate to finalize the cart by passing the
3   * configuration request Id.
4   */
5  public void finalizeConfigurationAndSync (Id configId, Id requestId,
6   String finalizeClassName)
7  {
8   // finalize the cart
9   Apttus_Config2.CPQWebService.finalizeConfigurationAndSync(configId,
10  requestId, finalizeClassName);
11 }

```

Abandoning a Configuration

This API abandons the product configuration using the ID. The record is kept or deleted based on the configuration in the **Keep Abandoned Carts** field in Config System Properties. If **Keep Abandoned Carts** is enabled, the API changes the status of the product configuration to *Abandoned*, removes unreferenced totaling groups, and writes activity logs by creating a task. The API cancels the Quote Collaboration requests along with abandoning the cart. The API also executes any callbacks that must be executed before deleting a line item.

API	Signature
abandonConfiguration	<i>webservice static void abandonConfiguration(Id configId)</i>

Request Parameter		
Name	Type	Description
configId	ID	The ID of product configuration you want to abandon.

Code Sample

The below sample code allows you to delete the configuration record and the related line item associated with the configuration. In this case, the **Keep Abandoned Carts** field is disabled.

```

1  /**
2   * The below method demonstrates how to delete product configuration.
3   */
4  public void abandonConfigurationID (String proposalName)
5  {
6      Apttus_Config2__ProductConfiguration__c productConfig = [SELECT Id
7                                                                FROM
8                                                                Apttus_Config2__ProductConfiguration__c
9                                                                WHERE
10     Apttus_QPConfig__ProposalId__r.Name = :proposalName
11                                                                LIMIT 1];
12     Apttus_Config2.CPQWebService.abandonConfiguration (productConfig.Id);
13 }

```

Cloning Primary Line Items

This global method clones line items from one configuration to another using Line Number.

API	Signature
clonePrimaryItemColl	<i>static Id clonePrimaryItemColl(Id configId, Integer lineNumber, Id targetConfigId)</i>

Request Parameter		
Name	Type	Description
configId	Id	The ID of source product configuration associated with the line items.
lineNumber	Integer	The Line Number of the line items you want to clone.
targetConfigId	Id	The ID of the product configuration you want to clone the line items into.

Response Parameters		
Field	Type	Description
clonedPrimaryLineNumber	Id	The Line number of the cloned primary line item collection

Code Sample

The sample code below enables you to clone line items associated with a Line Number and add them to the target configuration. This returns the line number of the cloned line items.

```

1  /**
2   * Clones the given primary line item collection and adds it onto the
   target configuration
3   * @param parentConfigId the id of the product configuration associated
   with the line items.
4   * @param primaryLineNumber the line number associated with the item
   collection
5   * @param childConfigId the id of child product configuration
6   * @return the Id of the new primary line item collection
7   */
8
9   public Id clonePrimaryItemCollection(Id parentConfigId, Integer
   primaryLineNumber, Id childConfigId)
10  {
11      Id clonedPrimaryLineNumber;
12      clonedPrimaryLineNumber =
   Apttus_Config2.CPQWebService.clonePrimaryItemColl(parentConfigId,
   primaryLineNumber, childConfigId);
13      return clonedPrimaryLineNumber;
14  }

```

Creating Bundle Line Items

This API creates the bundle and option line items based on the bundle product data object.

API	Signature
createBundleLineItems	<i>WebService static List createBundleLineItems(Apttus_Config2__ProductConfiguration__c configSO, Apttus_Config2.CPQStruct.ProductBundleDO bundleDO)</i>

Request Parameter		
Name	Type	Description
configSO	Apttus_Config2__ProductConfiguration__c	The ID of product configuration object.
bundleDO	Apttus_Config2.CPQStruct.ProductBundleDO	The bundle details request data object

Request Data Object - Apttus_Config2.CPQStruct.ProductBundleDO		
Name	Type	Description
BundleProduct	Apttus_Config2.CPQStruct.ProductLineItemDO	The bundle product request data object
HasOptionProducts	Boolean	Indicate whether has option products or not.
OptionProductIds	List<ID>	The list of option product Ids
OptionProducts	ListList<ProductLineItemDO>	The list of option product data objects.

Data Object - Apttus_Config2.CPQStruct.ProductLineItemDO		
Name	Type	Description
AddedBy	String	Indicate how was the product added. For example, added by constraint rule, APIs.
Comments	String	The comments added in the product.
CustomData	Apttus_Config2__LineItem__c	The custom data based on list of custom fields to initialize Line Item record.

Data Object - Apttus_Config2.CPQStruct.ProductLineItemDO		
Name	Type	Description
CustomFields	List<String>	List of Custom Fields.
EndDate	Date	The end date of the product.
productOptionComponentId	ID	The ID of the Product Option Component (only for option products).
ProductSO	Product2	The product subject.
Quantity	Decimal	The quantity of the product.
SellingTerm	Decimal	The selling term of the product.
StartDate	Date	The start date of the product.
Response Parameters		
Field	Type	Description
lineItems	List<Apttus_Config2__LineItem__c>	The list of IDs for the new bundle line items.

Code Sample

The sample code below enables you to create bundle and option line items for an existing cart. This API returns the list of line items without committing changes into Salesforce. These line items can be used for further modification and later associate to cart by performing insert operation.

```

1  /**
2   * The below method demonstrates how to create bundle lineitems with
3   * option (every quote has a cart)
4   * Let's assume the Quote's Cart is not blank and Laptop is a bundle
5   * product and its two options are Keyboard and Mouse
6   * The input of this method is Quote Number and the bundle and related
7   * option product names
8   * Inside the method we will return the line items for the Laptop bundle
9   * product and also its two options Keyboard and Mouse
10  */
11  public List<Apttus_Config2__LineItem__c> createBundleLineItems(String
12  proposalID, String bundleProductName, List<String> optionProductNames)
13  {
14      Apttus_Config2__ProductConfiguration__c cart = [SELECT
15      Apttus_Config2__PriceListId__c,
16
17      Id,
18
19      Apttus_Config2__SummaryGroupType__c,
20
21      Apttus_Config2__ContractNumbers__c
22      FROM
23      Apttus_Config2__ProductConfiguration__c
24      WHERE
25      Apttus_QPConfig__ProposalId__r.Name = :proposalID
26      LIMIT 1];
27
28      //Add bundle product data object
29      Product2 bundleProductSO = [SELECT ID,
30      Apttus_Config2__Uom__c,
31      Name,
32      Apttus_Config2__Customizable__c,
33      Apttus_Config2__HasDefaults__c,
34      Apttus_Config2__HasAttributes__c,
35      Apttus_Config2__HasOptions__c
36      FROM Product2
37      WHERE Name = :bundleProductName
38      LIMIT 1];
39
40      Apttus_Config2.CPQStruct.ProductLineItemDO BundleProduct = new
41      Apttus_Config2.CPQStruct.ProductLineItemDO( bundleProductSO,
42
43      10, //
44      quantity assigned to the product
45
46      1, //
47      selling term for the product

```

```

31                                     null, //
    Start date
32                                     null, //
    End date
33                                     'Comment
from API');
34     List<Apttus_Config2.CPQStruct.ProductLineItemDO> optionProducts = new
List<Apttus_Config2.CPQStruct.ProductLineItemDO>();
35     for (Product2 optionProductS0 : [SELECT ID,
36                                     Apttus_Config2__Uom__c,
37                                     Name,
38                                     Apttus_Config2__Customizable__c,
39                                     Apttus_Config2__HasDefaults__c,
40                                     Apttus_Config2__HasAttributes__c,
41                                     Apttus_Config2__HasOptions__c
42                                     FROM Product2
43                                     WHERE Name IN :optionProductNames])
44     {
45         optionProducts.add(new
Apttus_Config2.CPQStruct.ProductLineItemDO(optionProductS0,5,1, null,null,'
Comment from API'));
46     }
47     Apttus_Config2.CPQStruct.ProductBundleDO bundleDO = new
Apttus_Config2.CPQStruct.ProductBundleDO(BundleProduct, optionProducts);
48     List<Apttus_Config2__LineItem__c> lineItems =
Apttus_Config2.CPQWebService.createBundleLineItems(cart,bundleDO);
49     return lineItems;
50 }

```

Batch Job Service

The Batch Job Service APIs account for the standard actions to configure, price, and quote.

You can invoke APIs in Batch Job Service using the following command:

```
Apttus_Config2.BatchJobService.<Name of the Function>
where the name of the function is API Name and its parameters.
```

You can use the Batch Job Service APIs to complete the following tasks:



Splitting a Smart Cart

This global method splits the line items in the cart into groups in a Smart Cart flow.

API	Signature
splitCart	<i>static Id splitCart(Id cartId)</i>

Request Parameter			
Name	Type	Required?	Description
cartId	ID	Yes	The Id of the cart to be split.

Response Parameter		
Field	Type	Description
jobId	ID	The Id of the job executed to split the cart.

Code Sample

This sample enables you to splits the line items in the cart into groups in a Smart Cart flow. When the method is executed, the task pending flag is set to true on the cart passed as the parameter. After the line items are split into groups, the flag is set to false.

1	<i>//Api to split large cart (pass in either Main Cart Id or Config Cart Id). This would set the task pending flag on the cart passed as the parameter (either main or config). When the split is completed, the flag is cleared. Note that it will call the pricing once split is done.</i>
2	
3	<code>ID jobId = Apttus_Config2.BatchJobService.splitCart(mainOrConfigCartId);</code>

Updating Price for the Smart Cart

This global method updates the prices of the line items after the cart is split.

API		Signature	
updatePriceForCart		<i>static Id updatePriceForCart(Id cartId)</i>	
Request Parameter			
Name	Type	Required?	Description
cartID	ID	Yes	The Id of the cart for which you want to update prices of the line item

Response Parameter		
Field	Type	Description
jobId	ID	The Id of the batch job executed to update the pricing of the cart

Code Sample

This sample enables you to update the price of the line items after the cart is split. When the method is executed, the task pending flag is set to true on the cart passed as the parameter. After pricing is calculated for the line items, the flag is set to false.

```

1 //Api to price large cart (pass in either Main Cart Id or Config Cart Id),
  //if there is a change in any pricing parameter post split.
2 This would set the task pending flag on the cart passed as the parameter
  (either main or config). When all carts are priced, the flag is cleared.
3
4 ID jobId =
  Apttus_Config2.BatchJobService.updatePriceForCart(mainOrConfigCartId);

```


Finalizing Configuration in Smart Cart

This global method finalizes a cart and executes post synchronization tasks in Smart Cart flow.

API		Signature	
finalizeCart		<i>static Id finalizeCart(Id cartId)</i>	
Request Parameter			
Name	Type	Required?	Description
cartId	ID	Yes	The Id of the cart for which you want to finalize
Response Parameter			
Field	Type	Description	
jobId	ID	The Id of the batch job executed to finalize the cart	

Code Sample

This sample enables you to finalize a cart in Smart Cart flow after the cart is split & updating price is complete. When the method is executed, the task pending flag is set to true on the cart passed as the parameter. After finalization is completed, the status of product configurations is updated to *Finalized*.

```

1  /**
2  *Finalizes and executes post synchronization tasks for the given cart
3  *@param cartId the cart id
4  *@return the batch job id
5  */
6  global static ID finalizeCart (ID cartId)
7  {
8      ID jobId =
9      Apttus_Config2.BatchJobService.finalizeCart(mainOrConfigCartId);

```

Quote Collaboration Service

The Quote Collaboration Service global method account for the standard action to Quote Collaboration feature.

Global methods are not like APIs. They can only be invoked in an Apex Code.

You can invoke method in Quote Collaboration service using the following command:

```
QuoteCollaborationService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

In this Section:



Adding Products to a Collaboration Request

This method adds products to an existing collaboration request. This global method is not an API. It can only be invoked in an Apex Code.

Method	Signature		
addProductsToCollaboration	<i>static Apttus_Config2.CollabStruct.AddProductCRResponseDO addProductsToCollaboration(Apttus_Config2.CollabStruct.AddProductCRRequestDO requestDO)</i>		
Parameters			
Name	Type	Required ?	Description
request	Apttus_Config2.CollabStruct.AddProductCRRequestDO	Yes	The request data object.
Request Data Object - Apttus_Config2.CollabStruct.AddProductCRRequestDO			
Field	Type	Description	
collaborationRequestId	ID	The id of the collaboration request to which you want add products.	

Request Data Object - Apttus_Config2.CollabStruct.AddProductCRRequestDO		
Field	Type	Description
lineItemIds	List	The list of line item IDs you want to add to the collaboration request

Response Data Object - Apttus_Config2.CollabStruct.AddProductCRResponseDO		
Field	Type	Description
errorMessages	List	The list of errors occurred while adding products to the collaboration request.
hasErrors	Boolean	Indicates that the errors occurred while adding products to the collaboration request.
isSuccess	Boolean	Indicated that the products are successfully added to the collaboration request.

Code Sample

The following sample enables you to add products to an existing collaboration request with a Collaboration ID. Provide a list of line item IDs of the products you want to add to the collaboration request. If the products are successfully added to the collaboration request, the API returns true, otherwise, the API returns the list of errors occurred while adding the products.

```

1  /**
2   * The below method demonstrates how to add a product in an existing
3   * collaboration request
4   */
5   CollabStruct.AddProductCRRequestDO request = new
6   CollabStruct.AddProductCRRequestDO();
7   request.collaborationRequestId = 'a3B1S0000005V3wUAE';
8   request.lineItemIds = new List<Id> {'a0a1S0000005YwWj'};
9   CollabStruct.AddProductCRResponseDO response =
10  QuoteCollaborationService.addProductsToCollaboration(request);
11  if (!response.isSuccess)
12  {
13      system.debug(response.errorMessages);
14  }

```

Favorite Configuration Global Service

The Favorite Configuration Global Service API account for the standard actions on the configuration saved as favorite.

You can invoke APIs in Favorite Configuration Global Service using the following command:

```
Apttus_Config2.FavoriteConfigurationGlobalService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

You can use the APIs complete the following tasks:



Creating Favorite Configuration

This API creates a favorite configuration from the Catalog page referenced by cartID.

API	Signature
saveFavoriteConfiguration	<i>static Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteResponseDO saveFavoriteConfiguration(Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO requestDO)</i>

Parameters		
Name	Type	Description
request	Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO	The request data object.

Request Data Object - Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO		
Field	Type	Description
cartID	ID	The identifier of the cart.
favoriteConfigurationSO	Apttus_Config2__FavoriteConfiguration__c	Reference to the Favorite Configuration Object
lineNumbers	List <Integer>	The list of line numbers to be added to the favorite configuration.

Response Data Object - Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteResponseDO		
Field	Type	Description
favoriteConfigurationSO	Apttus_Config2__FavoriteConfiguration__c	Reference to the Favorite Configuration Object
processedLineNumbers	List<Integer>	List of line numbers added as a favorite configuration.

Data Object - Apttus_Config2__FavoriteConfiguration_c		
Field	Type	Description
Name	String	Enter a suitable name for your favorite configuration. This name is displayed as a record under your Favorites category.
PriceListId	String	The pricelist id associated with a favorite configuration.

Data Object - Apttus_Config2__FavoriteConfiguration_c		
Field	Type	Description
Scope	String	Choose an option for the visibility of your configuration record. The available values are, <i>Public</i> and <i>Private</i> . If you set this to <i>Private</i> , this record is visible to only the owner of the record. If you set this to <i>Public</i> , this record is accessible to all the users.

Code Sample

The sample below enables you to create a favorite configuration for a cart with a cartId. You can invoke this API in use cases when you want to show a Favorite configuration page based on the cartID and pricelist.

```

public class QAddToFavorite implements Queueable {
    public Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO
requestDO;

    public
QAddToFavorite(Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO
requestDO) {
        this.requestDO = requestDO;
    }

    public void execute(QueueableContext context) {
        Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteResponseDO responseDO
= new Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteResponseDO();
        responseDO =
Apttus_Config2.FavoriteConfigurationGlobalService.saveFavoriteConfiguration(requestDO
);
        List<Integer> processedLineNumbers = responseDO.processedLineNumbers;
        List<Integer> unProcessedLineNumbers = new List<Integer>();

        for (Integer lineNumber : requestDO.lineNumbers) {
            if (!processedLineNumbers.contains(lineNumber)) {
                unProcessedLineNumbers.add(lineNumber);
            }
        }

        if (!unProcessedLineNumbers.isEmpty()) {
            requestDO.favoriteConfigurationSO.id =
responseDO.favoriteConfigurationSO.id ;
            requestDO.lineNumbers = unProcessedLineNumbers;
            system.debug('Request DO is ' + requestDO);
            System.enqueueJob(new QAddToFavorite(requestDO));
        }
    }
}

```

Sample code to execute from the anonymous window.

```

Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO requestDO = new
Apttus_Config2.FavoriteConfigurationStruct.SaveFavoriteRequestDO();
requestDO.favoriteConfigurationSO.Name = 'QueueableAPI-1 Fav BundleandStd'; // Name
of favorite configuration
requestDO.favoriteConfigurationSO.Apttus_Config2__Active__c = true;

```

```
requestD0.favoriteConfigurationS0.Apptus_Config2__Scope__c = 'Public';
requestD0.favoriteConfigurationS0.Apptus_Config2__PriceListId__c = 'a4QP0000000wNYC'; /
/ priceList ID
requestD0.favoriteConfigurationS0.Apptus_Config2__Description__c = 'Sample
description';
requestD0.cartId = ID.valueOf('a4jP0000000M23t'); // product configuration or cartID
requestD0.lineNumbers = new List<Integer>{1,2,3,4,5,6,7,8,9,10};
System.enqueueJob(new QAddToFavorites(requestD0));
```

Quote/Proposal Config Web Service

The Quote/Proposal Config web service API account for the standard actions to configure, price, and quote.

You can invoke APIs in Quote/Proposal Web Service from the following command:

```
Apptus_QPConfig.QPConfigWebService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

You can use the Quote/Proposal Config web service API to complete the following tasks:

-

Accepting a Quote

This API accepts a quote or proposal.

API		Signature	
acceptQuote		<i>webService static Boolean acceptQuote(Id quoteOrProposalId)</i>	
Request Parameter			
Name	Type	Required?	Description
QuoteID	ID	Yes	The id of the quote/proposal you want to accept.

Response Parameter		
Field	Type	Description
isSuccess	Boolean	Indicates whether the quote is accepted or not. The ID of the newly created cart object

Code Sample

The following sample enables you to accept a quote with a Quote ID. Provide a Quote ID of the Quote or Proposal you want to accept. If the quote is successfully accepted, the API returns true, otherwise, the API returns false.

```

1  /**
2   * Accepts the given quote/proposal
3   * @param quoteOrProposalId the id of the quote/proposal subject to
  accept
4   * @return <code>true</code> if the operation was successful,
  <code>false</code> otherwise
5
6   */
7
8   WebService static Boolean acceptQuote(ID quoteOrProposalId) {
9       Id quoteOrProposalId = 'a0Y3C000000u2xv';
10      Boolean isSuccess =
11      Apttus_QPConfig.QPConfigWebService.acceptQuote(quoteOrProposalId);
  }

```

Integration Details

Use the following information in your integrations with Apttus CPQ Web Services API. Refer to [Integrating Apttus with External Systems](#) for information on how to get started.

Response/Request XML

Example Request

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:qpc="http://soap.sforce.com/schemas/class/Apttus_QPConfig/
QPConfigWebService">
  <soapenv:Header>
    <qpc:SessionHeader>
      <qpc:sessionId>00DZ000000NAEIA!
ASAAQNJKTI9h4.FgZutgi4zWkwHRIvIJFNU3_Qh4XPyi0Dbj2Q3XzSjmRb76.sgyY.e0utBVPu5wFakw8WmXH
CIIs0jzI375z</qpc:sessionId>
    </qpc:SessionHeader>
  </soapenv:Header>
  <soapenv:Body>
    <qpc:acceptQuote>
      <qpc:quoteOrProposalId>a0eZ0000005pF4h</qpc:quoteOrProposalId>
    </qpc:acceptQuote>
  </soapenv:Body>
</soapenv:Envelope>
```

Example Response

```
<soapenv:Envelope
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns="http://soap.sforce.com/schemas/class/Apttus_QPConfig/QPConfigWebService">
  <soapenv:Body>
    <acceptQuoteResponse>
      <result>true</result>
    </acceptQuoteResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

Asset Service

The Asset Service method accounts for the standard action to Asset-based Operation.

You can invoke methods in Asset Service using the following command:

```
Apttus_Config2.AssetService.<Name of the Function>
where the name of the function is API Name and it parameters.
```

Global method are not APIs. They can only be invoked in an Apex Code.

In this Section:



Fetching Asset Line Items

This global method fetches all Asset Line Items for various Accounts.

API	Signature	
getAssetLineItems	<i>static Apttus_Config2.CPQStruct.QueryAssetsResponseDO getAssetLineItems(Apttus_Config2.CPQStruct.QueryAssetsRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.QueryAssetsRequestDO	Request object invoked by the method
Request Data Object - Apttus_Config2.CPQStruct.QueryAssetsRequestDO		
Field	Type	Description
AccountIds	List <Id>	List of Account Ids
CustomFilter	String	SOQL condition expression used as a custom filter. For example, user could request only assets after a given billing end date. This is optional.
Descending	Boolean	This indicates whether the assets are sorted in descending order

Request Data Object - Apttus_Config2.CPQStruct.QueryAssetsRequestDO		
Field	Type	Description
FieldNames	List	This can be used to include fields you have added to the Asset Line Item object.
Nrecord	Integer	This can be used to limit the number of records returned
Offset	Integer	This can be used to include an offset
SortFields	List	This can be used sort the result based on a list of fields.
Response Data Object - Apttus_Config2.CPQStruct.QueryAssetsResponseDO		
Field	Type	Description
AssetCount	Integer	The number of assets returned
AssetLineItems	List	List of Asset Line Items.

Code Sample

The code sample below helps you get Asset Line Items for a list of Accounts. Use this global method to fetch all asset line items associated with an account.

```

// create list of account ids
List<ID> listAccount = new List<ID>();
listAccount.add(accountId);

// create and populate request object
Apttus_Config2.CPQStruct.QueryAssetsRequestDO request = new
  Apttus_Config2.CPQStruct.QueryAssetsRequestDO();
request.AccountIds = listAccount;

// retrieve all fields in Asset Line Item sObject
request.FieldNames = null;

// sort by billing end date (optinal)
request.SortFields = new List<String>{'Apttus_Config2__BillingEndDate__c'};
request.Descending = false; // sort ascending
request.CustomFilter = 'Apttus_Config2__BillingEndDate__c > 2011-04-30'; // optional

// do not offset and do not limit number of records returned
request.Offset = null;
request.Nrecord = null;

// call getAssetLineItems API
Apttus_Config2.CPQStruct.QueryAssetsResponseDO response =
  Apttus_Config2.AssetService.getAssetLineItems(request);

List<Apttus_Config2__AssetLineItem__c> listItems = response.AssetLineItems;

```

Getting a count of Asset Line Items

This global method gets the count of Asset Line Item in one or more accounts.

API	Signature	
countAssetLineItems	<i>static Apttus_Config2.CPQStruct.QueryAssetsResponseDO countAssetLineItems(Apttus_Config2.CPQStruct.QueryAssetsRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.QueryAssetsRequestDO	Request object invoked by the method

Request Data Object - Apttus_Config2.CPQStruct.QueryAssetsRequestDO		
Field	Type	Description
AccountIds	List <Id>	List of Account Ids
CustomFilter	String	SOQL condition expression used as a custom filter. For example, user could request only assets after a given billing end date. This is optional.
Descending	Boolean	This indicates whether the assets are sorted in descending order
FieldNames	List	This can be used to include fields you have added to the Asset Line Item object.
Nrecord	Integer	This can be used to limit the number of records returned
Offset	Integer	This can be used to include an offset
SortFields	List	This can be used sort the result based on a list of fields.
Response Data Object - Apttus_Config2.CPQStruct.QueryAssetsResponseDO		
Field	Type	Description
AssetCount	Integer	The number of assets returned
AssetLineItems	List	List of Asset Line Items.

Code Sample

The code sample below helps you get a count of Asset Line Items for a particular account. Use this global method to fetch all asset line items associated with an account.

```

// create list of account ids
List<ID> listAccount = new List<ID>();
listAccount.add(accountId);

// create and populate request object
Apttus_Config2.CPQStruct.QueryAssetsRequestDO request = new
  Apttus_Config2.CPQStruct.QueryAssetsRequestDO();
request.AccountIds = listAccount;
request.CustomFilter = 'Apttus_Config2__BillingEndDate__c > 2011-04-30'; // optional

// call countAssetLineItems API
Apttus_Config2.CPQStruct.QueryAssetsResponseDO response =
  Apttus_Config2.AssetService.countAssetLineItems(request);

ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'Asset Line Item
Count: ' + response.AssetCount));

```

Swapping Assets

You can invoke this API for swapping Assets.

API	Signature	
swapAssets	<i>static Apttus_Config2.CPQStruct.SwapAssetsResponseDO swapAssets(Apttus_Config2.CPQStruct.SwapAssetsRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.SwapAsset sRequestDO	Request object invoked by the method
Request Data Object - Apttus_Config2.CPQStruct.SwapAssetsRequestDO		
Name	Type	Description
NewStartDate	Date	The new Asset Start Date on Swapping
ProductIds	List<ID>	Id of the product with which the Asset is being swapped.

Request Data Object - Apttus_Config2.CPQStruct.SwapAssetsRequestDO		
Name	Type	Description
AssetIds	List<ID>	The Id of the Asset which is swapped.
CartIds	Id	The Id of Cart for which an Asset is being swapped
Response Data Object - Apttus_Config2.CPQStruct.SwapAssetsResponseDO		
Field	Type	Description
LineItemMap	Map<ID, Apttus_Config2__LineItem__c>	Map of line items of the assets that are being swapped.

Code Sample

The code sample below helps you swap an Asset with another product.


```

// create list of asset ids
List<ID> listAssetId = new List<ID>();
for (AssetLineItemWrapperClass record : wrapperAssetLineItemList)
{
    if (record.selected)
    {
        listAssetId.add(record.assetId);
    }
}

// create list of product ids
List<ID> listProductId = new List<ID>();
for (ProductWrapperClass product : wrapperProductList)
{
    if (product.selected)
    {
        listProductId.add(product.productId);
    }
}

// create and populate request object
if (objAssetLineItem.Apttus_Config2__StartDate__c != null)
{
    Apttus_Config2.CPQStruct.SwapAssetsRequestDO request = new
Apttus_Config2.CPQStruct.SwapAssetsRequestDO();
    request.AssetIds = listAssetId;
    request.ProductIds = listProductId;
    request.NewStartDate = objAssetLineItem.Apttus_Config2__StartDate__c;
    request.CartId = cartId;
}


// call swapAssets API
Apttus_Config2.CPQStruct.SwapAssetsResponseDO response =
Apttus_Config2.AssetService.swapAssets(request);

ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'swapAssets: ' +
response));

```

Getting a list of Products to be swapped with Assets

The global method fetches a list of products that are to be swapped.

 Ensure that the Replacement Rule is active for Swapping Assets.

API	Signature	
getSwappedProducts	<i>static Apttus_Config2.CPQStruct.RecommendationResponseDO getSwappedProducts(Apttus_Config2.CPQStruct.RecommendationRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.RecommendationRequestDO	Request object invoked by the method
Request Data Object - Apttus_Config2.CPQStruct.RecommendationRequestDO()		
Name	Type	Description
CartId	Id	Id of Cart for which Swap action is performed
ProductIds	List<ID>	Id of the product with which the Asset is being swapped.
Response Data Object - Apttus_Config2.CPQStruct.RecommendationResponseDO		
Field	Type	Description
ProductIds	List<ID>	Ids of products that can be swapped with assets.

Code Sample

The code sample below helps you fetch the list of Product Ids that can be swapped with Assets.

```
// create list of product ids
List<ID> listProductId = new List<ID>();
for (ProductWrapperClass product : wrapperProductList)
{
    if (product.selected)
    {
        listProductId.add(product.productId);
    }
}

// create and populate request object
Apttus_Config2.CPQStruct.RecommendationRequestDO request = new
    Apttus_Config2.CPQStruct.RecommendationRequestDO();
request.cartId = cartId;
request.ProductIds = listProductId;

// call getSwappedProducts API
Apttus_Config2.CPQStruct.RecommendationResponseDO response =
    Apttus_Config2.AssetService.getSwappedProducts(request);

ApexPages.addMessage(new
    ApexPages.Message(ApexPages.severity.info, 'getSwappedProducts: ' + response));
```

Terminating Assets

You can invoke this global method for asset cancellation.

API	Signature
cancelAssets	<i>static Apttus_Config2.CPQStruct.CancelAssetsResponseDO cancelAssets(Apttus_Config2.CPQStruct.CancelAssetsRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.CancelAssetsRequestDO	Request object invoked by the method
Request Data Object - Apttus_Config2.CPQStruct.CancelAssetsRequestDO		
Name	Type	Description
CancelDate	Date	The termination date of the Asset
AssetIds	List<ID>	List of asset ids to terminate.
CartId	ID	The id of Cart for which an asset is being canceled.
Response Data Object - Apttus_Config2.CPQStruct.CancelAssetsResponseDO		
Field	Type	Description
LineItemMap	Map <ID, Apttus_Config2__LineItem__c>	Line Items that are to be terminated.

Code Sample

The code sample below helps you terminate Assets based on the Termination Date.

```

// create list of asset ids
List<ID> listAssetId = new List<ID>();
for (AssetLineItemWrapperClass record : wrapperAssetLineItemList)
{
    if (record.selected)
    {
        listAssetId.add(record.assetId);
    }
}

// create and populate request object
if (objAssetLineItem.Apttus_Config2__CancelledDate__c != null)
    Apttus_Config2.CPQStruct.CancelAssetsRequestDO request = new
    Apttus_Config2.CPQStruct.CancelAssetsRequestDO();
    request.CancelDate = objAssetLineItem.Apttus_Config2__CancelledDate__c.date();
    request.AssetIds = listAssetId;
    request.CartId = cartId;
}

// call cancelAssets API
Apttus_Config2.CPQStruct.CancelAssetsResponseDO response =
Apttus_Config2.AssetService.cancelAssets(request);

ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'cancelAssets: ' +
response));

```

Renewing Assets

You can invoke this global method to renew Assets.

API	Signature	
<code>renewAssets</code>	<i>static Apttus_Config2.CPQStruct.RenewAssetsResponseDO renewAssets(Apttus_Config2.CPQStruct.RenewAssetsRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.RenewAssetsRequestDO()	Request object invoked by the method

Request Data Object - Apttus_Config2.CPQStruct.RenewAssetsRequestDO		
Name	Type	Description
FarthestAssetEndDate	Boolean	Setting this value to true renews assets using the farthest end date.
RenewEndDate	Date	The Asset End Date for Renewal
RenewTerm	Integer	The Renewal Term for an asset
AssetIds	List<ID>	List of asset ids,
CartId	ID	The id of Cart for which an asset is being renewed

Response Data Object- Apttus_Config2.CPQStruct.RenewAssetsResponseDO		
Field	Type	Description
LineItemMap	Map<ID, Apttus_Config2__LineItem__c>	Returns all line items with all their field values.

Code Sample

The code sample below helps you renew Assets based on the specified Renewal Date or Renewal Term.

```

// create list of asset ids
List<ID> listAssetId = new List<ID>();
for (AssetLineItemWrapperClass record : wrapperAssetLineItemList)
{
    if (record.selected)
    {
        listAssetId.add(record.assetId);
    }
}

// renew assets using an asset line item record with valid Renewal Date and Term
if (objAssetLineItem.Apttus_Config2__RenewalDate__c != null ||
objAssetLineItem.Apttus_Config2__RenewalTerm__c != null)
{

    // create and populate request object
    Apttus_Config2.CPQStruct.RenewAssetsRequestDO request = new
Apttus_Config2.CPQStruct.RenewAssetsRequestDO();
    request.CartId = cartId;
    request.AssetIds = listAssetId;
    request.RenewEndDate = objAssetLineItem.Apttus_Config2__RenewalDate__c;
    request.RenewTerm = objAssetLineItem.Apttus_Config2__RenewalTerm__c;
    request.FarthestAssetEndDate = false;

    // call renewAssets API
    Apttus_Config2.CPQStruct.RenewAssetsResponseDO response =
Apttus_Config2.AssetService.renewAssets(request);

    ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'renewAssets:
' + response));
}

```

Incrementing Assets

You can invoke **incrementAssets**, a global method to increment assets.

Method	Signature
incrementAssets	<i>static Apttus_Config2.CPQStruct.IncrementAssetsResponseDO incrementAssets(Apttus_Config2.CPQStruct.IncrementAssetRequestDO request)</i>

Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.IncrementAssetRequestDO	Request object invoked by the method
Request Data Object - Apttus_Config2.CPQStruct.IncrementAssetRequestDO		
Field	Type	Description
IncrementAssetDOs	List <Apttus_Config2.CPQStructIncrementAssetDO>	List of increment assets data objects.
CartId	ID	The ID of the cart that consists of assets to be incremented.
Data Object - Apttus_Config2.CPQStruct.IncrementAssetDO		
Field	Type	Description
AssetId	Id	The ID of the Asset you want to apply the increment.
LineAction	String	This defines the update made to the asset. There are two types. <ul style="list-style-type: none"> • <i>Increment</i>: creates a new asset • <i>Increment or Merge</i>: updates the existing asset.
NewStartDate	Date	New start date for the updated or new asset.
NewEndDate	Date	New end date for the updated or new asset.
Quantity	Integer	The amount of quantity to be incremented.

Response Data Object- Apttus_Config2.CPQStruct.IncrementAssetsResponseDO		
Field	Type	Description
LineItemMap	Map<ID, Apttus_Config2__LineItem__c>	Returns all line items with all their field values.

Code Sample

The following sample enables you to increment the quantity of standalone products. You can also provide new start and end dates for the products. If you define **LineAction** as *Increment*, new assets are created and, if you define **LineAction** as *Increment and Merge*, existing assets are updated.

```
Apttus_Config2.CPQStruct.IncrementAssetRequestDO request = new
  Apttus_Config2.CPQStruct.IncrementAssetRequestDO();

for (AssetLineItemWrapperClass record : wrapperAssetLineItemList)
{
  if (record.selected)
  {
    // create and populate request object
    Apttus_Config2.CPQStruct.IncrementAssetDO assetDO = new
  Apttus_Config2.CPQStruct.IncrementAssetDO();
    assetDO.AssetId = record.assetId;
    assetDO.NewStartDate =
record.objAssetLineItem.Apttus_Config2__StartDate__c;
    assetDO.NewEndDate = record.objAssetLineItem.Apttus_Config2__EndDate__c;
    assetDO.Quantity = record.objAssetLineItem.Apttus_Config2__Quantity__c;
    assetDO.LineAction = 'Increment'; // Or 'Increment and Merge'
    request.IncrementAssetDOs.add(assetDO);
  }
}
request.CartId = cartId;

// call incrementAssets API
Apttus_Config2.CPQStruct.IncrementAssetsResponseDO response =
Apttus_Config2.AssetService.incrementAssets(request);
ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, incrementAssets:
' + response));
```

Changing Assets

You can invoke this global method for changing Assets.

API	Signature	
changeAssets	<i>static Apttus_Config2.CPQStruct.ChangeAssetsResponseDO changeAssets(Apttus_Config2.CPQStruct.ChangeAssetsRequestDO request)</i>	
Parameters		
Name	Type	Description
request	Apttus_Config2.CPQStruct.ChangeAssetsRequestDO	Request object invoked by the method
Request Data Object - Apttus_Config2.CPQStruct.ChangeAssetsRequestDO		
Name	Type	Description
AssetId	List<ID>	List of Asset IDs to change.
CartId	ID	The id of Cart for which an asset is being changed.
Response Data Object - Apttus_Config2.CPQStruct.ChangeAssetsResponseDO		
Field	Type	Description
Map <ID, LineItem__c>	LineItemMap	Returns all line items with all their field values.

Code Sample

The code sample below helps you make changes to an Asset by invoking this global method.

```

// create list of asset ids
List<ID> listAssetId = new List<ID>();
for (AssetLineItemWrapperClass record : wrapperAssetLineItemList)
{
    if (record.selected)
    {
        listAssetId.add(record.assetId);
    }
}

// create and populate request object
Apttus_Config2.CPQStruct.ChangeAssetsRequestDO request = new
    Apttus_Config2.CPQStruct.ChangeAssetsRequestDO();
request.AssetIds = listAssetId;
request.CartId = cartId;

// call changeAssets API
Apttus_Config2.CPQStruct.ChangeAssetsResponseDO response =
    Apttus_Config2.AssetService.changeAssets(request);

ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, 'changeAssets: '
    + response));

```

Merging Assets

This global method enables you to merge duplicate assets automatically.

Method	Signature
<code>mergeAssets</code>	<i>static Apttus_Config2.CPQStruct.MergeAssetsResponseDO mergeAssets(Apttus_Config2.CPQStruct.MergeAssetsRequestDO request)</i>

Parameters		
Name	Type	Description
<code>Apttus_Config2.CPQStruct.MergeAssetsResponseDO</code>	request	Request object invoked by the method

Request Data Object - Apttus_Config2.CPQStruct.MergeAssetsResponseDO		
Field	Type	Description
AssetIds	List	The list of the ID of assets you want to merge.
CartId	ID	The ID of the cart that consists of assets to be incremented.
MergeAssetItemDO	Apttus_Config2.CPQStruct.MergeAssetDO	The merge asset data objects.
Data Object - Apttus_Config2.CPQStruct.MergeAssetDO		
Field	Type	Description
EndDate	Date	The asset end date for merge.
ProductId	Id	The ID of the assets to be merged.
Quantity	Integer	The quantity of the asset.
StartDate	Date	The asset start date for merge.
Response Parameter - Apttus_Config2.CPQStruct.MergeAssetsResponseDO		
Field	Type	Description
Errors	List	Returns the list of errors if any.
LineItemMap	Map<ID, Apttus_Config2__LineItem__c>	Returns all line items with all their field values.

Code Sample

The following sample enables you to merge a list of assets in a cart.

```
Apttus_Config2.CPQStruct.MergeAssetsRequestD0 request = new
Apttus_Config2.CPQStruct.MergeAssetsRequestD0();
for (AssetLineItemWrapperClass record : wrapperAssetLineItemList)
{
    if (record.selected)
    {
        request.AssetIds.add(record.assetId);
    }
}

request.CartId = 'a1I3J0000000BKJeUA0';
request.MergeAssetItemD0.startdate = Date.newInstance (2017, 06, 01);

Apttus_Config2.CPQStruct.MergeAssetsResponseD0 response =
Apttus_Config2.AssetService.mergeAssets(request);
ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.info, mergeAssets: ' +
response));
```

Scenarios

- [Working with Products in the Shopping Cart](#)

After you set up the user roles and use either sites or communities to build the basic framework for your cart page, create a visual force page and a sample CSS to define the look and feel for your cart. You can then proceed with using the Apttus APIs to create a working catalog page.

Working with Products in the Shopping Cart

After you set up the user roles and use either sites or communities to build the basic framework for your cart page, create a visual force page and a sample CSS to define the look and feel for your cart. You can then proceed with using the Apttus APIs to create a working catalog page.

- [Searching Products](#)

- [Configuring and Adding Products](#)

In the product catalog, you can see the list of products that a vendor offers. Using this list, you can add a product to your cart, configure the product attributes, such as color and memory. If the product is a bundled product, you can select the options with which you want to bundle your product. This section lists the scenarios using which the customer can view the configuration options for a product.

- [Displaying Recommendations](#)

In the product catalog, you can see the list of products that a vendor offers. When the customer selects a product, you can display the list of recommended products on the same page. This section lists the scenarios using which the recommended products appear. To configure recommendations for a product use the following APIs:

- [Updating Price](#)

- [Viewing Price Break-up Details](#)

- [Adding Price Ramps to a Cart](#)

After you add a line item to a cart, this API enables you to add primary and secondary ramp line items for the line item. Once the ramp line items are created, you can also update the ramp line item details or delete ramp line item details using standard SOQL queries.

- **Viewing Configured Order in the Shopping Cart**

After the customer has configured and added all the products to the cart, display the

detailed shopping cart items. This section lists all the scenarios using which the customer can view the finalized shopping cart.

- [Updating Taxes and Shipping for an Order](#)
- [Creating and Updating Quote and Quote Line Items](#)
- [Creating and Updating Order and Order Line Items](#)
- [Asset Based Ordering](#)

The end user or a renewals manager can view and modify products that the organization owns and should be able to filter the assets to renew orders. Display and modify the assets that belong to a company based on the following criteria:

- [Finalizing the Cart](#)
- [Updating Quote Terms to Modify Dates](#)

Searching Products

A customer browsing a product catalog can navigate for a product and select the required product manually or can search for a product. You can enable searches using the search text field in the cart page and enable the user to search for a desired product by category, sub-category, or options available with the product. This section lists all the possible scenarios for which a customer can search or view a product listing.

To browse products

1. Create a cart using [Creating a Cart from a Quote](#).
2. Browse products by categories and subcategories using the search text entered by the user by utilizing [Retrieving Products and List Prices For a Price List Category and Search Text](#) and [Retrieving Products and List Prices For a Price List and Search Text](#). Using this API, the customer can search for a product directly or select a category and enter search text to refine the search further.
3. Browse for categories and option groups using [Retrieving Categories for a Price List](#) and [Retrieving Option Groups, Options, and List Prices for a Price List Product](#).
4. Browse for products using [Retrieving Products and List Prices for a Price List](#) and [Retrieving Products and List Prices for a Price List and Category](#).
5. Compare the displayed products using [Comparing Products](#).

Configuring and Adding Products

In the product catalog, you can see the list of products that a vendor offers. Using this list, you can add a product to your cart, configure the product attributes, such as color and memory. If the product is a bundled product, you can select the options with which you

want to bundle your product. This section lists the scenarios using which the customer can view the configuration options for a product.

When you configure and add products to your cart, you can do the following:

- Show Product / Bundle Details
- Create Cart (Create Quote first and then Cart for the Quote)
- Configure Bundles
- Add Single Product to Cart
- Add Multiple Products to Cart
- Show Recommendations for Selected Product
- Show Validation and other messages
- Auto-Include Products
- Delete single product from Cart
- Delete Multiple products from Cart
- Apply any constraint rules related to Cart
- Remove any constraint rules for a deleted product.

To add products and apply constraint rules in the cart

1. Create a cart using [createCart](#).
2. Add products and options to the cart using [addBundle](#) , [addMultiProducts](#), or [Adding Options to a Bundle](#).
3. Associate constraint rules for the added products, by querying the right set of rules, using [associateConstraintRules](#).
4. Apply constraint rules to the products in the cart using [applyConstraintRules](#).
5. View the results of applying the constraint rules using [getConstraintRuleResult](#). If the results return *NeedMoreProcessing*, then [applyConstraintRules](#) must be run again.

To delete products and apply constraint rules for deleted line items

1. Delete products from the cart using [removeBundle](#) or [Removing Multiple Bundles from a Cart](#)
2. Remove constraint rules for a deleted product using [Applying Constraint Rules to Deleted Products](#)
3. View the results of removing the constraint rules using [getConstraintRuleResult](#).

Displaying Recommendations

In the product catalog, you can see the list of products that a vendor offers. When the customer selects a product, you can display the list of recommended products on the same page. This section lists the scenarios using which the recommended products appear. To configure recommendations for a product use the following APIs:

Scenario 1

After a customer searches a product, the customer selects a product by clicking the product name or image in the result view. The recommendations for that product along with product details should appear.

Scenario 2

After a customer searches a product, the customer adds the product to the cart using the Add to Cart button. On the Cart Details page, the recommendations for that product along with product details should appear along with the cart line items.

For each recommended product, display the product image, name, description, and price.

Updating Price

If you want to update price for a cart after a specific interval use the [Updating Price For A Cart](#) API.

You can use the Update Price API for your cart in the following scenarios:

- When the quantity of a product is incremented or decremented.
- When an additional product is added to your cart.
- If any additional charges apply for the product added.
- If any Adjustment whether Markup or Discounts are applied to the cart.

Viewing Price Break-up Details

If the customer wants to view the breakup of how the tiered pricing rules are applied for a given quantity / term of the line item use the [Price Breakup for a Cart or Specific Line Item](#).

The customer might want to see the breakup of how the tiered pricing rules are applied for a given quantity / term of the line item. For example:

There is a tiered pricing structure for a given quantity as follows:

- 0-20 - 5% Discount
- 21-30 - 10% Discount
- > 30 - 15% Discount

If the line item has 25 quantities then show the pricing breakup as

- Product 1 - List Price: \$10 Quantity: 20 Discount: 5% Net Price: \$190
- Product 1 - List Price: \$10 Quantity: 5 Discount: 10% Net Price: \$180

Tiered pricing is applicable in the following scenarios:


- Tiered Pricing for a Single Larger Tiers
 - Tiered Pricing defined in Price List
 - Tiered Pricing negotiated in the quote
 - Tiered pricing negotiated in pricing agreement
- Tiered Pricing for a Single Order leading to higher tier e.g. single order of quantity 25 in above case
- Tiered Pricing for new and add-on order leading to higher tier e.g. initial order of 15 and then add-on (increment) asset based order of 10 quantity
- Tiered for different price types
 - Usage Tiers
 - One time Charge Tiers
 - Recurring subscription tiers
- Ramps

The breakup details for each line item should display a cart id, line id, and price break up details, such as quantity tier, list price, base price, extended price, adjustment, and net price.


Adding Price Ramps to a Cart

After you add a line item to a cart, this API enables you to add primary and secondary ramp line items for the line item. Once the ramp line items are created, you can also update the ramp line item details or delete ramp line item details using standard SOQL queries.

When you use Apttus CPQ out of the box, invoke the ramp using the red icon to the left of the primary line item.

 Product	Standard Price	\$100.00	\$100.00	1/13/2015	2/12/2015	1	\$100.00	\$100.00	--None--		\$100	\$100.00	0.0000%	0.0000%
---	----------------	----------	----------	-----------	-----------	---	----------	----------	----------	--	-------	----------	---------	---------

Once you click the ramp icon, the ramp dialog appears:



The ramp dialog allows you to add, edit dates and quantity, make adjustments, save the changes, and cancel the changes.

Once the customer adds a ramp to a cart line item, they can do the following:

- Edit the start date, end date, quantity, adjustment type and adjustment amount based on the custom setting.
- The start date of a ramp line item defaults to the end date+1 of the previous line item.
- The end date of a ramp line item defaults to a date such that the difference between the start date and end date is the same as that of the previous line item.
- The user can add more ramp line items after or in between the ramp line items.
- The user can remove the new line before saving by clicking on the icon in the right most column.

Use the addMultiProducts API to add products to the cart.

addMultiProducts

Parameters		
Name	Type	Description
request	CPQ.AddMultiProduct RequestDO	The request data object.

Request Data Object - CPQ.AddMultiProductRequestDO		
Field	Type	Description
CartId	ID	The Id of the cart.

Request Data Object - CPQ.AddMultiProductRequestDO		
Field	Type	Description
SelectedProducts	List <CPQ.SelectedProductDO>	The list of selected product data objects.

Response Data Object - CPQ.AddMultiProductResponseDO		
Field	Type	Description
LineNumbers	List<Decimal>	The list of line numbers added to the cart.

Data Object - CPQ.SelectedProductDO		
Field	Type	Description
ProductId	ID	Id of the product bundle.
Quantity	Decimal	The bundle quantity.
SellingTerm	Decimal	The bundle selling term.
StartDate	Date	The start date. You should ensure you use the correct date format.
EndDate	Date	The end date.
Comments	String	Comments associated with the record.
CustomFields	List<String> CustomFields	List of custom fields created for your product.
CustomData	Apttus_Config2_ _LinItem__c CustomData	This can be used to include the list of custom fields you have added to the product.

Code Sample

The sample below enables you to add ramp line items after you have:

- Added Products to the cart using the AddMultiProducts APIs,
- Updated the Price for the added products using the updatePriceforCart API.
- Selected the products for which you want to add a ramp for.

Using the sample below you fetch the list of selected products for which you want to add a ramp. You also fetch the parameters for each of the selected products. For all the ramps you create, set PriceGroup as Price Ramp and PricingStatus as Pending. For a primary line item, set IsPrimaryLine__c = true, IsPrimaryRampLine__c = true, and PrimaryLineNumber__c = 1.

```

1  public void createRampLineItems()
2      {
3          List<String> rampLineItems = new List<String>();
4
5          if(lstWrapItems.size() > 0)
6          {
7              // Create a list of selected products for which you want to
create a ramp for
8              for(LineItemWrapperClass objLineItemWrapperClass :
lstWrapItems)
9                  {
10                     if(objLineItemWrapperClass.Selected)
11                     {
12                         rampLineItems.add(objLineItemWrapperClass.Name);
13                     }
14                 }
15
16                 // Sort Ramp Line Items by name
17                 rampLineItems.sort();
18
19                 Integer rampLineItemIndex = 1;
20
21                 for(String rampLineItemName : rampLineItems)
22                 {
23                     // Get Line Item parameters for the selected products
24                     Apttus_Config2__LineItem__c lineItem = [SELECT
Apttus_Config2__ItemSequence__c, Apttus_Config2__PricingStatus__c,
Apttus_Config2__PriceGroup__c,
25                     Apttus_Config2__IsPrimaryRampLine__c,
Apttus_Config2__IsPrimaryLine__c, Apttus_Config2__LineNumber__c,
Apttus_Config2__PrimaryLineNumber__c from Apttus_Config2__LineItem__c
WHERE
26                     Name=:rampLineItemName];
27
28                     //Set the parameters for each of the line items
29                     lineItem.Apttus_Config2__PriceGroup__c = 'Price Ramp';
30                     lineItem.Apttus_Config2__PricingStatus__c = 'Pending';
31                     lineItem.Apttus_Config2__LineNumber__c = 1;
32                     lineItem.Apttus_Config2__PrimaryLineNumber__c = 1;
33                     lineItem.Apttus_Config2__ItemSequence__c =
rampLineItemIndex;
34                     //For a primary line item set the following
35                     if(rampLineItemIndex == 1)

```

```

36     {
37         lineItem.Apttus_Config2__IsPrimaryLine__c = true;
38         lineItem.Apttus_Config2__IsPrimaryRampLine__c = true;
39     }
40
41     //For all secondary line items set the following
parameters
42     else
43     {
44         lineItem.Apttus_Config2__IsPrimaryLine__c = false;
45         lineItem.Apttus_Config2__IsPrimaryRampLine__c = false;
46     }
47
48     // Update Line Items
49     update lineItem;
50
51     rampLineItemIndex++;
52 }
53 }
54 else
55 {
56     ApexPages.addMessage(new
ApexPages.Message(ApexPages.severity.info, 'No line items available.));
57 }
58 }

```

Updating Taxes and Shipping for an Order

After the user has added products to the cart, you can apply taxes to each of the cart line items and shipping charges for the entire order.

- Tax and shipping can be calculated for the Quotes (Estimated tax / Shipping amount), but will be more generally used with E-Commerce orders with Pay Now scenario as the actual tax and shipping amount.

After the user has added the products to the cart, the sequence of actions is as follows:

- Customer specifies the Ship-to location.
- Once the ship to account or location is specified at the header (line item level in case of multiple ship-to locations)level, invoke the APIs to calculate Shipping as well as tax.
- Once the shipping and tax charges are calculated, the total price, shipping, and tax amount is displayed for a customer to review.
- Customer will then specify Payment option and Place the order.

Tax Calculation Workflow:

- Create Tax callback class.
- Implement tax interface `ITaxCallback2` in the callback class to call the tax engine to calculate the total tax for the cart (Quote / Order) and breakup for each line item.
- Invoke `computeTaxforCart` API to which we just pass the "CartId". The API will create the tax breakup line items as well as the total tax line for the entire cart.

Shipping Callback Workflow:

- Create Shipping callback class.
- Implement shipping interface `IShippingCallback` in the callback class to call the shipping engine to calculate the total shipping charges for the cart (Quote / Order).
- Invoke `computeShippingForCart` to which we just pass the "CartId". The API will create the shipping charges for the entire cart.

- [Sample Callback for Calculating Shipping](#)

This section comprises the sample callback class that enables you to apply an appropriate shipping charge to a cart.

- [Sample Callback for Calculating Taxes](#)

This section comprises the sample callback class that enables you to apply an appropriate tax to a cart line item.

- [To apply taxes and shipping charges](#)

Sample Callback for Calculating Shipping

This section comprises the sample callback class that enables you to apply an appropriate shipping charge to a cart.

Before you define the shipping callback ensure that you have set the following:

- If shipping charges change based on the ship to or shipping address of the account, ensure that the account associated with the proposal has both specified.
In addition, you can add additional custom fields on the quote or order line item such as Shipping Speed to calculate the shipping charge.

The sample callback class comprises the following objects:

Data Object - Apttus_Config2.ShippingInput		
Field	Type	Description
ShippingAddress	Address	Shipping Address. The address for shipping charge calculation obtained from the "Ship To" account for the line item. Accordingly, Ship To Account should be populated on each line item by the implementation.
Item	SObject	Apttus_Config2__LineItem__c. The Cart Line item. This is the reference to the cart line items. Implementation can use this cart line item to get any additional custom fields that might be needed to calculate Shipping.
Handback	Object	<p>Any Apex Object passed by the caller and passed back to the caller in the result. Handback is used only in case when the shipping needs to be calculated for an object other than Cart line item. For example, Billing Schedule line items.</p> <ul style="list-style-type: none"> • For calculating shipping for cart , there is no need to pass the Handback object. It can be blank • For calculating the Shipping for object other than line items, "Item" field will be blank and the actual object will be passed as handback object to identify object for which shipping is calculated.

Data Object - Apttus_Config2.CustomClass.ShippingResult		
Field	Type	Description
ShippingCharge	Decimal	Shipping amount total of all the cart line items. This is the total shipping amount for the line item. Line item is identified by the sequence in which the shipping result is added. This needs to be calculated and populated by the implementation.

Data Object - Apttus_Config2.CustomClass.ShippingResult		
Field	Type	Description
Handback	Object	<p>Any Apex Object passed by the calling class and passed back to the calling class in the result.</p> <p>Handback is used only in case when the shipping charge needs to be calculated for an object other than Cart line item e.g. Billing Schedule line items.</p> <ul style="list-style-type: none"> • For calculating shipping charges for a cart, there is no need to pass the Handback object. It can be blank • For calculating the shipping charges for objects other than line items, "Item" field will be blank and the actual object will be passed as handback object to identify the object for which shipping charges are calculated.

Once you have set shipping to, shipping address or shipping speed to your quote or order, create a Shipping Callback class and specify the name of the callback class in **Custom Settings > Config Custom Classes > (Edit) Custom Classes > Shipping Callback Class**.

In the sample callback class below, we fetch and create a list of all the products added to the cart. Then we fetch the shipping charges applicable for a product using an SOQL query. If a corresponding shipping code and a valid shipping charge exist for a product in the order or cart, the total shipping amount for a cart is added directly.

Sample Callback for Calculating Taxes

This section comprises the sample callback class that enables you to apply an appropriate tax to a cart line item.

Before you define the tax callback ensure that you have set the following:

- Go to the product price list item, click **Edit > Tax & Billing** and select the **Taxable?** checkbox. Also ensure that the **Tax Inclusive?** checkbox is deselected. If it is selected, the product price specified includes the tax amount.
- From the **Tax&Billing** tab, specify the tax code applicable for a product using a look up. The tax code maps to a code in an external system where various taxes, tax charges, tax types are mapped against a tax code.
- If a tax is applicable based on the billing or shipping address of the account, ensure that the account associated with the proposal has both specified.

The sample callback class comprises the following objects:

Data Object - Apttus_Config2.TaxInput		
Field	Type	Description
TaxCode	String	Tax code for the line item as inherited from the Price list item or overridden at the line item level.
TaxAddress	Address	Tax Address. Address as obtained for the line item based on precedence hierarchy specified. For example, Line Item Location ==> Line Item Ship To ==> Line Item Bill To ==> Cart Header Ship To ==> Cart Header Bill To ==> Cart Header Sold to
TaxableAmount	Decimal	Net Price from the Line Item in case the tax needs to be calculated on the Net Price. In case the tax needs to be calculated based on List or Base Price then the total amount calculated based on list or base price needs to be used from the line item to calculate tax.
Item	SObject	Apttus_Config2__LineItem__c. This is the reference to the cart line items. Implementation can use this cart line item to get any additional custom fields that might be needed to calculate tax.
Handback	Object	Any Apex Object passed by the caller and passed back to the caller in the result. Handback is used only in case when the tax needs to be calculated for an object other than Cart line item e.g. Billing Schedule line items. For calculating tax for cart line items, there is no need to pass the Handback object. It can be blank. For calculating the tax for object other than line items, "Item" field will be blank and the actual object will be passed as handback object to identify object for which tax is calculated.

Data Object - Apttus_Config2.CustomClass.TaxResult		
Field	Type	Description
TaxAmount	Decimal	This is the total amount for the line item. This is sum of the breakup tax amounts for the line item. Line item is identified by the sequence in which the tax result is added. This needs to be calculated and populated by the implementation.
TaxBreakups	List<Apttus_Config2__TaxBreakup>	Tax breakup provide the different components of the tax for a given line item. This needs to be implemented and provided by the implementation. Tax breakup has structure specified below.
Handback	Object	<p>Any Apex Object passed by the calling class and passed back to the calling class in the result.</p> <p>Handback is used only in case when the tax needs to be calculated for an object other than Cart line item e.g. Billing Schedule line items.</p> <ul style="list-style-type: none"> • For calculating tax for cart line items, there is no need to pass the Handback object. It can be blank • For calculating the tax for object other than line items, "Item" field will be blank and the actual object will be passed as handback object to identify object for which tax is calculated.

Data Object - Apttus_Config2__TaxBreakup		
Field	Type	Description
TaxType	String	Type of tax to be applied. For example, sales, custom, excise
TaxRate	Decimal	Tax percentage to be applied

Data Object - Apttus_Config2__TaxBreakup		
Field	Type	Description
TaxAppliesTo	String	The field on which the tax is applied to. For example, net price.
TaxAmount	Decimal	The tax amount calculated based on the formulae defined in the callback.
BreakupType	String	If you specify the breakup type as Detail, then the quote or order line items show the detailed tax break up for a cart line item.

Tax Breakup Type Example

Breakup Type	Tax Type	Tax Rate	Tax Applies to	Tax Amount
Detail	State Tax	10	Net Price	100
Detail	City Tax	1	Net Price	10
Total				110

Data Object - Apttus_Config2. CustomClass.Address	
Field	Type
Street	String
City	String
State	String
County	String
PostalCode	String
Country	String

Once you have set a Tax Code for each price list item, create a Tax Callback class and specify the name of the callback class in **Custom Settings > Config Custom Classes > (Edit) Custom Classes > Tax Callback Class**.

In the sample callback class below, we fetch and create a list of all the products added to the cart. Then we fetch the tax charges applicable for a product using an SOQL query. If a corresponding tax code and a valid tax charge exists for a product in the order or quote line item, the total tax amount for a product is calculated using the formula- $\text{taxAmount} += (\text{taxRate} \neq \text{null} ? (\text{taxRate} * \text{input.TaxableAmount}) / 100 : 0)$. After the total tax on a product is calculated, you can list the tax break up based on Tax types applied for each of the order or quote line items. The sample callback lists the parameters applicable for a tax break up. If you want to apply tax to shipping charges as well, you can capture shipping amount for each line item in a custom field and use the total amount (Net Price + Shipping Amount) from the line item to calculate tax. In this case shipping should be calculated first and then tax.

In the sample callback class, tax is calculated using hardcoded rates. For actual implementations, tax rates and tax amounts are fetched from external Tax calculation engines such as Avalara and Vertex to calculate tax.

```

1  /**
2   * Apttus Config & Pricing
3   * QATaxCallBack
4   *
5   * @2013-2014 Apttus Inc. All rights reserved.
6   */
7  global with sharing class QATaxCallBack implements
8     Apttus_Config2.CustomClass.ITaxCallback2 {
9
10     /**
11     * Callback invoked to compute tax based on the given input
12     * @param input the tax input
13     * @return the tax result
14     */
15     global Apttus_Config2.CustomClass.TaxResult
16     computeTax(Apttus_Config2.CustomClass.TaxInput input) {
17         // Compute Tax
18         system.debug('Entering into computeTax');
19         List<Apttus_Config2.CustomClass.TaxResult> results =
20         computeTaxMultiple(new Apttus_Config2.CustomClass.TaxInput[]{input});
21         return (!results.isEmpty() ? results[0] : new
22         Apttus_Config2.CustomClass.TaxResult());
23     }
24
25     /**
26     * Callback invoked to compute tax based on the given list of inputs
27     * @param inputs the list of tax inputs
28     * @return the list of tax results
29     */
30     global List<Apttus_Config2.CustomClass.TaxResult>
31     computeTaxMultiple(List<Apttus_Config2.CustomClass.TaxInput> inputs) {
32
33         List<Apttus_Config2.CustomClass.TaxResult> results = new
34         List<Apttus_Config2.CustomClass.TaxResult>();
35
36         for (Apttus_Config2.CustomClass.TaxInput input : inputs) {
37
38             Decimal taxAmount = 0;
39
40             Apttus_Config2.CustomClass.TaxResult result = new
41             Apttus_Config2.CustomClass.TaxResult();
42
43             List<Apttus_Config2__TaxBreakup__c> taxBreakUps = new
44             List<Apttus_Config2__TaxBreakup__c>();

```

```

37
38         // Add the handback object to correlate the result with the
input
39         result.Handback = input.Handback;
40
41         // Compute tax based on tax code and tax address
42
43         // Tax Code is required
44         if (input.TaxCode == null || input.TaxCode.trim().length() ==
0 || input.TaxableAmount == null || input.TaxableAmount == 0) {
45
46             // Tax Amount
47             result.TaxAmount = 0;
48         } else {
49
50             List<QA_Tax_Rate__c> accountTaxRates = new
List<QA_Tax_Rate__c>();
51
52             SObject sObj = input.Item;
53             Id taxCodeId = (Id)
sObj.get('Apttus_Config2__TaxCodeId__c');
54
55             accountTaxRates = [SELECT Id, Name, Tax_Applies_To__c,
Tax_Rate__c, Tax_Type__c
56             FROM QA_Tax_Rate__c
57             WHERE Tax_Code__c =: taxCodeId];
58
59             for(QA_Tax_Rate__c accountTaxRate : accountTaxRates) {
60
61                 Decimal taxRate = accountTaxRate.Tax_Rate__c;
62                 String taxAppliesTo =
accountTaxRate.Tax_Applies_To__c;
63                 String taxType = accountTaxRate.Tax_Type__c;
64
65                 Apttus_Config2.CustomClass.Address addr =
input.TaxAddress;
66
67                 // Calculate Tax Amount
68                 taxAmount += (taxRate != null ? (taxRate *
input.TaxableAmount) / 100 : 0);
69
70                 // Calculate Tax BreakUps

```



```

71         Apttus_Config2__TaxBreakup__c taxBreakUp = new
Apttus_Config2__TaxBreakup__c();
72         taxBreakUp.Apttus_Config2__TaxType__c = taxType;
73         taxBreakUp.Apttus_Config2__TaxRate__c = taxRate;
74         taxBreakUp.Apttus_Config2__TaxAppliesTo__c =
taxAppliesTo;
75         taxBreakUp.Apttus_Config2__TaxAmount__c = taxRate *
input.TaxableAmount / 100;
76         taxBreakUp.Apttus_Config2__BreakupType__c = 'Detail';
77
78         taxBreakUps.add(taxBreakUp);
79     }
80
81
82         result.TaxBreakups = taxBreakUps;
83         result.TaxAmount = taxAmount;
84     }
85     results.add(result);
86 }
87     return results;
88 }
89 }

```

To apply taxes and shipping charges

1. Create a cart using the [Creating a Cart from a Quote](#).
2. Browse products by categories and subcategories using the search text entered by the user by utilizing [Retrieving Products and List Prices For a Price List Category and Search Text](#) and [Retrieving Products and List Prices For a Price List and Search Text](#). Using this API, the customer can search for a product directly or select a category and enter search text to refine the search further.
3. Browse for categories and option groups using [Retrieving Categories for a Price List](#) and [Retrieving Option Groups, Options, and List Prices for a Price List Product](#).
4. Browse for products using [Retrieving Products and List Prices for a Price List](#) and [Retrieving Products and List Prices for a Price List and Category](#).
5. Compare the displayed products using [Comparing Products](#).
6. Add products to the cart by using [Adding Products to a Cart](#) and [Adding a Bundle to a Cart](#).
7. Update the price using [Updating Price For A Cart](#).
8. Finalize the cart using [Finalizing a Cart's Contents](#).
9. Define the Tax and Shipping Callbacks using [Sample Callback for Calculating Taxes](#) and [Sample Callback for Calculating Shipping](#).

10. Specify the Callback class names at **Custom Settings > Config Custom Classes (Edit) > Tax Callback and Shipping Callback**.
11. Apply the taxes and shipping charges using [Computing Taxes for Cart Line Items](#) and [Computing Shipping for Cart Line Items](#). The Tax API creates and populates - the tax breakup for each applicable line item in the cart and the total Tax line and related breakup. The shipping API calculates the shipping amount for the entire order.
12. Update the Order Line Items using [Synchronizing a Cart](#).

Creating and Updating Quote and Quote Line Items

A customer with a valid account can create a quote from an existing opportunity. Using the Quote ID and a valid price list, you can create a cart from scratch and by browsing the product catalog you can navigate for a product and select the required product manually or can search for a product. You can enable searches using the search text field in the cart page and enable the user to search for a desired product by category, sub-category, or options available with the product. This section lists all the possible scenarios for which a customer can create a quote and or view a product listing.

To create and update quote and quote line items

1. Create a cart using the [Creating a Cart from a Quote](#).
2. Browse products by categories and subcategories using the search text entered by the user by utilizing [Retrieving Products and List Prices For a Price List Category and Search Text](#) and [Retrieving Products and List Prices For a Price List and Search Text](#). Using this API, the customer can search for a product directly or select a category and enter search text to refine the search further.
3. Browse for categories and option groups using [Retrieving Categories for a Price List](#) and [Retrieving Option Groups, Options, and List Prices for a Price List Product](#).
4. Browse for products using [Retrieving Products and List Prices for a Price List](#) and [Retrieving Products and List Prices for a Price List and Category](#).
5. Compare the displayed products using [Comparing Products](#).
6. Add products to the cart by using [Adding Products to a Cart](#) and [Adding a Bundle to a Cart](#).
7. Update the price using [Updating Price For A Cart](#).
8. Finalize the cart using [Finalizing a Cart's Contents](#).
9. Update the Quote Line Items using [Synchronizing a Cart](#).

Creating and Updating Order and Order Line Items

A customer with a valid account can create an order from an existing opportunity. Using the order ID and a valid price list, you can create a cart from scratch and by browsing the product catalog you can navigate for a product and select the required product manually or can search for a product. You can enable searches using the search text field in the cart page and enable the user to search for a desired product by category, sub-category, or options available with the product. This section lists all the possible scenarios for which a customer can create a order and or view a product listing.

To create and update order and order line items

1. Create an order using [Creating an Order](#)
2. Create a cart for an order using [Creating a Cart for an Order](#).
3. Browse products by categories and subcategories using the search text entered by the user by utilizing [Retrieving Products and List Prices For a Price List Category and Search Text](#) and [Retrieving Products and List Prices For a Price List and Search Text](#). Using this API, the customer can search for a product directly or select a category and enter search text to refine the search further.
4. Browse for categories and option groups using [Retrieving Categories for a Price List](#) and [Retrieving Option Groups, Options, and List Prices for a Price List Product](#).
5. Browse for products using [Retrieving Products and List Prices for a Price List](#) and [Retrieving Products and List Prices for a Price List and Category](#).
6. Compare the displayed products using .
7. Add products to the cart by using [Adding Products to a Cart](#) and [Adding a Bundle to a Cart](#).
8. Update the price using [Updating Price For A Cart](#).
9. Update the order line items using [Synchronizing a Cart to an Order](#).
10. Create Asset Line Items using [Create Asset Line Items for an Order](#).

For more information on the Orders APIs, refer to *Order Management on Salesforce Spring 2018 SOAP API Guide*.

Asset Based Ordering

The end user or a renewals manager can view and modify products that the organization owns and should be able to filter the assets to renew orders. Display and modify the assets that belong to a company based on the following criteria:

- All assets with recurring, usage, and one-time charge types for which renewal date is approaching.
- All licenses that expire within 30, 60, or 90 days.
- Expired licenses.
- All services that expire in 30 days.
- All assets that are in the End of Life or End of Sale state by the vendor.
- All services that are no longer active or are cancelled should be displayed.
- All software licenses setup for a site.
- All products under the CPQ product category.

The assets should be filtered and displayed based on asset status, price type, and subscription expiration.

The displayed results of the asset list the product name, ID, asset name, asset ID, SKU ID, quantity, price type, price UOM, purchase date, start and end date, base price, adjustment, net price, asset status, and renewal term.

To view assets

Retrieve asset results that fulfill the criteria using the [Retrieving Asset Line Items](#) API. Using this API, you can fetch the assets.

To modify assets

1. Retrieve asset results that fulfill the criteria using the [Retrieving Asset Line Items](#) API. Using this API, you can fetch the assets.
2. You can renew, amend, increment, or terminate the assets using the code snippets for [Modifying Assets \(Deprecated\)](#).

To create assets from orders

Create assets from an order using the Create Asset Line Items for an Order API. Using this API, you can create assets.

Finalizing the Cart

The customer can finalize the cart in the following scenarios:

- All the required products have been added.
- All requisite prices have been adjusted accordingly.

Invoke the [Finalizing a Cart's Contents](#) to enable the user to finalize the cart.

Updating Quote Terms to Modify Dates

For a finalized quote, a customer can choose to apply add-ons. The term, validity period, and pricing have to be recalculated after the quote is finalized, approved, and a subsequent proposal is generated. Use the [Updating Quote Terms](#) to achieve the scenarios highlighted.

The *updateQuoteTerms* API behavior is as follows:

- Update the carts in Finalized or Ready for Finalization status. The latest cart from the quote in any of the two statuses are used as basis to updating the quote.
- Create a new version of the cart in case of Finalized cart and supersede the current version of the cart. The status of the new version of the cart will be same as the status of the current version of the cart. If the cart was in Finalized status, the new cart will also be in finalized status and system will update the "Finalized date" on the quote header.
- Auto-Synch cart line items with the Proposal Line Items.

To synchronize cart and update quote

1. Finalize the cart using the [Finalize Cart](#) API.
2. Synchronize the finalized cart with the quote using the [Synchronize](#) API.
3. Update the selling terms of the products associated to the quote using the [Update Quote Terms](#) API.

Apttus Copyright Disclaimer

Copyright © 2021 Apttus Corporation (“Apttus”) and/or its affiliates. All rights reserved.

No part of this document, or any information linked to or referenced herein, may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written consent of Apttus. All information contained herein is subject to change without notice and is not warranted to be error free.

This document may describe certain features and functionality of software that Apttus makes available for use under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not, in any form, or by any means, use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part of the software. Reverse engineering, disassembly, decompilation of, or the creation of derivative work(s) from, the software is strictly prohibited. Additionally, this document may contain descriptions of software modules that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document.

U.S. GOVERNMENT END USERS: Apttus software, including any operating system(s), integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Neither the software nor the documentation were developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Apttus and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Apttus and X-Author are registered trademarks of Apttus and/or its affiliates.

The documentation and/or software may provide links to Web sites and access to content, products, and services from third parties. Apttus is not responsible for the availability of, or any content provided by third parties. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the

relationship is directly between you and the third party. Apttus is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Apttus is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

For additional resources and support, please visit <https://community.conga.com>.

DOC ID: CPQSFSUM20APIGREVA20210224