



TurboEngines




Table of Contents

- Release Notes.....7
 - Spring21.02.18 Release Notes.....7
 - Packages.....8
 - System Requirements and Supported Platforms.....8
 - New Features.....8
 - Enhancements.....9
 - Fixed Issues.....9
 - Known Issues9
- Spring21.01.21 Release Notes.....10
 - Packages.....10
 - System Requirements and Supported Platforms.....11
 - New Features.....11
 - Enhancements.....11
 - Fixed Issues.....12
 - Known Issues12
- Spring21.01.07 Release Notes13
 - Packages.....13
 - System Requirements and Supported Platforms.....14
 - New Features.....14
 - Enhancements.....14
 - Fixed Issues.....15
 - Known Issues15
- Spring21.12.17 Release Notes16
 - Packages.....17
 - System Requirements and Supported Platforms.....17
 - New Features.....17
 - Enhancements.....18
 - Fixed Issues.....18
 - Known Issues18

Spring21.11.12 Release Notes	19
Packages.....	19
System Requirements and Supported Platforms	20
New Features.....	20
Enhancements.....	20
Fixed Issues.....	20
Known Issues	22
Spring21.10.08 Release Notes.....	23
Packages.....	24
System Requirements and Supported Platforms	24
New Features.....	25
Enhancements.....	25
Fixed Issues.....	25
Known Issues	27
Spring21.09.24 Release Notes	28
Packages.....	28
System Requirements and Supported Platforms	29
New Features.....	30
Enhancements.....	30
Fixed Issues.....	30
Known Issues	31
Spring21.09.09 Release Notes	32
Packages.....	33
System Requirements and Supported Platforms	33
New Features.....	34
Enhancements.....	34
Fixed Issues.....	35
Known Issues	35
Spring21.08.27 Release Notes.....	36
Packages.....	37
System Requirements and Supported Platforms	37
New Features.....	38
Enhancements.....	38

Resolved Issues	38
Known Issues	39
Spring21.08.20 Release Notes.....	39
Packages.....	40
System Requirements and Supported Platforms.....	40
New Features.....	41
Enhancements.....	42
Resolved Issues	42
Known Issues	43
Spring21.08.06 Release Notes	43
Packages.....	44
System Requirements and Supported Platforms.....	45
New Features.....	45
Enhancements.....	45
Resolved Issues	45
Known Issues	46
Spring21.07.23 Release Notes	46
Packages.....	47
System Requirements and Supported Platforms.....	47
New Features.....	48
Enhancements.....	48
Resolved Issues	48
Known Issues	49
Spring21.06.25 Release Notes.....	49
Packages.....	50
System Requirements and Supported Platforms.....	50
New Features.....	51
Enhancements.....	51
Resolved Issues	52
Known Issues	52
Spring21.06.11 Release Notes.....	53
Packages.....	53
System Requirements and Supported Platforms.....	54

New Features.....	54
Enhancements.....	55
Resolved Issues	56
Known Issues	57
Spring21.05.28 Release Notes.....	57
Packages.....	58
System Requirements and Supported Platforms	59
New Features.....	59
Enhancements.....	60
Resolved Issues	60
Known Issues	60
Spring21.05.14 Release Notes.....	60
Packages.....	61
System Requirements and Supported Platforms	62
New Features.....	62
Enhancements.....	62
Resolved Issues	62
Known Issues	62
Spring21.03.12 Release Notes	63
Packages.....	63
System Requirements and Supported Platforms	64
New Features.....	64
Enhancements.....	65
Resolved Issues	67
Known Issues	67
Spring '21 Release Notes	67
Packages.....	68
System Requirements and Supported Platforms	68
New Features.....	69
Enhancements.....	71
Resolved Issues	72
Known Issues	72
TurboEngines Documentation.....	75

About TurboEngines	75
About TurboConfig.....	76
About TurboPricing.....	80
Installing TurboPricing Assessment Package.....	90
What's New in TurboEngines Documentation.....	90
TurboEngines for Administrators	95
Configuring Conga TurboEngines.....	97
Frequently Asked Questions (TurboConfig)	142
TurboEngines Data Sync Documentation.....	145
About TurboEngines Data Sync.....	145
About TurboEngines	145
About the TurboEngine Data Sync Flow.....	145
About Consumer Profiles.....	146
Data Sync Prerequisites	146
Key Terms	147
What's New in Data Sync Documentation.....	147
TurboEngines Data Sync for Administrators	149
Navigating the Data Sync Admin User Interface	151
Managing Sync Settings	153
Working with Data Sync Run History	162
Appendices	170
REST API Guide	173
About REST API Guide.....	173
What's New in API Guide	174
About TurboEngines - Rest API.....	174
Turbo DataSync APIs.....	175
TurboEngines Feature by Release.....	176
Features by Release.....	176


Release Notes

Review the latest TurboEngines release notes that describe the system requirements and supported platforms, new features, enhancements, resolved issues, and known issues.

- [Spring21.02.18 Release Notes](#)
- [Spring21.01.21 Release Notes](#)
- [Spring21.01.07 Release Notes](#)
- [Spring21.12.17 Release Notes](#)
- [Spring21.11.12 Release Notes](#)
- [Spring21.10.08 Release Notes](#)
- [Spring21.09.24 Release Notes](#)
- [Spring21.09.09 Release Notes](#)
- [Spring21.08.27 Release Notes](#)
- [Spring21.08.20 Release Notes](#)
- [Spring21.08.06 Release Notes](#)
- [Spring21.07.23 Release Notes](#)
- [Spring21.06.25 Release Notes](#)
- [Spring21.06.11 Release Notes](#)
- [Spring21.05.28 Release Notes](#)
- [Spring21.05.14 Release Notes](#)
- [Spring21.03.12 Release Notes](#)
- [Spring '21 Release Notes](#)

Spring21.02.18 Release Notes

In these release notes, you can find packages, requirements, features, enhancements, fixed issues, and known issues for the TurboEngines Spring21.02.18 release. For documentation updates, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

 This documentation may describe optional features for which you have not purchased a license; therefore your solution or implementation may differ from what is described here. Contact your Customer Success Manager (CSM) or Account Executive (AE) to discuss your specific features and licensing.

Packages

The following packages and dependencies are required to upgrade to this release and use its new features. These are the minimum required versions; later versions are also supported. Prerequisites for each feature can be found in its documentation. Packages marked **(New)** are new for this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.140 13.1882.140



- Before upgrading CPQ for TurboEngines to Spring21.10.08 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.
- You must update the tenant configuration collection of TurboConfig with the following attribute with the help of CloudOps.
 - `"RulesResponseType" : "Optimized"`



Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

For requirements and recommendations to consider before installing the Conga product suite, see [System Requirements and Supported Platforms Matrix](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

There are no enhancements in this release.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
NA	LS-9018	The net price of the first ramp is automatically copied to all ramp lines.
00781965	CPQ-54161	When usage price Tiers are applied for a product in the cart, the Reprice button becomes unresponsive.

Known Issues

The following table provides the cumulative list of known issues up to this release.


Conga Internal ID	Description
LS-8892	The Conditional charge type with multiple charge type criteria does not work as intended.
LS-8890	Multiple conditions with Attributes is not meeting the criteria resulting incorrect base price and net price values on the cart page.
LS-8986	You can not apply promotion on both standalone and bundle products along with tier promotions.
LS-8885	You encounter the following error when you add the product to the cart even though the data sync is completed successfully. <code>"insufficient access rights on cross-reference id"</code>

Conga Internal ID	Description
LS-8302	During product configuration, clicking the Options tab removes error messages in the COF rule.
LS-7969	In TurboPricing and TurboConfig mode, when you add Favorite products to the Cart, the progress bar restarts mid-way.
LS-8329	The cart page does not display any product after reconfiguring when the inactive product is added through the PLI rule.
LS-6741	When you configure products in a quote submitted for approval in read-only mode, a updatePrice remote call appears on the console's network tab.
LS-8069	The cart page performs the pricing even though there is a validation callback error.
LS-8037	The saved tier line details do not appear on the tier popup window.

DOC ID: CTESPR21PRN20220218

Spring21.01.21 Release Notes

In these release notes, you can find packages, requirements, features, enhancements, fixed issues, and known issues for the TurboEngines Spring21.01.21 release. For documentation updates, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

 This documentation may describe optional features for which you have not purchased a license; therefore your solution or implementation may differ from what is described here. Contact your Customer Success Manager (CSM) or Account Executive (AE) to discuss your specific features and licensing.

Packages

The following packages and dependencies are required to upgrade to this release and use its new features. These are the minimum required versions; later versions are also

supported. Prerequisites for each feature can be found in its documentation. Packages marked **(New)** are new for this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.138 13.1882.138

- ❗ Before upgrading CPQ for TurboEngines to Spring21.10.08 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.
- You must update the tenant configuration collection of TurboConfig with the following attribute with the help of CloudOps.
 - `"RulesResponseType" : "Optimized"`

- ❗ Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

For requirements and recommendations to consider before installing the Conga product suite, see [System Requirements and Supported Platforms Matrix](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

There are no enhancements in this release.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
NA	LS-8800	When you modify the usage tier value, the cart page does not reprice the line item and restore the usage tier value.
00781675	LS-8767	You can not reprice the cart after updating the maintenance on a quote.
NA	LS-8854	When you click the Add More Products button after selecting the option, you encounter an error on the catalog page

Known Issues

The following table provides the cumulative list of known issues up to this release.


Conga Internal ID	Description
LS-8892	The Conditional charge type with multiple charge type criteria does not work as intended.
LS-8890	Multiple conditions with Attributes is not meeting the criteria resulting incorrect base price and net price values on the cart page.
LS-8986	You can not apply promotion on both standalone and bundle products along with tier promotions.
LS-8885	You encounter the following error when you add the product to the cart even though the data sync is completed successfully. <code>"insufficient access rights on cross-reference id"</code>

Conga Internal ID	Description
LS-8302	During product configuration, clicking the Options tab removes error messages in the COF rule.
LS-7969	In TurboPricing and TurboConfig mode, when you add Favorite products to the Cart, the progress bar restarts mid-way.
LS-8329	The cart page does not display any product after reconfiguring when the inactive product is added through the PLI rule.
LS-6741	When you configure products in a quote submitted for approval in read-only mode, a updatePrice remote call appears on the console's network tab.
LS-8069	The cart page performs the pricing even though there is a validation callback error.
LS-8037	The saved tier line details do not appear on the tier popup window.

DOC ID: CTESPR21PRN20220121

Spring21.01.07 Release Notes

In these release notes, you can find packages, requirements, features, enhancements, fixed issues, and known issues for the TurboEngines Spring21.01.07 release. For documentation updates, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

 This documentation may describe optional features for which you have not purchased a license; therefore your solution or implementation may differ from what is described here. Contact your Customer Success Manager (CSM) or Account Executive (AE) to discuss your specific features and licensing.

Packages

The following packages and dependencies are required to upgrade to this release and use its new features. These are the minimum required versions; later versions are also

supported. Prerequisites for each feature can be found in its documentation. Packages marked **(New)** are new for this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.134 13.1882.134



- Before upgrading CPQ for TurboEngines to Spring21.10.08 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.
- You must update the tenant configuration collection of TurboConfig with the following attribute with the help of CloudOps.
 - `"RulesResponseType" : "Optimized"`



Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

For requirements and recommendations to consider before installing the Conga product suite, see [System Requirements and Supported Platforms Matrix](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

There are no enhancements in this release.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
00775003	LS-8819	You encounter a Price list item not found error while configuring the product in turbo flow.
00781675	LS-8767	The replace option on the cart page does not work after updating the maintenance for the quote.
00776652	LS-8323	When you complete the selection of attributes quickly triggers the constraint rule with criteria on extension objects inappropriately, resulting in incorrect pricing.
NA	LS-8716	After resetting the approval criteria condition, the finalize button does not set as a primary option on the cart page.

Known Issues

The following table provides the cumulative list of known issues up to this release.


Conga Internal ID	Description
LS-8891	The cart page displays the incorrect base price total after updating the custom field value.
LS-8892	The Conditional charge type with multiple charge type criteria does not work as intended.
LS-8890	Multiple condition with Attributes is not meeting the criteria resulting incorrect base price and net price values on the cart page.
LS-8885	You encounter the following error when you add the product to the cart even though the data sync is completed successfully. <div>"insufficient access rights on cross-reference id"</div>

Conga Internal ID	Description
LS-8881	You encounter the following error while finalizing the cart after adding new price list items and expired or inactive or deleted existing price list items. <code>"entity is deleted"</code>
LS-8302	During product configuration, clicking the Options tab removes error messages in the COF rule.
LS-7969	In TurboPricing and TurboConfig mode, when you add Favorite products to the Cart, the progress bar restarts mid-way.
LS-8329	The cart page does not display any product after reconfiguring when the inactive product is added through the PLI rule.
LS-6741	When you configure products in a quote submitted for approval in read-only mode, a updatePrice remote call appears on the console's network tab.
LS-8069	The cart page performs the pricing even though there is a validation callback error.
LS-8037	The saved tier line details do not appear on the tier popup window.

DOC ID: CTESPR21PRN20220107

Spring21.12.17 Release Notes

In these release notes, you can find packages, requirements, features, enhancements, fixed issues, and known issues for the TurboEngines Spring21.12.17 release. For documentation updates, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

 This documentation may describe optional features for which you have not purchased a license; therefore your solution or implementation may differ from what is described here. Contact your Customer Success Manager (CSM) or Account Executive (AE) to discuss your specific features and licensing.

To access the learning path, including overviews and demonstrations of this release's updated features and enhancements, visit the [Conga Learning Center](#).

Packages

The following packages and dependencies are required to upgrade to this release and use its new features. These are the minimum required versions; later versions are also supported. Prerequisites for each feature can be found in its documentation. Packages marked **(New)** are new for this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.128 13.1882.128



- Before upgrading CPQ for TurboEngines to Spring21.10.08 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.
- You must update the tenant configuration collection of TurboConfig with the following attribute with the help of CloudOps.
 - `"RulesResponseType" : "Optimized"`



Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

For requirements and recommendations to consider before installing the Conga product suite, see [System Requirements and Supported Platforms Matrix](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

There are no enhancements in this release.

Fixed Issues

The following table lists the issue fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
NA	LS-7967	The expired or inactive PLI product is not deleted in the turbo quote after revalidation.

Known Issues


The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-8302	During product configuration, clicking the Options tab removes error messages in the COF rule.
LS-7969	In TurboPricing and TurboConfig mode, when you add Favorite products to the Cart, the progress bar restarts mid-way.
LS-8329	The cart page does not display any product after reconfiguring when the inactive product is added through the PLI rule.
LS-6741	In read-only mode, when you configure products in a quote submitted for approval, a updatePrice remote call appears on the console's network tab.
LS-8069	The cart page performs the pricing even though there is a validation callback error.
LS-8037	The saved tier line details do not appear on the tier popup window.

DOC ID: CTESPR21PRN20211217

Spring21.11.12 Release Notes

In these release notes, you can find packages, requirements, features, enhancements, fixed issues, and known issues for the TurboEngines Spring21.11.12 release. For documentation updates, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).


 This documentation may describe optional features for which you have not purchased a license; therefore your solution or implementation may differ from what is described here. Contact your Customer Success Manager (CSM) or Account Executive (AE) to discuss your specific features and licensing.


To access the learning path, including overviews and demonstrations of this release's updated features and enhancements, visit the [Conga Learning Center](#).

Packages

The following packages and dependencies are required to upgrade to this release and use its new features. These are the minimum required versions; later versions are also supported. Prerequisites for each feature can be found in its documentation. Packages marked **(New)** are new for this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.124 13.1882.124

- 
- Before upgrading CPQ for TurboEngines to Spring21.10.08 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.
 - You must update the tenant configuration collection of TurboConfig with the following attribute with the help of CloudOps.
 - `"RulesResponseType" : "Optimized"`

-  Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

For requirements and recommendations to consider before installing the Conga product suite, see [System Requirements and Supported Platforms Matrix](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.


Enhancements

There are no enhancements in this release.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
00773690	LS-8194	In the turbo flow, all products selected during the configuration are removed from the cart page automatically.

Case Number	Conga Internal ID	Description
NA	LS-8029	<p>When you try to reconfigure the saved cart using Quick Launch (TC+TP), the location dropdown does not display the values.</p> <p>Workaround: Navigate to Setup > Custom Settings > Config Header Criteria Fields Detail. Add all available quote__r fields as mentioned below.</p> 
PST-1995	LS-8284	<p>During product configuration,</p> <ul style="list-style-type: none"> • The recently added option does not appear on the configuration page. • The Option Filter Callback is not triggered when you click the pending configuration (wrench) icon on the cart page. • The deactivated rule does not select the dependent options.
PST-1948	LS-8192	In the turbo flow, the option's quantity is adjusted to 1 irrespective of the default bundle structure level value.
00773962	LS-8185	The cart page displays the auto-included product even though the conditions are not satisfied.
PST-1919	LS-8174	If there are two bundles on the cart page and you change the quantity for bundle 1, bundle 2 changes to <i>Pending</i> and the cart page displays an incorrect value as a total.
PST-1908	LS-8094	During cloned quote configuration, the configuration page displays the incorrect product and status.
PST-1744	LS-7571	The auto inclusion or exclusion of options takes more time to update the values in the Turbo flow.
NA	LS-8027	Unchecking Approval Required does not enable Finalize button.
00772598	LS-8113	The screen flickers intermittently when you add Attribute Value Matrix to the product.

Case Number	Conga Internal ID	Description
PST-1906	LS-8096	The auto-inclusion rule does not work as intended when you update the options in the turbo quote.

Known Issues


The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-8303	You cannot finalize the quote after configuring the bundle.
LS-8302	During product configuration, clicking the Options tab removes error messages in the COF rule.
LS-7969	The expired or inactive PLI product is not deleted in the turbo quote after revalidation.
LS-8329	The cart page does not display any product after reconfiguring when the inactive product is added through the PLI rule.
LS-6741	In read-only mode, when you configure products in a quote submitted for approval, a updatePrice remote call appears on the console's network tab.
LS-8127	The cart becomes unresponsive on a updateCartLineItem API error.
LS-8169	The proposal status changes to the Approval Required when you finalize the approved configuration.
LS-8027	When you revert approval-required criteria, the cart page displays Submit for Approval as the primary action button and disables the Finalize option.
LS-8029	When you reconfigure a saved cart, values in the location dropdown disappear.
LS-8069	The cart page performs the pricing even though there is a validation callback error.

Conga Internal ID	Description
LS-8037	The saved tier line details do not appear on the tier popup window.
LS-7834	Duplicate options are created when you select and deselect the condition products in the cloned bundle.
LS-7787	The following error is displayed when you add a miscellaneous item to the cart. <code>'Attempt to de-reference a null object line#-->38'</code>
LS-7318	If you add a negative value to the Quantity field, the TurboPricing engine throws a <code>'Quantity must be greater than or equal to 0'</code> error and the cart page becomes unresponsive.

DOC ID: CTESPR21PRN20211117

Spring21.10.08 Release Notes

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.


- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Fixed Issues](#): Lists customer-reported issues that are fixed in this release or known issues fixed from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release


For more information on new features, enhancements, and document improvements, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in that feature's documentation. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.114 13.1882.114


 Before upgrading CPQ for TurboEngines to Spring21.10.08 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

The following enhancement is new to Conga TurboEngines in this release.

TurboPricing: Progress Bar

The cart page is enhanced with a progress bar to visualize the progression of your activity on the cart page.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
PST-1868	LS-7954	Data sync does not consider the product changes or associations of attributes when the data sync is in progress.

Case Number	Conga Internal ID	Description
NA	LS-7967	In the Turbo flow, Inactive or expired priceList Items are not removed from the cart page after revalidation.
00770347	LS-7906	In the TurboPricing flow, you can apply adjustments to the LineItem even though the <i>Allow manual Adjustment</i> flag is set to false.
NA	LS-7322	In the TurboPricing flow, the warning messages disappear after one minute.
NA	LS-6301	In the TurboPricing flow, the cart page displays the error message even after making the changes and repricing.
NA	LS-7749	The roll-up lines appear in the cart when you revalidate after removing an option product's price list item.
PST-1832	LS-7947	The default select option is not selected in the nested bundles when you invoke the auto inclusion constraint rule for the second time.
PST-1865	LS-7953	When you migrate the quote from Salesforce classic to Turbo, CPQ triggers the additional rule and adds an extra option to the quote.
00771326	LS-7962	The option remains disabled after adding a value to the paskey attribute.
00771752	LS-7976	The cart page triggers the constraint rule even though the condition has not been met.
00771733	LS-7972	In the TurboConfig flow, the pricing gets stuck for specific products.
00770951	LS-7952	In the TurboConfig flow, the option is not getting default for few bundles.

The following table lists the known issues fixed from the previous release.

Conga Internal ID	Description
LS-7667	When any other actions are in progress, the value of approval status disappears automatically from both configuration and cart pages.
LS-7847	The Submit for Approval button is set as the primary action button and status as <i>Approval Required</i> even though the cart is approved.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-8169	The proposal status changes to the Approval Required when you finalize the approved configuration.
LS-8027	When you revert approval required criteria, the cart page displays Submit for Approval as the primary action button and disables the Finalize option.
LS-8029	When you reconfigure the saved cart, values in the location dropdown disappear.
LS-8069	The cart page performs the pricing even though there is a validation callback error.
LS-8037	The saved tier line details do not appear on the tier popup window.
LS-7834	Duplicate options get created when you select and deselect the condition products in the cloned bundle.
LS-7787	<p>The following error is displayed when you add the miscellaneous item to the cart.</p> <pre>'Attempt to de-reference a null object line#-->38'</pre>

Conga Internal ID	Description
LS-7318	If you add the negative value in the quantity field, the TurboPricing engine throws a 'Quantity must be greater than or equal to 0' error, and the cart page becomes unresponsive.


DOC ID: CTESPR211008RN

Spring21.09.24 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.09.24 Release.

For more information on new features, enhancements, and document improvements, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Fixed Issues](#): Lists customer-reported issues that are fixed in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release


 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.


Packages

The following packages and dependent packages must upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also

supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as (New) are new in this release.


Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.109 13.1882.109

 Before upgrading CPQ for TurboEngines to Spring21.09.24 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.9.1 or later.

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

There are no new enhancements in this release.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
00769811	LS-7904	You encounter the following error If you click the Reprice button after selecting or changing the location. <i>"Error - Could not resolve remote action: updateCartLineItemsQuietly"</i>
NA	LS-7647	When you copy or delete products under section view, you observe: <ol style="list-style-type: none"> 1. Entity deleted error on the cart page, and also the dropdown beside the Reprice button is disabled 2. Incorrect line sequence in all the views. 3. Deleted products in section view are available in other views
PST-1706	LS-7308	When you configure an Azurion Product, you encounter a price mismatch error.
00113853	LS-6351	When you configure products in <i>Read-Only</i> mode, you see a revalidation message on the cart page.

The following table lists the known issues resolved from the previous release.

Conga Internal ID	Description
LS-7749	The roll-up lines appear in the cart if you revalidate after removing an option product's price list item.
LS-7735	The options are not loading while configuring a product with Price Method as <i>Related Price</i> .
LS-7838	The following error appears on the cart page after selecting or changing the location or performing Reprice. <div>Error - Could not resolve remote action: updateCartLineItemsQuietly'.</div>

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-8027	When you revert approval required criteria, the cart page displays Submit for Approval as the primary action button and disables the Finalize option.
LS-8029	When you reconfigure the saved cart, values in the location dropdown disappear.
LS-7667	When any other actions are in progress, the value of approval status disappears automatically from both the configuration and cart page.
LS-7847	The Submit for Approval button is set as the primary action button and status as <i>Approval Required</i> even though the cart is approved.
LS-8069	The cart page performs the pricing even though there is a validation callback error.
LS-8037	The saved tier line details are not appearing on the tier popup window.
LS-7834	Duplicate options get created when you select and deselect the condition products in the cloned bundle.

Conga Internal ID	Description
LS-7787	The following error is displayed when you add the miscellaneous item to the cart. 'Attempt to de-reference a null object line#-->38'
LS-7318	If you add the negative value in the quantity field, the TurboPricing engine throws a 'Quantity must be greater than or equal to 0' error, and the cart page becomes unresponsive.


DOC ID: CTESPR210924RN

Spring21.09.09 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.09.09 Release.

For more information on new features, enhancements, and document improvements, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).


- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release


 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages must upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as (New) are new in this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library (New)	2.0.180.5 2.180.5
Conga Configuration & Pricing (New)	13.0.1882.99 13.1882.99


 Before upgrading CPQ for TurboEngines to Spring21.08.20 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.8.1 or later.

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none">• Microsoft Edge Chromium• Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div> Internet Explorer is not supported.</div>

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for the latest updates.

Enhancements

The following enhancements are new in this release.

Data Sync: Ability to view the details of the sync and object records for a Sync Id

A Details link is added next to the Records Sync Status in the Run details page to display sync record and object record details for a specific sync id. For more information, see [Working with Data Sync Run History](#).

Turbo Engines (TurboPricing and TurboConfig): Approval Search Filter

When the TurboEngines is enabled, you can perform the Approval Process and Search Filter (Approvals) on Grid Cart. You must set the below fields to have cart-level approvals while creating Search Filter (Approval).

Field	Set as
Business Object	Product Configuration
Filter Type	Entry Criteria
Sequence	Required
Description	Required
Filter Criteria	Required

For more information on Search Filters Approvals, see [Creating Search Filters Approvals](#).

TurboPricing: Ability to create adjustment lines on the line item object

In this release, you can create Adjustment Lines on line item objects when adjustment is applied through Price Matrix, Price Rulesets, or Classic Promotions.

Fixed Issues

The following table lists the issue fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
PST-1580	LS-7747	The options got deselected on the configuration page after the configuration action.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-7735	The options are not loading while configuring a product with Price Method as <i>Releated Price</i> .
LS-7834	Duplicate options get created when you select and deselect the condition products in the cloned bundle.
LS-7787	The following error is displayed when you add the miscellaneous item to the cart. 'Attempt to de-reference a null object line#-->38'
LS-7318	If you add the negative value in the quantity field, the TurboPricing engine throws a 'Quantity must be greater than or equal to 0' error, and the cart page becomes unresponsive.
LS-7838	The following error is displayed on the cart page after selecting or changing the location or performing Reprice. 'Error - Could not resolve remote action: updateCartLineItemsQuietly'.
LS-7749	The roll-up lines appear in the cart when you revalidate after removing an option product's price list item.

DOC ID: CTESPR210909RN


Spring21.08.27 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.08.27 Release.

For more information on new features, enhancements, and document improvements, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release


- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release


 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages must upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.


Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.3 2.180.3
Conga Configuration & Pricing (New)	13.0.1882.92 13.1882.92

 Before upgrading CPQ for TurboEngines to Spring21.08.20 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.8.1 or later.

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none">• Microsoft Edge Chromium• Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div> Internet Explorer is not supported.</div>

New Features

There are no new features in this release. Keep checking our documentation portal for the latest updates.

Enhancements

There are no new enhancements in this release.

Resolved Issues

The following table lists the issues resolved in this release.

Case Number	Conga Internal ID	Description
PST-1775	LS-7644	In the turbo flow, an additional constraint rule got triggered while configuring the model.
00454695	LS-7550	In turbo flow, when you opened the saved cart, the quantity of the cart line items changed to the default value (1).

Case Number	Conga Internal ID	Description
PST-1784	LS-7731	Selected options were disabled on the cart page and not added to the backend line.
PST-1765	LS-7636	A user encountered the following error while configuring the product. <ul style="list-style-type: none"> Error evaluating ABC defaults and/or Numeric Expression. Please check the data to ensure accuracy.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-7749	The roll-up lines appear in the cart when you try to revalidate after removing an option product's price list item.

DOC ID: CTESPR210827RN


Spring21.08.20 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.08.20 Release.

For more information on new features, enhancements, and document improvements, see [What's New in TurboEngines Documentation](#) and [What's New in Data Sync Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases


- [Known Issues](#): Lists known issues that are applicable in this release


 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages must upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.


Product	Latest Certified Version (Version Name Version Number)
Conga Base Library (New)	2.0.180.3 2.180.3
Conga Configuration & Pricing (New)	13.0.1882.88 13.1882.88

 Before upgrading CPQ for TurboEngines to Spring21.08.20 patch release or later, please ensure that your TurboEngines are upgraded to version 2021.8.1 or later.

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

The following features are new to Conga TurboEngines in this release.

TurboPricing: Ability to revalidate lines on the cart page

The user now has the ability to revalidate the saved quote for the product structure changes. Saved quotes created in the past might have a product for which structure or rule has been changed. This can affect the validity of such a quote when you re-open the configuration. Re-validation includes changes to the product structure, such as the addition or deletion of options.

For more information, see [Revalidating the Product Configuration](#).

TurboPricing: Enabling Auto Sequencing for Options

The user now has the ability to arrange the options in sequence on the cart page. If you enable the *Enable Auto Sequencing flag* in the Config System Properties, then the options in the Cart Grid are displayed as per their given sequence by the user while creating the Bundle. The sequence will not get impacted by the selection of options during the bundle configuration for Cart Grid. If the user selects options in any sequence, the Cart Grid displays options as per the given sequence only.

For more information, see [Configuring Cart Page Settings](#).

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Data Sync: Identify Formula Field

The Manage Fields page in the Sync Settings UI now identifies formula fields to distinguish them from non-formula fields more easily. Hence, the *TurboEngines Data Sync administrator* can identify the formula fields on the Manage Object UI.

For more information, see [Adding Objects and Fields for Sync](#).

Data Sync: Enhancement to the Run Details page

The status that appears in the **Records Sync Status** column in the **Run Details** UI is renamed from *Synced* to *Processed* to distinguish the validation errors from sync errors.

For more information, see [Working with Data Sync Run History](#).

Resolved Issues

The following table lists the issues resolved in this release.

Case Number	Conga Internal ID	Description
PST-1770	LS-7637	In the turbo flow, the constraint rule message was not displayed while configuring the product. This issue was observed when the org has more than 100 models.
PST-1780	LS-7663	In the turbo flow, the constraint rule with attribute value checking in condition criteria did not execute as intended.
PST-1777	LS-7646	Incorrect constraint rule messages got triggered while configuring multiple bundles.

Case Number	Conga Internal ID	Description
NA	LS-7160	A user was unable to remove the bundle product using the Remove Item button on the bundle configuration page.
PST-1751	LS-7501	In the Turbo flow, When the Is Optional checkbox was selected for multiple options, CPQ included only the first selected option data in the Is Optional request. However, the CPQ UI displayed all options (for which the Is Optional checkbox was selected) as selected.
PST-1755	LS-7385	A user was unable to view the updated values on the cart page due to the delay in the Salesforce data update.
PST-1762	LS-7629	Constraint rule messages are displayed on the config page even after adding the required options.
PST-1664	LS-7323	In the turbo flow, the configuration page displayed an extra constraint message while configuring the product.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
LS-7749	The roll-up lines appear in the cart when you try to revalidate after removing an option product's price list item.

DOC ID: CTESPR210820RNREVB20210827

Spring21.08.06 Release Notes


Conga Release Notes contain the following information about Conga TurboEngines Spring21.08.06 Release.

For more information on new features, enhancements, and document improvements, refer to

- [What's New](#) in Conga TurboEngines Administrator Guide or

- [What's New](#) in Conga TurboEngines Data Sync Administrator Guide


- **Packages:** Lists packages that are required to upgrade to this release of the product
- **System Requirements and Supported Platforms:** Lists requirements and recommendations for installing this release
- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages must upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.1 2.180.1
Conga Configuration & Pricing (New)	13.0.1882.76 13.1882.76

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none">• Microsoft Edge Chromium• Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div> Internet Explorer is not supported.</div>

New Features

There are no new features in this release. Keep checking the Conga documentation portal for the latest updates.

Enhancements

There are no new enhancements in this release.

Resolved Issues

The following table lists the issues resolved in this release.

Case Number	Conga Internal ID	Description
PST-1754	LS-7507	The options in the parent bundle got deselected while configuring its sub bundle.

Case Number	Conga Internal ID	Description
PST-1745	LS-7502	In the Turbo flow, the price dropdown was displayed while configuring the product.
GHGCP-364	LS-7545	The user was unable to configure the product with attributes associated with the PAV extension object.

Known Issues

There are no known issues in this release.


DOC ID: CTESPR210806RN

Spring21.07.23 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.07.23 Release.

For more information on new features, enhancements, and document improvements, refer to


- [What's New](#) in Conga TurboEngines Administrator Guide or
 - [What's New](#) in Conga TurboEngines Data Sync Administrator Guide
-
- [Packages](#): Lists packages that are required to upgrade to this release of the product
 - [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
 - [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
 - [Enhancements](#): Provides high-level descriptions of enhancements to existing features
 - [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
 - [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages must upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.


Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.1 2.180.1
Conga Configuration & Pricing (New)	13.0.1882.70 13.1882.70

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none">• Microsoft Edge Chromium• Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div> Internet Explorer is not supported.</div>

New Features

There are no new features in this release. Keep checking the Conga documentation portal for the latest updates.

Enhancements

There are no new enhancements in this release.

Resolved Issues

The following table lists the issues resolved in this release.

Case Number	Conga Internal ID	Description
GHGCP-347	LS-7295	The options on the cart page got deselected while configuring the bundle product.
GHGCP-348	LS-7294	A user encountered a duplicate id issue while configuring the bundle product.
GHGCP-343	LS-7218	The validation rule with action criteria did not work on large carts.
GHGCP-357	LS-7411	Copying a bundle on the cart page created two line items for the same option product.

Case Number	Conga Internal ID	Description
PST-1739	LS-7418	The list price did not populate after selecting the Trade-in request number while configuring the products.
PST-1718	LS-7386	In the Turbo flow, a user was unable to perform Save, Quick Save, and Validate Cart actions on the cart page.
PST-1720	LS-7383	In the Turbo flow, a user was unable to configure SP00 trade-in products after selecting the trade-in request number.
GHGCP-353	LS-7345	A user was unable to hide the nested bundles using the Product Attribute Rule (PAR).

Known Issues

There are no known issues in this release.

DOC ID: CTESPR210723RN


Spring21.06.25 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.06.25 Release.

For more information on new features, enhancements, and document improvements refer to

- [What's New](#) in Conga TurboEngines Administrator Guide or
- [What's New](#) in Conga TurboEngines Data Sync Administrator Guide
- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features


- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as (New) are new in this release.


Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.1 2.180.1
Conga Configuration & Pricing (New)	13.0.1882.56 13.1882.56

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

The following feature is new to Conga TurboEngines in this release.

Support for Adhoc Totaling

This feature allows the user to group the products in the cart based on specific criteria such as location, Status (new vs ABO) and etc.

Pre-requisites:

- You must set the pre-defined list of line item fields that are used for grouping and totaling in **GroupBy Fields** (API Names separated by comma or newline) in the Config System Properties.
- You must set the **Totaling Group Type** as *Ad Hoc* in the Config System Properties.
- You must specify at least one Lineltem field API name in **Adhoc/Product Totaling Hierarchy** in Config System Properties. This field is considered as a default on the cart page.

Get Started

For more information on Config System Properties, see [Configuring Custom Settings](#) topic in *Conga CPQ Spring '21 Administrator Guide*.

Enhancements

There are no new enhancements in this release.

Resolved Issues

The following table lists the issues resolved in this release.

Case Number	Conga Internal ID	Description
00116122	LS-7078	In the TurboPricing flow, The cart page became non-responsive after adding a bundle with the default sub-bundle.
PST-1640	LS-7169	In the TurboConfig flow, the pricing did not occur automatically on clicking the Update Price button on the cart page.
GHGCP-342	LS-7174	The products hidden on the cart page were not reverted though the constraint rule condition is not satisfied.
PST-1629	LS-7156	The error message displayed on the cart page for the option even though the given condition is satisfied.
PST-1624	LS-7155	When a user tried to copy a bundle with a valid configuration, the user encountered an error.
GHGCP-338	LS-7119	An inactive attribute value matrix got executed on the config page even after datasync and published the bundle.
PST-1560	LS-7118	A user encountered an error on the cart page even though the constraint rule condition was satisfied due to the NOT operator.
PST-1560	LS-7117	A user encountered an error on the cart page even though the Constraint Rule condition was satisfied due to the default and auto select.
NA	LS-7214	A user encountered an error while configuring the bundle that contained only attributes and no options.

Known Issues

There are no known issues in this release.


DOC ID: CTESPR210625RN

Spring21.06.11 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.06.11 Release.

For more information on new features, enhancements, and document improvements refer to


- [What's New](#) in Conga TurboEngines Administrator Guide or
 - [What's New](#) in Conga TurboEngines Data Sync Administrator Guide
- [Packages](#): Lists packages that are required to upgrade to this release of the product
 - [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
 - [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
 - [Enhancements](#): Provides high-level descriptions of enhancements to existing features
 - [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
 - [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages are required to upgrade to this release to utilize this release's new features. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as (New) are new in this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.1 2.180.1
Conga Configuration & Pricing (New)	13.0.1882.44 13.1882.44

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

There are no new features in this release. Keep checking the Conga documentation portal for updates.

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Enhancements to Option Group Min/Max Validation

- The options that are marked optional using **Is Optional** checkbox are not considered while validating Min/Max criteria of Option Groups on the Configuration page. You must select other options that are not optional to satisfy the Min/Max criteria.
- The optional lines in an optional bundle are not considered in the Option Group Min/Max validation on the Configuration page. You can add options regardless of the Min/Max criteria.
- The optional lines in an Optional Group where the min Quantity is greater than or equal to '0' (≥ 0) and max quantity are greater than equal to '1' (≥ 1) are not considered in the Option Group Min/Max validation on the Configuration page.
- The total number of options selected and the total quantity of options in an optional bundle are not considered in the Option Group Min/Max validation on the Configuration page. You must add options to fulfill the Min/Max criteria. You must enable this functionality by configuring the **APTS_ExcludeOptionalProducts** admin setting.

Get Started

For more information, refer to the [Configuring Products from the Catalog](#) topic in *Conga CPQ Spring '21 User Guide* and [Excluding Optional Product in Min/Max Criteria](#) topic in *Conga CPQ Spring '21 Administrator Guide*.

Approval Search Filter

In the TurboPricing flow, the user now has the ability to perform Approval Process and Search Filter (Approvals) on Grid Cart.

You must set the below fields to have cart-level approvals while creating Search Filter (Approval).

Field	Set
Business Object	as Product Configuration

Field	Set
Filter Type	as Entry Criteria
Sequence	as required
Description	as required
Filter Criteria	as required

Get Started

For more information on Search Filters Approvals, refer to the [Creating Search Filters Approvals](#) topic in *Conga Approvals Spring '21 Administrator Guide*.

Approval Formula Field use in Search Field

The administrator can define an Approval Formula Field on a line item or product configuration. Administrators can use this Approval Formula Field to define the search Filter or approval process criteria.

Resolved Issues

The following section describes existing features that are changed (or are no longer supported) in this release.

Case Number	Conga Internal ID	Description
NA	LS-7050	A user encountered an error while configuring a product for the TurboConfig quote.
NA	LS-7029	Error Rules displayed inconsistently when the user tried to navigate different tabs on the configuration page.
NA	LS-7013	<p>Adding the same product again after deleting it from the mini cart did not trigger the auto-constraint rule on the configuration page.</p> <p>Resolution: Auto-include constraint rule is now triggered when you delete or add products to the mini cart.</p>

Case Number	Conga Internal ID	Description
NA	LS-6957	Adding the same product to the quote for the second time triggered an exclusion constraint rule on the configuration page.
NA	LS-6924	When a user tried to configure a product in a saved cart, a constraint rule had triggered even though the product was not part of the product configuration.
NA	LS-6897	A user encountered an error while adding the products or options on the configuration page. Error: <code>line_item_qty == 1</code>
NA	LS-6895	A user encountered an error while configuring the product. Error: <code>!Error executing [saveFilterExcludedOptionsid]: Invalid id : null</code>
NA	LS-6891	When a user deleted a product from the cart, the cart reloaded and the number sequencing of the products did not change.
NA	LS-6756	A user encountered an error while reconfiguring the saved cart. The criteria rule did not trigger while configuring a product to add to the cart.

Known Issues

There are no known issues in this release.

DOC ID: CTESPR210611RN


Spring21.05.28 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.05.28 Release.

For more information on new features, enhancements, and document improvements refer to

- [What's New](#) in Conga TurboEngines Administrator Guide or
- [What's New](#) in Conga TurboEngines Data Sync Administrator Guide


- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version (Version Name Version Number)
Conga Base Library	2.0.180.1 2.180.1
Conga Configuration & Pricing (New)	13.0.1882.32 13.1882.32

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

The following feature is new to Conga TurboEngines in this release.

TurboPricing

The following feature is available when you enable TurboPricing.

Group Adjustment Spread

This feature converts all group adjustments to line-level manual adjustments of the group members.

To use this feature, You must enable the *Enable adjustment Spread* flag and set the *Max Allowed Lines For Mass Actions* to '1' in the Config System Properties page.

Get Started

For detailed information on Config System Properties, see [Configuring Custom Settings](#) in Conga CPQ Spring '21 User Guide.

Enhancements

There are no new enhancements in this release.

Resolved Issues

There are no resolved issues in this release.

Case Number	Conga Internal ID	Description
00113222	LS-6361	<p>When a user reconfigured a saved and finalized cart, the cart reloaded and line items got reordered.</p> <p>Resolution Info: After reconfiguring a saved and finalized cart, the sequence of line items does not change.</p>

Known Issues

There are no known issues in this release.

DOC ID: CTESPR210528RN


Spring21.05.14 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.05.14 Release.

For more information on new features, enhancements, and document improvements refer to


- [What's New](#) in *Conga TurboEngines Administrator Guide* or
 - [What's New](#) in *Conga TurboEngines Data Sync Administrator Guide*
-
- [Packages](#): Lists packages that are required to upgrade to this release of the product
 - [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release


- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version (<i>Version Name / Version Number</i>)
Conga Base Library (New)	2.0.180.1 2.180.1  This release notes reflects the change in version number. Only internal defects were resolved in this release.
Conga Configuration & Pricing (New)	13.0.1882.29 13.1882.29

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none">• Microsoft Edge Chromium• Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div> Internet Explorer is not supported.</div>

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for new updates.

Enhancements

There are no new enhancements in this release.

Resolved Issues

There are no resolved issues in this release.

Known Issues

There are no known issues in this release.


DOC ID: CTESPR210514RN

Spring21.03.12 Release Notes

Conga Release Notes contain the following information about Conga TurboEngines Spring21.03.12 Release.

For more information on new features, enhancements, and document improvements refer to


- [What's New](#) in *Conga TurboEngines Administrator Guide* or
 - [What's New](#) in *Conga TurboEngines Data Sync Administrator Guide*
- [Packages](#): Lists packages that are required to upgrade to this release of the product
 - [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
 - [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
 - [Enhancements](#): Provides high-level descriptions of enhancements to existing features
 - [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
 - [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version (Version Name / Version Number)
Conga Base Library (New)	2.0.174 2.174
Conga Configuration & Pricing (New)	13.1882.2

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features


There are no new features in this release. Keep checking the Conga Documentation Portal for new updates.

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Edit Callback Project page UI

The **Validate QueryModel** action is now displayed as an icon on the edit callback project page.




Get Started

For more information on the Validate QueryModel feature for TurboEngines callbacks, refer to the topic [Managing TurboEngines Callbacks](#) in the *TurboEngines Administrator Guide*.

Managing TurboEngines Callbacks UI

The following actions are now displayed as icons in the project list table.

- Edit
- Clone
- Download



Get Started

For more information on managing TurboEngines callbacks, refer to the topics [Navigating the TurboEngines Callbacks Administrator User Interface](#) and [Managing TurboEngines Callbacks](#) in the *TurboEngines Administrator Guide*.

Syncing Historical Data after Adding a New Field

After adding one or more new fields to an object, you can now choose between resyncing existing data for the entire object and any newly added fields, or to only sync changes made to object data after the new fields are added.

Get Started

For more information on this enhancement, refer to the topic [Adding Objects and Fields for Sync](#) in the *TurboEngines Data Sync Administrator Guide*.

Include All Future Fields Feature Removed

The option to "Include all fields including future fields" when adding fields to an object in Sync Settings was removed because it caused too many unintended resyncs. This feature may be reintroduced to Data Sync in the future.

Sync Index: Change to Restrictions

You can now add a maximum of 32 fields to an index and create a maximum of 64 indexes per sync object.

Get Started

For more information on creating sync indexes, refer to the topic [Creating Sync Indexes](#) in the *TurboEngines Data Sync Administrator Guide*.

Run History Enhancement: Resync Sync Type

'Resync' was added as a new Sync Type in the Run History sync log. A resync is triggered whenever one of the following actions occurs:

- An admin adds a new field for sync from the UI and selects "Yes" from the checkbox (to sync the entire object and any newly added fields).
- A change in metadata is made to a formula field on the object or dependency object and the field is currently marked for sync.

Get Started

For more information on the resync, refer to the topic [Working with Data Sync Run History](#) in the *TurboEngines Data Sync Administrator Guide*.

Resolved Issues

The following table lists the resolved issue in this release.

Case Number	Conga Internal ID	Description
NA	LS-5904	A user was able to add a blank email Id to the list of email recipients when configuring email notifications.

Known Issues

There are no known issues in this release.

DOC ID: CTESPR21210312RN


Spring '21 Release Notes

These Release Notes contain the following information about Conga TurboEngines Spring '21 Release.

For more information on new features, enhancements, and document improvements refer to

- [What's New](#) in *Conga TurboEngines Spring '21 Administrator Guide* or
- [What's New](#) in *Conga TurboEngines Spring '21 Data Sync Administrator Guide*


- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version (Version Name / Version Number)
Conga Base Library (New)	2.0.150 2.150

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Conga TurboEngines.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest stable version of the browser for the best performance.</p> <div>  Internet Explorer is not supported. </div>

New Features

The following features are new to Conga TurboEngines in this release.

TurboConfig

The following feature is available when you enable TurboConfig.

Option Group Scope

Conga TurboConfig introduces support for option group as Product Scope in rules condition. With this feature, you can now make a rule applicable only for an individual option group. This feature supports Inclusion, Exclusion, Validation, Replacement, and Recommendation Rules. Note that this feature is supported for server-side rules only. It is not supported for client-side rules.

TurboPricing

The following feature is available when you enable TurboPricing.

Price Calculation: Use of Dated Exchange Rates

Conga TurboPricing introduces the Use of Dated Exchange Rates. This feature supports the following scenarios.

- List Price

- Price Matrices
- Product Option Price
- Conditional charge type
- Custom field Pricing
- Manual Adjustments
- Related Pricing
- Price Rule Sets (if and only if currency conversion is turned on)
- Price Tiers
- Formula Pricing (With Reference Type)
- Rounding mode
- Promotion
- Proration
- Contract Price

Version History

This feature allows the user to compare the different versions in order to check the differences.

Get Started

For more information on the Importing feature, refer to [Managing TurboEngine Callbacks](#) in the *Conga TurboEngines Spring '21 Administrator Guide*.

Validate QueryModel

This feature allows the user to validate the details of entities or fields used in Callback queries against the extensibility data sources.

Get Started

For more information on the Importing feature, refer to [Managing TurboEngine Callbacks](#) in the *Conga TurboEngines Spring '21 Administrator Guide*.

Download Callback

This feature allows the user to download the required callback.

Get Started

For more information on the Importing feature, refer to [Managing TurboEngine Callbacks](#) in the *Conga TurboEngines Spring '21 Administrator Guide*.

Edit Callback Project page UI

The following new icons have been added to the Edit Project page UI.

- **Code Warnings:** Displays the code warnings at the bottom.
- **Format:** Formats and aligns the code (C#) in the editor.
- **Go To Line:** To jump to the specific line in the editor.
- **Find:** To search a term in the editor.
- **Code Difference:** To compare and find the differences between Last Saved Code or Last Imported Code & and Current Code.
- **Auto Complete:** To view the auto-complete suggestions on the project code (C#) editor.
- **Collapse & Expand Code:** To collapse and expand the code blocks on the project code (C#) editor.

Get Started

For more information on the Importing feature, refer to [Managing TurboEngine Callbacks](#) in the *Conga TurboEngines Spring '21 Administrator Guide*.

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Salesforce Object API Names in Sync Settings UI

The API name of a Salesforce object is now displayed in the Sync Settings UI in addition to the label. The API name is displayed on the following pages and windows:

- Sync Settings
- Sync Settings > Manage Object
- Sync Settings > Manage Object > Manage Fields
- Sync Settings > Manage Object > Add Index

Get Started

For more information on managing data sync settings, refer to the topic [Managing Sync Settings](#) in the *Conga TurboEngines Spring '21 Data Sync Administrator Guide*.

Error Log File Updates

The sync error log file naming convention has been updated to include the sync Id and current date and time. Error logs are sorted in the Run History Details by default from the most recent sync operation in descending order.

Get Started

For more information on managing data sync settings, refer to the topic [Working with Data Sync Run History](#) in the *Conga TurboEngines Spring '21 Data Sync Administrator Guide*.

Deal Manager Data Sync

TurboEngines Data Sync has added support for Conga Deal Manager.

Resolved Issues

The following table lists the known issue resolved from the previous release.

Case Number	Conga Internal ID	Description
NA	CPQ-47233	The Replacement Constraint Rule did not trigger after adding a condition to the product.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
CPQ-47814	In the TurboPricing flow, auto pricing is triggered If you adjust any field on the cart while pricing in progress.
CPQ-44225	In the TurboPricing flow, when the user clicks Finalize button instead of Reprice, it updates and reprices the cart based on the adjustments made by the user. you are unable to perform the repricing.

Conga Internal ID	Description
CPQ-48264	In the TurboPricing flow, auto pricing is triggered when the user changes the view on the cart page.
LS-5431	In the TurboPricing flow, the Custom formula fields return 15 digits Salesforce ids instead of 18 digits.
CMS-700	When using Match In Location, CPQ displays an error after adding the condition and action for different countries.
CMS-699	When you delete the condition of an Action, the action is also getting deleted along with the condition.
CMS-701	When configuring Match In Location, the error message is displayed continuously after deleting the actions.
CMS-702	In TurboConfig flow, CPQ displays an error after selecting the cloned condition.
CMS-703	When you update the quantity of cloned option after cloning it, the blank values are displayed for all the attributes of cloned options.
CMS-704	The original and cloned actions are deselected and added an extra clone for action after cloning a condition and action products.
CMS-705	Only one success message appears after adding the condition twice,
CMS-706	When performing repeat inclusion, an error message is not displayed after deleting the action from the mini cart.
CMS-707	When configuring Repeat Inclusion, the error message displayed for the prompt is disappeared.
CPQ-44694	The price factor (Bundle Only) adjustment is not supported.
CPQ-44665	Line item formula fields dependent on Salesforce default value fields should be added under view cart custom fields and custom pricing fields in config system properties.
CPQ-44599	Promotions with "Contains" operator in criteria does not work.

Conga Internal ID	Description
LS-4895	Some objects in seed data are not protected (made read-only) when the option "Include all fields including future fields" is enabled.

DOC ID: CTESPR21RN20210304

TurboEngines Documentation

Select one of the following for more information.

- [About TurboEngines](#)
- [What's New in TurboEngines Documentation](#)
- [TurboEngines for Administrators](#)


About TurboEngines

Conga TurboEngines is a concurrent processing engine provided by Conga that comprises various microservices that process product configurations (**TurboConfig**), pricing calculations (**TurboPricing**), and other product-related business data, such as promotions. Conga TurboEngines offload the computation workload from the Salesforce platform to the **Conga Flexible Compute Platform** to reduce the processing time on the cart. Processing the computation workload in the Conga Flexible Compute Platform reduces the interaction costs and the quote turnaround time specifically during peak load or large transactions.

TurboEngines scale on the following dimensions:

- Number of users
- Size of transaction
- The complexity of the product and rules

TurboEngines also provide a critical component called **TurboEngines Data Sync** services that provide a high-performance mechanism to sync pricing and config master data at regular, scheduled intervals (or on-demand) between Salesforce and the Conga Flexible Compute Platform. Data is pushed to TurboPricing and TurboConfig consumer endpoints and made available for processing to take advantage of the performance improvements offered by the TurboEngines platform.



About TurboConfig

TurboConfig is a configuration engine created to process product configuration rules when products and bundles are configured on a cart and when finalizing the quote. TurboConfig offloads the computation workload from the Salesforce platform to the Conga Flexible Compute Platform built using microservices to reduce the processing time of the configuration rules. Computation workload includes the processing of rules defined on the products. For example, in a TurboConfig enabled flow, when the Sales rep adds the product or the favorite configuration to the cart, the constraint rules associated with them are offloaded to the Conga Flexible Compute Platform to process. TurboConfig engine executes the rules, maintains rule states, and avoid unnecessary line item processing.

TurboConfig is recommended when you have a large number of rules or highly complex configuration rules to be applied while selecting a product or configuring a bundle.

To get started enabling TurboConfig for your org, refer to [Enabling TurboEngines in an Org](#). To learn more about the TurboConfig service, refer to [Frequently Asked Questions \(TurboConfig\)](#).

Supported Features in TurboConfig

i You cannot use TurboConfig and TurboPricing simultaneously.

The following features and their capabilities are supported when TurboConfig mode is enabled. For information on the listed features, refer to *CPQ on Salesforce Administrator Guide*.

Feature	Capability	Supported
Constraint Rules	Inclusion rules	Yes
	Exclusion rules	Yes
	Validation rules	Yes
	Recommendation rules	Yes
	Replacement rules	Yes
	Product Scope: Product, Product Group, Product Family, Product Field Set	Yes
	Product Option Group scope	Yes It supports condition only.
	Match in Primary Lines or Options	Yes
	Match in Location	Yes
	Match in Asset	Yes
	Match in Cart Options	Yes
	Repeat Inclusion	Yes
	Condition Association	Yes
	Condition Criteria	Yes

Feature	Capability	Supported
	Action Criteria	Yes
	Match in Related Lines	No
	Is Bundle Context	No
Option Configuration	Min/Max Options	Yes
	Min/Max Total Quantity	Yes
	Is Hidden	Yes
	Is Picklist	Yes
	Modifiable Type	Yes
	Option Sequencing	Yes
	Default / Required Option	Yes
	Inclusion criteria	No
	Min/Max Quantity	Yes
	Quantity: Default, Modifiable	Yes
	Quantity: Auto Update	Yes
	Allow Cloning	Yes
	Config Type	No
Product Attributes Display	Attribute: Read-Only, Hidden, Primary	Yes


Feature	Capability	Supported
	Two-column Attribute Display	Yes
	Three column Attribute Display	Yes
Product Attribute Rules	Product Scope: Product, Product Family, Product Group	Yes
	Filter Criteria	Yes
	Action Types: Allow, Default, Hidden, Disabled, Required, Reset	Yes
	Target field: Product Attribute Value, Line Item, Product, Pricelist, Product Configuration	Yes
Attribute Value Matrices	Product Scope: Product, Product Family, Product Group, Location	Yes
	Application Type: Default, Constraint, Force Set	Yes
Field Expressions / Rollup	Evaluation Context: Constraint Rule action, Record Update, Default Quantity, Rollup	Yes
	Update Product Attribute and Line Item object fields	Yes
	Rollup Group By Field: Line Item, Product Attribute	Yes

Feature	Capability	Supported
Callbacks	Option Filter Callback	No
Others	Formula field support (Condition/action)	Yes
	Lookups (For example, Attributes)	No
	TurboConfig Data Sync	Yes
	TurboPricing Integration	No
	ABO Flow support	No
	Service CPQ	No
	Multi-language support: For products & categories	Yes

About TurboPricing

TurboPricing is a pricing engine built using microservices to reduce the processing time on the cart. You can enable TurboPricing to offload complex pricing computation workload from the Salesforce platform to the Conga Flexible Compute Platform. It reduces time to submit prices to customers, improves user experience, and improves user adoption with a more responsive user interface.

The following diagram shows how data flows between a Salesforce org and Conga Flexible Compute Platform:



Supported Features in TurboPricing

i You cannot use TurboConfig and TurboPricing simultaneously.

The following table lists the features supported or not supported in TurboPricing. For information on the listed features, refer to *CPQ on Salesforce Administrator Guide*.

Feature	Sub-Feature	Available in TurboPricing
Price Calculation		
Bundle Pricing	Price included in bundle set at PLI	Yes
	Price included in bundle set at Bundle	Yes
	Price Adjustments at Bundle	Yes
	Rollup method Flat at Bundle level	Yes
	Rollup method Per Unit at Bundle level	Yes
	Auto sequencing of options	Yes

	Contract pricing when the same option exists in multiple bundles	No
Defaulting Quantity	Defaulting quantity for Bundles/ Multiple Charges	Yes
	Defaulting quantity FROM Product Attribute	Yes
	Default quantity derived FROM Advanced Formula	Yes
Defaulting Term	Defaulting term for Bundles/Multiple Charges	Yes
Price List Item		
Price Method	Use of Tiered Rates*	No
	Use of Per Unit Price method	Yes
	Use of Flat price Price method	Yes
Frequency	Use of Daily Frequency	No
	Use of Weekly Frequency	No
	Use of Frequencies Monthly, Quarterly, Half Yearly, Yearly	Yes
	Use of any Custom Frequency	No
Price Type	Use of Price Type - Included Usage	No
	Use of Price Type - One Time	Yes
	Use of Price Type - Per unit	Yes
	Use of Price Type - Usage	Yes

	Use of Price Type - Recurring	Yes
LineItem Update	Read-only quantity	Yes
	Read-only Selling term	Yes
Price Methods		
Proration	Allow Proration set on PLI	Yes
Price Method Per Unit	Use of Price Method Per Unit	Yes
Price Method Flat Price	Use of Price Method Flat price	Yes
Pricing Methods		
Min/Max Price	Min/Max Price applies to BasePrice	Yes
	Min/Max Price applies to BaseExtendedPrice	No
	Min/Max Price applies to ExtendedPrice	Yes
Price Ramps	Use of Price Ramps	Yes
	Use of Auto Ramp creation	Yes
	Use of Price ramp overlap	Yes
	Use of Price Escalators	Yes
Defer Pricing	Defer Pricing	Yes
Cost Models		
Cost Models	Cost Models	No
Conversions		

Currency Conversion	Use of Multi-Currencies	Yes
	Use of Dated Exchange Rates	<p>Yes, it supports the following scenarios.</p> <ul style="list-style-type: none"> • List Price • Price Matrices • Product Option Price • Conditional charge type • Custom field Pricing • Manual Adjustments • Related Pricing • Price Rule Sets (if and only if currency conversion is turned on) • Price Tiers • Formula Pricing (With Reference Type) • Rounding mode • Promotion • Proration • Contract Price
	Disable Currency Conversion Rate for a Price List	Yes

	Currency conversion enabled at a rule see the level	Yes
UOM Conversion	Use of UOM Conversions	Yes
	Use of Product specific conversion rates	Yes
	Use of Product Family-specific conversion rates	No
Price Method		
Price Method	Use of Price Method Percentage	No. You must switch to Related Price List Items.
Related Pricing		
Related Pricing	Use of Related Price Lists in Pricing	Yes. You must switch to Related Price List Items.
	Source PLI set on Related Price List Item	Yes
	Source product and charge typeset on Related Price List Item	Yes
	Source product group and charge typeset on Related Price List Item	Yes
	Source product family and charge typeset on Related Price List Item	Yes
	Source Custom Group and charge typeset on Related Price List Item	Yes
Adjustments in Related Pricing	Adjustment defined on PLI	Yes

	Adjustment defined on Related Price List Item	Yes
Price Rule Set		
Header Scope and Criteria	Use of Effectivity period and Active flag	Yes
	Use of Scope Fields - price list, charge type, product family, product category, product group	Yes
	Use of Advanced Criteria	Yes
	Use of Advanced Criteria with Line Item Reference Fields	Yes
	Use of Wildcards in Advanced Criteria	No
	Application Level Bundle or Line Item	Yes
	Application Level Aggregate	No
	Use of StopProcessingMoreRules flag	Yes
Dimension based Price Rules	Use of StopProcessingMoreRules flag	Yes
	Use of Adjustment applies to - Base Price	Yes
	Use of Adjustment applies to - Base Extended Price	Yes
	Use of Adjustment applies to - Extended Price	No
Criteria based Price Rules	Use of StopProcessingMoreRules flag	Yes
	Use of Adjustment applies to - Base Price	Yes

	Use of Adjustment applies to - Base Extended Price	Yes
	Use of Adjustment applies to - Extended Price	No
	Match in Product Group	Yes
	Match in Asset	No
Price Dimension		
Use of Un-supported Price Dimension Types	Use of Un-supported Price Dimension Types - any type Except Line Item, Product Attribute, and Formula Field	No
Use of Custom Price Dimension Types	Use of Custom Price Dimension Types	No. You must convert this to Formula Field.
Service CPQ	Service CPQ	No
Adjustments		
Manual Adjustments	Line level adjustments	Yes
	Group adjustments	Yes
	Group adjustment spread	Yes
	Line-level adjustment of usage price tiers	Yes
	Usage Tier Modifiable	Yes
	Misc Charge Types	Yes
Adjustments	Adjustment Bucketing	No
	Ability to create multiple Adjustments	No
	Auto refresh Usage price tiers	No

Bundle/Option level manual Adjustments	Line-level adjustments	Yes
Bundle/Option level Adjustments	Group adjustments	Yes
Asset-Based Pricing		
Assets	Assets	Yes
Incentives		
Other application types except Promotion	Use of Price Program, Loyalty, Rebate, Milestone Incentive or Custom	No
Promotions applied on Line Item and Summary Group	Promotions applied on Line Item and Summary Group	Yes
Promotions applied on other items	Promotions applied on other items except Line Item and Summary Group	Yes
Support for Promotion type - Own every X Get Y, Support for Promotion type - Own every X Get Y	Support for Promotion type - Own every X Get Y	Yes
Support for other Promotion types - except Own every X Get Y, Support for Promotion types - except Own every X Get Y	Support for other Promotion types - except Own every X Get Y	Yes
Incentive Limits	Support for Promotion Limits	Yes
Incentive Coupons	Support for Coupon Limits	No
Sales Promotions	Sales Promotions	Yes
Advanced Criteria set in Price Ruleset	Support for Incentive Criteria on Price Ruleset	Yes
Advanced Criteria with Reference Fields on Price Ruleset	Advanced Criteria with Reference Fields on Price Ruleset	No

Quotes		
Quote collaboration	Quote collaboration	No
Carts		
Favorite Configurations	Use of Favorite Configurations	Yes
Smart Carts	Use of Smart Carts	No
Submit for Approval	Submit for Approval	Yes
Copy	Copy products	Yes
Cart Line Item		
Revalidate	Revalidate	Yes
Totaling and Summary Groups		
Adhoc Totaling	Adhoc Totaling	Yes
Deal Guidance		
Deal Guidance	Deal Guidance	Yes
Callbacks		
Callbacks	Pricing Callback	Yes
	Validation Callback	Yes
	Cart Approval Callback	No
	Advanced Approval Callback	No
	Loyalty Cycle Callback	No
	Bulk Loyalty Point Callback Class	No
	Adjustment Spread Callback	No

	Loyalty Point Callback	No
	Related Pricing Callback	Yes
	Pricing Extension Callback	No
User Experience		
Bundle-specific option line item update	Read-only quantity	Yes
	Read-only selling term	Yes
LineItem Update	Line level adjustments	Yes
	Group adjustments	Yes

Installing TurboPricing Assessment Package

Apttus_TPAssessment package contains the TurboPricing Assessment page and related resources. This package depends on the CPQ package (Spring '19 or later).

What's New in TurboEngines Documentation

The following table lists changes in documentation to support each release.

Spring '21

Document	Topic	Description
Spring '21 REV C	Supported Features in TurboPricing	Updated topic. Updated the table with the newly supported feature (Revalidate).
Spring '21 REV B	Supported features in TurboPricing	Updated topic. Updated the table with the newly supported feature.
Spring '21 REV A	Navigating the TurboEngines Callbacks Administrator User Interface	Updated topic. Updated the content and screens as per the new UI enhancements.

Document	Topic	Description
	Managing TurboEngines Callbacks	Updated topic. Updated the content and screens as per the new UI enhancements.
Spring '21	Supported features in TurboPricing	Updated topic. Updated the table with newly supported features.
	Supported Features in TurboConfig	Updated topic. Updated the table with newly supported features.
	Preparing Tenant Information	Updated topic.
	Version History	New Topic.
	Validate QueryModel	New Topic
	Downloading a Callback	New Topic.
	Pricing Callback Class for TurboPricing	Updated Topic. Updated the description.
	Pricing Base Price Callback Interface	Updated Topic. Added a note about the code snippet usability.
	Pricing Totalling Callback Interface	Updated Topic. Added a note about the code snippet usability.
	Related Pricing Callback Interface	Updated Topic. Added a note about the code snippet usability.
	Managing TurboEngines Callbacks	Updated Topic. Added the table with new features.

Winter '20

Document	Topic	Description
Winter 2020	Supported features in TurboPricing	Updated topic. Updated the table with newly supported features.

Document	Topic	Description
	Supported features in TurboConfig	Updated topic. Updated the table with newly supported features.
	DB Helper	Updated topic.
	CacheHelper	Updated topic.
	VaultHelper	Updated topic.
	Onboarding Data Sync Services	Updated topic.
	Pricing Base Price Callback Interface	Updated topic.
	Pricing Totalling Callback Interface	Updated topic.
	Related Pricing Callback Interface	New topic.
	Importing a Callback	New Topic. This feature provides a mechanism to import the callback project.
	Helper Functions for TurboEngines Callbacks	Renamed the topic from "Helper Functions for TurboPricing Callbacks".
	Configuring TurboEngines Callbacks	Renamed the topic from "configuring TurboPricing Callbacks".
	Navigating the TurboEngines Callbacks Administrator User Interface	Renamed the topic from "Navigating the TurboPricing Callbacks Administrator User Interface".
	Managing TurboEngines Callbacks	Renamed the topic from "Managing TurboPricing Callbacks".
	Syncing TurboConfig Data	Deleted Topic.

Summer '20

Document	Topic	Description
Summer 2020 Rev B	Validation Callback Class	Deleted Topic.
	Supported features in Apttus TurboPricing	Updated topic. Updated the table with newly supported features.
Summer 2020 Rev A	Configuring Data Sync for TurboPricing	Moved topic to "Onboarding data sync services".
	Navigating the TurboEngines Callbacks Administrator User Interface	Replaced screenshots.
	Managing TurboEngines Callbacks	Replaced screenshots.
	Helper Functions	Renamed the topic to "Helper Functions for TurboPricing Callbacks" and moved the new topic under "Configuring TurboPricing Callbacks".
	Helper Functions for TurboEngines Callbacks	Renamed from "Helper Functions" and moved out of "Pricing Callback Class for TurboPricing".
	CacheHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".
	DBHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".
	HttpHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".

Document	Topic	Description
	LogHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".
	MetadataHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".
	PricingHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".
	VaultHelper	New topic, moved out of "Helper Functions for TurboPricing Callbacks".
Summer 2020	All topics	First release

TurboEngines for Administrators

Conga TurboEngines Administrator Guide provides information to configure TurboEngines: TurboConfig and TurboPricing. Application administrators and Conga customer administrators can also use content in this guide to perform updates to configurations, configure settings, and other microservice functionalities.

Topic	Description
What's Covered	This guide walks the administrator through the process of TurboEngines administration. It provides conceptual information, step-by-step instructions to deploy and configure Conga TurboEngines for integrated systems.
Primary Audience	<ul style="list-style-type: none"> • TurboEngines Implementation Teams • Customer Administrators
IT Environment	Refer to the latest <i>Conga TurboEngines Release Notes</i> for information on System Requirements and Supported Platforms.

Topic	Description
Other Resources	<ul style="list-style-type: none"> • <i>Conga TurboEngines Data Sync Documentation</i> • <i>Conga CPQ Documentation</i>

This guide describes the following tasks:

- Reviewing the list of supported features for TurboConfig and TurboPricing
- Configuring Conga TurboEngines
- Enabling TurboEngines
- Completing Pre-Provisioning Tasks
 - Creating a Connected App
 - Preparing Tenant Information
- Completing Post-Provisioning Tasks for TurboConfig
 - Configuring Remote Site Settings
 - Configuring Custom Settings
 - Configuring Custom Flows
 - Syncing TurboConfig Product Data
- Completing Post-Provisioning Tasks for TurboPricing
 - Configuring TurboPricing Settings
 - Customizing TurboPricing Callbacks
 - Configuring data sync settings
 - Syncing TurboPricing Pricing Data

Before using TurboEngines, you must be familiar with the following:

- Basic Salesforce administration
- Salesforce Lightning experience
- Salesforce and Conga terms and definitions
- Conga TurboPricing Overview and Data Sync architecture
- Basic understanding of Conga TurboPricing and TurboConfig

Select one of the following topics for more information:

- [Configuring Conga TurboEngines](#)
- [Frequently Asked Questions \(TurboConfig\)](#)

Configuring Conga TurboEngines

The topics in this section provide information and step-by-step tasks for enabling TurboEngines for your organization.

i Please start with the [Enabling TurboEngines in an Org](#) topic and refer to the necessary steps you must take before and after the TurboEngines provisioning process.

- [Enabling TurboEngines in an Org](#)
- [Creating a Connected App](#)
- [Preparing Tenant Information](#)
- [Post-Provisioning Tasks \(TurboConfig\)](#)
- [Post-Provisioning Tasks \(TurboPricing\)](#)
- [Onboarding Data Sync Services](#)

Enabling TurboEngines in an Org

This topic provides a summary of the necessary steps for enabling TurboEngines (TurboConfig and TurboPricing) for your org.

An administrator can be any of the following persona: Customer Administrator, Partner Administrator, any other administrators assigned the responsibility of enabling TurboEngines for their org. In the table on this topic, this persona is referred to as the *Tenant Admin*.


i You cannot use TurboConfig and TurboPricing simultaneously.

Prerequisites

- Check the "Supported Features" topics (under [About TurboEngines](#)) for the service you want to enable. Make sure all of the features you want are included before making a provisioning request.
- You must have the appropriate TurboEngines license before turning on your org. If you do not have a license, please reach out to your Conga Account Executive.
- You must have the Summer 2020 or later build of Conga Configuration & Pricing (Conga CPQ) in the Salesforce org to enable TurboConfig and TurboPricing. Refer to "Packages" in Conga *CPQ Spring '21 Release Notes*.

Enabling TurboEngines

To enable TurboEngines, perform the following steps for each org:

Step	Task	Owner	Description
Pre-Provisioning Tasks			
1	Set up Connected App in your org	Tenant Admin	Create a connected app to provide authentication and authorization to TurboConfig and TurboPricing Data Sync Service.
2	Prepare pre-provisioning tenant information	Tenant Admin	Gather all required information for provisioning your TurboConfig or TurboPricing org. Provide this information to Conga Technical Support to begin the provisioning process.
Post-Provisioning Tasks			
<div>  Perform the following steps only after receiving a notice from Conga Technical Support that the requested orgs are provisioned. You must have the new service URLs to proceed. </div>			
3	Set up Remote Site Settings (TurboConfig)	Tenant Admin	Use the service URL you received from Conga Technical Support to set up the remote site settings for TurboConfig.

Step	Task	Owner	Description
4	Configure Services	Tenant Admin	<p>For TurboConfig, update the following settings:</p> <ol style="list-style-type: none"> 1. Set up the Config Execution Mode 2. Set up the custom flow and Configure Products button <p>For TurboPricing, update the following settings:</p> <ol style="list-style-type: none"> 1. Set up the Pricing Execution Mode 2. Set up the TurboPricing endpoint URL
5	Configure TurboEngines Callbacks	Tenant Admin	<p>Configure TurboEngines Callbacks.</p> <ul style="list-style-type: none"> • TurboPricing Callbacks
6	Configure data sync service	Tenant Admin	Configure specific settings to onboard data sync services.
7	Sync data to TurboEngines	TurboEngines Administrator (can be Tenant Admin)	Set up and schedule or activate data sync to sync master data.

Creating a Connected App

As part of the pre-provisioning process you must configure a Connected App in your org to provide authentication and authorization for the following TurboEngines services:

- TurboConfig
- TurboPricing

i The example in the following tasks is provided for TurboConfig but is the same process for any service configuration.

To create a Connected App

1. Navigate to **Setup > App Setup > Create > Apps**.
2. Scroll down and search for the **Connected Apps** related list and click **New** to create a new app.
3. Fill in the following details in the **Basic Information** section.

Field	Description
Connected App Name	Enter the name of the Connect App.
API Name	The API name is generated automatically based on the name of the Connected App.
Contact Email	Enter the email address of the administrator managing the Connected App.

4. Fill in the following details in the **API (Enable OAuth Settings)** section.

Fields	Description
Enable OAuth Settings	Select this to define the OAuth settings. For example, <i>TurboConfig</i> . When you enable this field, additional settings are displayed under API (Enable OAuth Settings) section.
Enable for Device Flow	Select this to enable the connected app for an external application.

Fields	Description
Callback URL	The Callback URL is generated automatically when you select the field Enable for Device Flow . For example, <i>https://test.salesforce.com/services/oauth2/success</i> is generated based on the instance URL. You can also add other URLs in separate lines.
Selected OAuth Scope	Select all the entries under Available OAuth Scopes and move them to Selected OAuth Scopes by clicking the Add arrow.
Require Secret for Web Server Flow	Select this to require the connected app to provide a consumer secret for authorization.

5. You must leave all other fields blank. Click **Save**.


To capture Consumer Key and Consumer Secret

After you create a Connected App, CPQ generates **Consumer Key** and **Consumer Secret**. You must provide the values of **Consumer Key** and **Consumer Secret** to Conga Technical Support.


1. Navigate to **Setup > App Setup > Create > Apps**.
2. Scroll down and search for the **Connected Apps** related list.
3. Click the name of the Connected App you created in the previous topic.
4. Click **Copy** next to **Consumer Key**.
5. Click **Click to reveal** next to **Consumer Secret**. After the value of the field is displayed, click **Copy**.
6. Store the information for the next part of the process.

Preparing Tenant Information

Your provisioning request for TurboConfig or TurboPricing must include specific information related to your tenant. Before your org can be provisioned, you must gather the required information and provide it to Conga Technical Support. What information must be collected will differ depending on the service you are provisioning.

 [Configure a Connected App](#) to use with TurboEngines before collecting the information described in this topic.

Refer to the following table for all required pre-provisioning information:

 While implementing TurboPricing, any Id (15-character Id) that is returned from Salesforce is converted to an 18-character Id for the proper functioning of TurboPricing.

Configuration	Required for Service	Description
OrgId	TurboConfig, TurboPricing	<p>This is the Salesforce Organization ID of the org to be provisioned for TurboEngine service. To locate your Organization ID:</p> <ol style="list-style-type: none"> 1. Log in into the org to be provisioned. 2. Go to Setup > Company Profile > Company Information > Salesforce.com Organization ID. 3. Copy the 15-character ID (to be converted into 18 characters). You can add any random characters to the Org ID for conversion. <p>For example, TenantId = <i>00d3i000000qn7xAAA</i></p>
Tier	TurboConfig, TurboPricing	The Tier (Gold, Silver, and Bronze) to be provisioned. If no tier is provided, then Bronze is selected by default.
Org Type	TurboConfig, TurboPricing	Org type to be provisioned (sandbox or production)
Tenant Name	TurboPricing, TurboConfig	The one-word tenant name used for the tenant endpoint (for example, <i>customername-sandbox</i>)
Consumer Key	TurboConfig, TurboPricing	The consumer key (<code>client-id</code> in OAuth 2.0) generated from your Connected App. Refer to Creating a Connected App .
Consumer Secret	TurboConfig, TurboPricing	The secret key (<code>client-secret</code> in OAuth 2.0) generated from your Connected App. Refer to Creating a Connected App
Salesforce User Name	TurboConfig, TurboPricing	Admin username for the org to be provisioned with read/write access to Conga CPQ (used by Conga Technical Support for verifying settings)

Configuration	Required for Service	Description
Salesforce Password	TurboConfig, TurboPricing	Password for the Salesforce admin user.
Authority	TurboPricing	The URL used to verify session Id for TurboPricing (<i>login.salesforce.com</i> , <i>test.salesforce.com</i> , or a custom Salesforce domain)
InstanceURL	TurboPricing	The URL is given by the UI after logging into the org to be provisioned (for example, <i>customerturbo.my.salesforce.com</i>)
OAuthTokenURL	TurboConfig	Salesforce token endpoint URL (this will be <i>login.salesforce.com</i> or <i>test.salesforce.com</i> , depending on your Org Type)

After collecting all the required information, provide it with your tenant provisioning request to Conga Technical Support.

Post-Provisioning Tasks (TurboConfig)

The post-provisioning process for TurboConfig are divided into two main tasks:

- Configuring the service (custom settings and properties)
- Setting up and activating data sync for config master data from SFDC to TurboConfig

Refer to the following topics for step-by-step instructions to complete setup and configuration of TurboConfig:

- [Configuring Remote Site Settings for TurboConfig](#)
- [Configuring TurboConfig Settings](#)
- [Configuring Custom Flows for TurboConfig](#)

Configuring Remote Site Settings for TurboConfig

To create a Remote Site record

1. Go to **Setup > Administration Setup > Security Controls > Remote Site Settings**.
2. Click **New Remote Site**.
3. Enter the name in **Remote Site Name**. For example, *TurboConfig*.

4. Enter the URL for the remote site in the **Remote Site URL**.



- Contact Conga Technical Support for the Remote Site URL.
- Do not enter the '/' symbol at the end of the Remote Site URL.

5. Enable **Active**, if not selected by default.
6. Click **Save**.

Configuring TurboConfig Settings

You can enable TurboConfig either globally or for select CPQ flows. By default, the global **Constraint Rule Execution Mode** is set to *Client*. To enable the TurboConfig for select flows, refer to [Configuring Custom Flows for TurboConfig](#). Follow the steps below to enable TurboConfig at the global level.

Take note of the following before you enable TurboConfig:

- Refer to [Supported Features in TurboConfig](#) topic to confirm that the features you use are supported in TurboConfig before enabling it globally.
- If you want to enable TurboConfig for certain types of quotes only, create a new flow with execution mode as *CMS*. Refer to [Configuring Custom Flows for TurboConfig](#)
- Once you create a quote using *CMS* execution mode you cannot switch to *Client* mode for that particular quote.
- The constraint rule execution mode (*Client* or *CMS*) is determined at the beginning of the quote. Once determined you cannot change them.
- The constraint rule execution mode *CMS* works on standalone products but the products must be published individually or in groups.

To enable TurboConfig on the quote

1. Go to **Setup > App Setup > Develop > Manage Custom Settings**.
2. Click **Config System Properties**. Click **Manage**.
3. Click **Edit** next to **System Properties**.
4. Define the fields as explained in the table below:

Field	Description
Constraint Rule Execution Mode	Enter the value <i>CMS</i> in the field.
CMS End Point URL	Enter the End Point URL for TurboConfig.



- CMS End Point URL is provided by Conga Technical Support.
- Do not enter the '/' symbol at the end of the CMS End Point URL.

5. Click **Save**.

Configuring Custom Flows for TurboConfig

You can enable TurboConfig for selective CPQ flows. You can use this functionality to avoid making TurboConfig as the default configuration engine and use the engine to process large and complex configuration rules. To enable TurboConfig for a specific flow, you must create a dedicated data set of **Config System Properties**.

To enable TurboConfig for specific flows

1. Create a custom flow. Refer to "Configuring Flow Settings" in *CPQ on Salesforce Administrator Guide*.
2. Create a formula action at the **Quote/Proposal** object for the flow you created in Step 1. Refer to "Creating Custom Buttons for Different Flows" in *CPQ on Salesforce Administrator Guide*.
3. Go to **Setup > App Setup > Develop > Custom Settings**.
4. Click **Config System Properties**. Click **Manage**.
5. Click **New** to create a new data set.
6. In the **Name** field, enter the name of the custom flow you created in Step 1.
7. Define **Constraint Rule Execution Mode** and **CMS End Point URL** as described in Step 4 in the topic [Configuring TurboConfig Settings](#).
8. Click **Save**.

The Sales rep must use the custom flow that you created to configure the quote using TurboConfig.

Post-Provisioning Tasks (TurboPricing)

The post-provisioning process for TurboPricing are divided into four main tasks:


1. Configuring the service (custom settings and properties)
2. Configuring data sync service for use by administrators
3. Configure custom pricing callbacks
4. Setting up and activating data sync for pricing master data from SFDC to TurboPricing


Refer to the following topics for step-by-step instructions to complete setup and configuration of TurboPricing:

- [Setting Up the TurboPricing Endpoint URL](#)
- [Setting Up the Pricing Execution Mode](#)
- [Configuring TurboEngines Callbacks](#)

Setting Up the TurboPricing Endpoint URL

This section provides information for setting up the TurboPricing endpoint URL in the org.

1. Click the **All Tabs** icon () and click **Admin**. The Home page is displayed.
2. Click **New**. The New Admin page is displayed.
3. In the **Name** field, enter *APTS_PricingServiceOverrideURL*.
4. In the **Value** field, enter the TurboPricing endpoint URL (without https://).
5. Click **Save**.

 Do not enter the forward-slash (/) symbol at the end of the Endpoint URL.

Setting Up the Pricing Execution Mode

This section provides information for setting up the Pricing Execution Mode in the org.

1. Go to **Setup > App Setup > Develop > Events > Custom Settings**.
2. Click **Config System Properties**. Click **Manage**.
3. Click **Edit** next to System Properties.
4. In the **Pricing Execution Mode**, enter *Turbo*.
5. Click **Save**.

Configuring TurboEngines Callbacks

This topic provides information on configuring TurboEngines callbacks.

Callbacks provide you with a mechanism to apply custom logic at the extension points provided and get invoked during the pricing computation by the TurboEngines. For example, you can apply custom pricing on the line items in the cart using the TurboEngines Callback Class. Callbacks are implemented using interfaces that are specific to each callback. These interfaces have various methods that you can use to achieve your task. You must implement the interface in a C# class and within that class, you may use your custom logic using the methods of the interface.

The sections in this topic provide information for:


- [Navigating the TurboEngines Callbacks Administrator User Interface](#)

- [Managing TurboEngines Callbacks](#)
- [Helper Functions for TurboEngines Callbacks](#)
- [Pricing Callback Class for TurboPricing](#)

Navigating the TurboEngines Callbacks Administrator User Interface

This section provides information on navigating the TurboEngines callback administrator user interface.


1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed.







Callback Type	Callback Category	Callback Name	Actions
Pricing BasePrice Callback	TurboPricing	NewPricingBasePriceCallback	Manage
Pricing Totalling Callback	TurboPricing		Manage
Related Pricing Callback	TurboPricing		Manage
Option Filter Callback	TurboConfig		Manage

If a callback is enabled, the project name is displayed in the **Callback Name** column.


5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.






Name	Callback Class	Is Active	
NewPricingBasePriceCallback	NewPricingBasePriceCallback.PricingBasePriceCallback		Edit Clone Download Action
APCallback	APCallback.PricingBasePriceCallback		Edit Clone Download Action
NewPricingBasePriceCallback_ST	NewPricingBasePriceCallback_ST.PricingBasePriceCallback		Edit Clone Download Action
NewPricingBasePriceCallback1	NewPricingBasePriceCallback1.PricingBasePriceCallback		Edit Clone Download Action



6. Click **Create** to [create a new project](#).
7. Click **Import** to [import an existing project](#).
8. Click one of the following icons for the required callback:
 - Edit ()
 - Clone ()
 - Download ()
 - Click the Action icon () and select one of the following options:
 - Enable or Disable
 - Delete

- Version History




- From the Explorer panel, create a file under the current project if required. See [Navigating the TurboEngines Callbacks Administrator User Interface](#).
- Test your code before saving it. See [Navigating the TurboEngines Callbacks Administrator User Interface](#).
- Click the **Code Difference** icon () to see the difference between the original and modified code. The differences are highlighted for easy identification.
- At the bottom of the code editor panel:
 - Click the **Collapse** icon () to show the panel and **Expand** icon () to hide the panel.
 - Output:** This tab displays the output of your code. Whenever you execute a method, the returned result is displayed in this tab.
 - Input:** This tab displays the input of your code. You can verify what values CPQ has set for parameters or what values CPQ retrieves by reference for a parameter when you execute some code.
 - Profiler:** This tab displays the order of execution of methods and performance of methods. You can also check how long CPQ takes to execute each method.
 - Console:** This tab displays the log statements that you have added in the callback code when you test the callback code using the authoring UI.

Managing Files and Folders in the Explorer Panel of the Edit Project Page


This section describes how you can manage files and folders in the Explorer panel of the edit project screen. You can click the Collapse icon () to show the panel and Expand icon () to hide the panel.

Adding an Item


- Select a folder if any and click the **Add Item** icon (). The Add Item pop-up is displayed.
- From the Type drop-down, select what type of item you want to add. The supported values are File and Folder.
- Enter a name for the item in the **Name** field.



4. Click **Create**.

Renaming an Item



1. Select a file to be renamed.
2. Click the **Rename Item** icon (). The Rename Item pop-up is displayed.
3. In the **Name** field, enter a new name and click **Save**.



Deleting an Item

1. Select a file to be removed.
2. Click **Delete Item** icon (). The Delete Item pop-up prompting you to confirm deletion is displayed.
3. Click **Yes** to delete the item.

 If there is only one item, the Delete Item icon () is disabled. You must have at least one item on the edit project page.

Testing a Callback Method by Executing the Code

CPQ allows you to test the code you have written for a callback method before saving it. In the **Test Run** panel, click the **Collapse** icon () to show the panel and **Expand** icon () to hide the panel.

1. From the **Class** drop-down, select a class. It displays all classes available in the project callback.
2. From the **Method** drop-down, select a method. It displays all methods currently available in the class. You can execute a method of that particular class. CPQ does not display private methods on the **Method** drop-down.
3. In the **Parameters** field, enter the code.
4. Click the **Refresh project metadata** icon () to refresh project data. For example, if you have an unsaved method and want to execute it for validation, click
5. the **Refresh project metadata** icon. The new method is listed in the **Method** drop-down.
6. Click the **Execute** icon () to execute the method.


Managing TurboEngines Callbacks

This section provides information on creating and importing callbacks and managing an existing TurboPricing callbacks.

- [Creating a Callback](#)
- [Importing a Callback](#)
- [Editing a Callback](#)
- [Cloning a Callback](#)
- [Downloading a Callback](#)
- [Enabling a Callback](#)
- [Disabling a Callback](#)
- [Deleting a Callback](#)
- [Version History](#)
- [Validate QueryModel](#)

Creating a Callback

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click **Create** to create a new project. The New Callback pop-up is displayed.
7. Enter a name for the callback project and click Create. A new project is created and you are redirected to the edit project page.







 You can collapse the code blocks by clicking the **Collapse** icon ().





```




19 public async Task BeforePricingCartAdjustmentAsync(IAggregateCartRequest aggregateCartRequest)
20 {
21     var cartLineItems = aggregateCartRequest.GetCartContext().GetLineItems().SelectMany(x => x.GetChargeLines()).Select(s => new LineItem(s)).ToList();
22     var proposal = new Proposal(aggregateCartRequest.GetCart());
23     var dbHelper = this.GetDBHelper();
24     var dataAccess = new DataAccess(dbHelper);
25     var pricingHelper = this.GetPricingHelper();

```

The following table describes the icons displayed on the code editor.

Icon or Feature	Name	Description
Auto Complete	Auto Complete	<p>Press Ctrl+Space to view the auto-complete suggestions on the project code (C#) editor.</p> 
	Validate QueryModel	To verify if the master entities or fields used in callback code are available in the extensibility data source or not.
	Code Warnings	Displays the code warnings as per the C# guidelines at the bottom.
	Format	Formats and aligns the code (C#) in the editor as per C# coding standards.

Icon or Feature	Name	Description
	Go To Line (Ctrl+G)	To jump to the specific line in the editor. 
	Find	To search a particular term in the editor. 

Icon or Feature	Name	Description
	Code Difference	<p>To compare and find the differences between <i>Last Saved Code</i> or <i>Last Imported Code</i> and <i>Current Code</i>.</p> <ol style="list-style-type: none"> Click the  icon. A Code Difference pop-up window is displayed with details of <i>Last Saved Code</i> and <i>Current Code</i>.  <ol style="list-style-type: none"> The code differences will be highlighted and can be identified easily. To compare the current code with the last imported code, click Last Imported Code. To retrieve the changes, click Revert All.

There is a sample template for you to create *IPricingBasePriceCallback*. Below is a basic implementation of *IPricingBasePriceCallback*. Once a project is created, it uses the callback template which has some pre-filled information for your reference. It enables the user to proceed with incorporating a custom logic.

```
using Apttus.Lightsaber.Extensibility.Library;
using Apttus.Lightsaber.Pricing.Common.Callback;
using Apttus.Lightsaber.Pricing.Common.Callback.Messages;
using System.Threading.Tasks;

namespace NewPricingBasePriceCallback_ST
{
    /// <summary>
    /// Pricing BasePrice Callback
    /// </summary>
    public class PricingBasePriceCallback : CodeExtensibility,
    IPricingBasePriceCallback
    {
        /// <summary>
        /// Before Pricing
    }
```

```

        /// </summary>
        /// <param name="batchPriceRequest"></param>
        /// <returns></returns>
        public async Task BeforePricingBatchAsync(IBatchPriceRequest
batchPriceRequest)
        {
            await Task.CompletedTask;
        }

        /// <summary>
        /// On Pricing
        /// </summary>
        /// <param name="batchPriceRequest"></param>
        /// <returns></returns>
        public async Task OnPricingBatchAsync(IBatchPriceRequest
batchPriceRequest)
        {
            await Task.CompletedTask;
        }

        /// <summary>
        /// After Pricing
        /// </summary>
        /// <param name="batchPriceRequest"></param>
        /// <returns></returns>
        public async Task AfterPricingBatchAsync(IBatchPriceRequest
batchPriceRequest)
        {
            await Task.CompletedTask;
        }
    }
}

```

8. Create a callback using the template.
9. Click **Save**. If there are no errors, the code is saved successfully. If there is an error in the code, an error message is displayed. At the bottom of the editor panel, It displays the reason for the error. The user can click the error detail in the output tab and jump to a specific error line in the specific file. It helps the user in compiling the error.

Importing a Callback

The **Import** feature provides a mechanism to import the callback project (*.zip file*). Using this feature, you can move the callback code to a different environment if required.


1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click **Import**. The Import Callback pop-up is displayed.
7. Enter a name for the callback project and click **Upload Files** or **drop files** to add the .zip file that you require to import.
8. Click **Import**. A new project is created and you are redirected to the edit project page.

Import Callback


* Name

* Callback Zip File
 Or drop files No File Chosen


Editing a Callback

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the **Edit** icon () for the required callback. The edit project page is displayed.
7. Perform the required edits to the project. See [Creating a TurboPricing Callback](#).
8. Click **Save**.


Cloning a Callback

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the **Clone** icon () for the required callback. The New Callback pop-up is displayed. The name of the callback is <original_callback_name>Clone.
7. Enter a new name if you want.
8. Click **Clone**.

Downloading a Callback

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click the **Download** icon () for the required callback. A <Callback Name>.zip file is downloaded to your system.

Enabling a Callback

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the **Action** icon () for the required callback and select **Enable**. The project is enabled.

Pricing BasePrice Callback			Create	Import	Back
Name	Callback Class	Is Active			
NewPricingBasePriceCallback	NewPricingBasePriceCallback.PricingBasePriceCallback				
APCallback	APCallback.PricingBasePriceCallback				
NewPricingBasePriceCallback_ST	NewPricingBasePriceCallback_ST.PricingBasePriceCallback				
NewPricingBasePriceCallback1	NewPricingBasePriceCallback1.PricingBasePriceCallback				
p	NewPricingBasePriceCallback.PricingBasePriceCallback				
NewPricingBasePriceCallback123	NewPricingBasePriceCallback123.PricingBasePriceCallback				


When you enable a project, CPQ directly impacts pricing engine runtime because of real-time updates.

Disabling a Callback

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the Action icon () for the required callback and select **Disable**. The project is disabled.


Deleting a Callback


1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the **Action** icon () for the required callback and select **Delete**. The Delete Callback pop-up prompting you to confirm deletion is displayed. Click **Yes** to delete the callback.

 You cannot delete an enabled project. First, you need to disable the project and then you can delete it.

Version History

This feature allows the user to compare the different versions in order to identify the differences.


1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.
3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the **Action** icon () for the required callback and select **Version History**. The detail page of the selected project with a list of versions related to the project is displayed.



7. Click the checkbox of the desired version and click **Compare**. The code difference of the selected callback project is displayed.



8. In the Code Difference popup window, click the dropdown available at the top of the code editor to change the code (*.cs) type.



Validate QueryModel

This feature allows the user to verify if the master entities or fields used in callback code are available in the extensibility data source or not.

The user should follow such guidelines in order to use this feature accurately.


1. The QueryModel class should be decorated with the attribute [Entity="name of the entity"].
2. All the fields (select clause, where clause etc) used in the query must be specified in QueryModel class with the correct API names".


To verify the master entities or fields:

1. Log in to the Salesforce org.
2. Click **Switch to Lightning Experience**.

3. Open the **Salesforce App Launcher (Lightning)** and launch the **TurboEngines Admin** app.
4. Click the **Callbacks** tab. A list of callbacks is displayed. If a callback is enabled, the project name is displayed in the **Callback Name** column.
5. Click **Manage** under the **Actions** column for the required callback to configure it. The detail page of the selected callback with a list of projects related to the callback is displayed.
6. Click the Edit icon for the required project. You are redirected to the edit project page.



7. Click the **Validate QueryModel** () icon. The Validation Details popup window is displayed.



Helper Functions for TurboEngines Callbacks

This section describes the Helper functions available for TurboPricing callbacks.

- [DBHelper](#)
- [LogHelper](#)
- [PricingHelper](#)
- [MetadataHelper](#)

- [VaultHelper](#)
- [HttpHelper](#)
- [CacheHelper](#)

DBHelper

The DBHelper function helps you fetch the required documents from the database based on Query and *FilterConditions*, and fields that you require from the documents that fulfill the conditions. You can get the instance of *IDBHelper* by calling the method *GetDBHelper()* and it provides you with the following methods:

Methods

```
Task<List<T>> FindAsync<T>(Query query);
Task<List<T>> FindAsync<T>(string entityName, Expression<Func<T, bool>>
filterCondition, int ? limit, params string[] fields);
Task<List<T>> FindAsync<T>(string entityName, Expression<Func<T, bool>>
filterCondition, params string[] fields);
DBStatisticsInfo GetDBStatistics();
```

The first method helps you fetch the documents based on a *Query*, which comprises of the *EntityName* (*Name of the collection*), list of *FilterConditions*, *Fields* to fetch, and *Limit* of results to retrieve.

The *GetDBStatistics()* provides you the information on the total number of queries and the time taken for each query during callback execution.

Note

GetDBStatistics() method should be used only when you are debugging or troubleshooting the issue. Once the debugging/troubleshooting is done, you must remove it from your callback code.

Definitions

```
public class Query
{
    ExpressionOperator ExpressionOperator = ExpressionOperator.AND;
    public string EntityName { get; set; }
    public List<FilterCondition> Conditions { get; set; }
    public Expression Criteria {get; set;}
    public string[] Fields { get; set; }
    public int ? Limit { get; set; }
}
```

```

public class FilterCondition
{
    public string FieldName { get; set; }
    public ConditionOperator ComparisonOperator { get; set; }
    public object Value { get; set; }
}

public class Expression
{
    public ExpressionOperator ExpressionOperator { get; set; }
    public List<FilterCondition> Conditions { get; }
    public List<Expression> Filters { get; }
}

ComparisonOperator :
    EqualTo,
    GreaterThan,
    GreaterThanOrEqualTo,
    In,
    LessThan,
    LessThanOrEqualTo,
    NotEqualTo,
    NotIn,
    Contains

```

- *EntityName* is the name of the collection you want to fetch the records from, or the records of the entity that you want to query upon.
- *Conditions* are a list of *FilterConditions*, which compare a field or a column's value with a specified *Value*.
- *Fields* are the columns of the entity you want in your query results.
- *Limit* is the number of records you want to limit your result to.

The following are a few examples of different Query Models: The following are a few examples of executing queries using DBHelper. The examples are for your reference only and may not execute as is.

Simple Query Example

```

Query query = new Query()
{
    EntityName = "Account" ,
    Fields = new string[]{ "Id" , "Name" , "Type" },

```

```

Limit = 5 ,
Conditions = new List<FilterCondition>()
{
    new FilterCondition()
    {
        ComparisonOperator = ConditionOperator.EqualTo,
        FieldName = "Type" , Value = "Ship-To"
    }
}
};

public class AccountQueryModel
{
    public string Id {get; set;}
    public string Name {get; set;}
    public string Type {get; set;}
}

```

DB Call Example

```

var dbHelper = GetDBHelper();
List<AccountQueryModel> account = await
dbHelper.FindAsync<AccountQueryModel>(query);

```

Output

After you execute *FindAsync*, it retrieves data from the database and returns a list of *AccountQueryModel*.

Complex Query Example

```

Query query = new Query()
{
    EntityName = "Account" ,
    Fields = new string[]{ "Id" , "Name" , "Type" , "BillingCity__c" ,
"BillingCountryCode__c" },
    Limit = 2 ,
    Criteria = new Expression(ExpressionOperator.AND)
};

FilterCondition nestedConditionOne = new FilterCondition()
{
    ComparisonOperator = ConditionOperator.EqualTo,
    FieldName = "Type" ,
    Value = "Sold-To"
}

```

```

};
query.Criteria.AddCondition(nestedConditionOne);

Expression complexExpression = new Expression(ExpressionOperator.OR);
FilterCondition complexExpressionConditionOne = new FilterCondition()
{
    ComparisonOperator = ConditionOperator.In,
    FieldName = "BillingCity__c" ,
    Value = new string[] { "BEDFORD PARK" , "FREMONT" }
};
FilterCondition complexExpressionConditionTwo = new FilterCondition()
{
    ComparisonOperator = ConditionOperator.EqualTo,
    FieldName = "BillingCountryCode__c" ,
    Value = "US"
};
complexExpression.AddCondition(complexExpressionConditionOne);
complexExpression.AddCondition(complexExpressionConditionTwo);
query.Criteria.AddFilter(complexExpression);

```

DB Call Example

```

var dbHelper = GetDBHelper();
List<AccountQueryModel> accountList = await
dbHelper.FindAsync<AccountQueryModel>(query);
return account;

```

Result

After you execute *FindAsync*, it retrieves data from the database and returns a list of *AccountQueryModel*.

Note:

For better performance, consider the following scenarios when executing database queries.

1. Apply more filters to narrow down the search results.
2. Fetch only the required columns or fields.
3. Do not execute queries inside *for* loop.
4. Create appropriate indexes based on the fields used in the query. You can create indexes on an entity using datasync UI.

LogHelper

The LogHelper function helps you with the tracing or logging. The *LogHelper* instance is returned when *GetLogHelper()* is called provides you with the following methods.

Methods Available in LogHelper

```
void LogCritical(string message, Exception ex);
void LogDebug(string message);
void LogDebug(object obj);
void LogError(string message, Exception ex);
void LogInformation(string message);
void LogTrace(string message);
void LogWarning(string message);
```

Example


```
var logHelper = GetLogHelper();
logHelper.LogTrace( "Trace Statement" );
logHelper.LogDebug( "Debug Statement" );
logHelper.LogWarning( "Warning Statement" );
logHelper.LogInformation( "Info Statement" );
AccountQueryModel account = new AccountQueryModel(){
    Id= "0013i0000043m9eAAA" ,
    Name = "Account_B5F83C"
};
logHelper.LogDebug(account);
logHelper.LogError( "Error Message" , new Exception( "SystemException" ));

public class AccountQueryModel
{
    public string Id {get; set;}
    public string Name {get; set;}
    public string Type {get; set;}
}
```

Console Output

```
Trace Statement
Debug Statement
Warning Statement
Info Statement
{ "Id" : "0013i0000043m9eAAA" , "Name" : "Account_B5F83C" , "Type" : null }
Error Message
```

```
{
  "ClassName" : "System.Exception" ,
  "Message" : "SystemException" ,
  "Data" : null ,
  "InnerException" : null ,
  "HelpURL" : null ,
  "StackTraceString" : null ,
  "RemoteStackTraceString" : null ,
  "RemoteStackIndex" : 0 ,
  "ExceptionMethod" : null ,
  "HResult" : - 2146233088 ,
  "Source" : null ,
  "WatsonBuckets" : null
}
```

 When debugging or troubleshooting callback related issues, follow the minimal logging approach and add log statements in the callback code and then remove log statements from the code once it is done.

PricingHelper

The PricingHelper function helps you perform pricing related operations such as apply rounding and updating the Price Method for line items. To get the instance of *IPricingHelper*, you must call *GetPricingHelper()*, which provides the following methods:

Methods

```
decimal? ApplyRounding(decimal? value, int precision, RoundingMode roundingMode);
void UpdatePrice(ILineItemModel lineItemModel);
public decimal? ApplyRounding(decimal? value, int precision, RoundingMode roundingMode);
public decimal? ApplyRounding(decimal? value, int ? currencyPrecision = null );
public void UpdatePrice(ILineItemModel lineItemModel);
public bool AddPricePointAdjustmentValueToPriceWaterfall(ILineItemModel lineItem, IPricePointAdjustmentValue newPricePointAdjValue, int ? index = null );
public IPricePointAdjustmentValue CreatePricePointAdjustmentValue();
public void RecalculatePriceWaterfall(ILineItemModel lineItem);
```

```

public bool RemoveAddedAdjFromPriceWaterfall(ILineItemModel lineItem, bool
recalculate, string pricePoint, PricePointAdjustmentType type, string name,
string sourceId);
public IConfigSystemProperties GetSystemProperties();

```

Example

```

var pricingHelper = GetPricingHelper();
var logHelper = GetLogHelper();

var roundedValue = pricingHelper.ApplyRounding( 1 .657m, 2 ,RoundingMode.DOW
N);
logHelper.LogDebug(roundedValue);

roundedValue = pricingHelper.ApplyRounding( 1 .657m, 2 ,RoundingMode.UP);
logHelper.LogDebug(roundedValue);

```

Console Output

```

1.65
1.66

```

MetadataHelper

The MetadataHelper function helps you fetch the metadata for an entity for a specified RecordType. The *IMetadataHelper* instance returned when *GetMetadataHelper()* is called performs the following method:

Method

```

Task<string> GetRecordTypeIdByName(string entityName, string
recordTypeName);

```

Example

```

var metadataHelper = GetMetadataHelper();
var logHelper = GetLogHelper();

var recordTypeId = await metadataHelper.GetRecordTypeIdByName( "Product2" ,
"Master" );
logHelper.LogDebug(recordTypeId);

```

Console Output

```
0120000000000000AAA
```

VaultHelper

The VaultHelper function helps you fetch the KeyVault details for an application. The *IVaultHelper* instance returned when *GetVaultHelper()* is called fetches KeyVault values using the following method:

Method

```
Task<Dictionary<string, object>> GetValue(string AppName);
```

Example

```
var vaultHelper = GetVaultHelper();
var logHelper = GetLogHelper();

var vault = await vaultHelper.GetValue( "MyApp" );
logHelper.LogDebug(vault[ "AppKey" ]);
logHelper.LogDebug(vault[ "AppSecrets" ]);
```

Console Output

```
"Your_Key"
"Your_Secrets"
```

To set and update value in vault

Using the Vault API, you can set and update value in vault, which is stored in encrypted format. You cannot retrieve vault value using any API. You can retrieve vault values only using the VaultHelper function.

1. **Create:** POST: /pricing/api/admin/Vault
It creates an application with the specified key value name and application name.
Body:

```
{
  "AppName" : "MyApp" ,
```



```

    "Secrets" : {
      "MySecretsKey1" : "MyValue1" ,
      "MySecretsKey2" : "MyValue2"
    }
  }

```

You can create multiple applications and store multiple secrets as KeyValue in a single application using the POST API and retrieve those secret values using the VaultHelper function by passing AppName.

2. **Update:** PUT /pricing/api/admin/Vault/{appName}

It updates an existing application vault information with a new value.

Body:

```

{
  "AppName" : "MyApp" ,
  "Secrets" : {
    "MySecretsKey1" : "MyNewValue1" ,
    "MySecretsKey2" : "MyNewValue2"
  }
}

```


3. **Remove:** DELETE /pricing/api/admin/Vault/{appName}

It removes secrets from the vault storage.

HttpHelper

The HttpHelper function helps you with HTTP calls covering CRUD operations.

To get an instance of the *IHttpHelper*, you must call *GetHttpHelper()*, which returns you an instance of *IHttpHelper* allowing you to call the following methods:

 It is not recommended to call salesforce API from Custom Code, due to performance reasons.

Methods

```

HttpContent GetHttpContentFromXml<T>(T payload);
Task<T> GetAsync<T>(string requestUri);
Task<HttpResponseMessage> GetAsync(string requestUri);
Task<T> PostAsync<T>(string requestUri, HttpContent content);
Task<HttpResponseMessage> PostAsync(string requestUri, HttpContent content);
Task<T> PutAsync<T>(string requestUri, HttpContent content);
Task<HttpResponseMessage> PutAsync(string requestUri, HttpContent content);
Task<HttpResponseMessage> DeleteAsync(string requestUri);

```

Example: Invoke GET API call

```

var httpHelper = GetHttpHelper();
var logHelper = GetLogHelper();

string url = "https://jsonplaceholder.typicode.com/todos/1" ;
var response = await httpHelper.GetAsync<SampleResponse>(url);
logHelper.LogDebug(response);

```

Console Output

```

Complete-GetAsync(https: //jsonplaceholder.typicode.com/todos/1),
HttpStatus=OK, Time=285.534
{ "userId" : 1 , "id" : 1 , "title" : "delectus aut autem" , "completed" : f
alse }

```

Example: Invoke POST API call

```

var httpHelper = GetHttpHelper();
var logHelper = GetLogHelper();

string url = "https://jsonplaceholder.typicode.com/todos/1" ;
var response = await httpHelper.GetAsync<SampleResponse>(url);

url = "https://jsonplaceholder.typicode.com/todos" ;
response.id = 0 ;
response.title = "Callback" ;
var contentToPost = new
StringContent(JsonConvert.SerializeObject(response), Encoding.UTF8,
"application/json" );

```

```
var postResult = await
httpHelper.PostAsync<SampleResponse>(url,contentToPost);
logHelper.LogDebug(postResult);
```

Console Output

```
Complete-GetAsync(https: //jsonplaceholder.typicode.com/todos/1),
HttpStatus=OK, Time=285.534
{ "userId" : 1 , "id" : 1 , "title" : "delectus aut autem" , "completed" : f
alse }
Complete-PostAsync(https: //jsonplaceholder.typicode.com/todos),
HttpStatus=Created, Time=400.073
{ "userId" : 1 , "id" : 201 , "title" : "Callback" , "completed" : false }
```

CacheHelper

The CacheHelper function helps you cache data for faster retrievals. The *ICacheHelper* instance, which is returned when *GetCacheHelper()* is called, provides you with the following methods:

Methods

```
void Set<T>(string key, T value, string regionName);
T Get<T>(string key, string regionName);
bool Contains(string key, string regionName);
```

Example

```
public class Product2
{
    public string Id {get; set;}
    public string Name { get; set;}
}
```

Set Data in Cache

```
var cacheHelper = GetCacheHelper();

Product2 product = new Product2()
{
    Id= "RT001" , Name = "Router"
};
```

```
await cacheHelper.Set<Product2>( "Product" ,product);
```

Console Output

```
{ "Id" : "RT001" , "Name" : "Router" }
```

Get Data from Cache

```
var cacheHelper = GetCacheHelper();  
var logHelper = GetLogHelper();  
  
var productFromCache = await cacheHelper.Get<Product2>( "Product" );  
logHelper.LogDebug(productFromCache);
```

Console Output

```
{ "Id" : "RT001" , "Name" : "Router" }
```

Pricing Callback Class for TurboPricing

Pricing callback provides extensibility points in the Pricing Engine which can be used to extend or override existing behavior of the Pricing Engine based on customer requirements. Pricing callback classes allow you to add pricing logic to the cart that cannot be achieved by out-of-the-box pricing mechanisms, such as Price Rulesets and Price Matrices.

To use the Pricing Callback you must create a custom C# class that implements the following interfaces

Interface	Description
<i>IPricingBasePriceCallback</i>	This interface provides you a mechanism to define custom logic to be executed before, during, and after Base Price Calculation
<i>IPricingTotallingCallback</i>	This interface provides you a mechanism to define custom logic to be executed before, during, and after adjustment Calculation

Interface	Description
<i>IRelatedPricingCallback</i>	This interface provides you a mechanism to define custom logic for calculating the pricing for related product line items

For accessing non-transactional/master data in callback code, you must only use the data synced in the Extensibility consumer profile. You can use the *DBHelper* functions to retrieve the synced master data from the TurboPricing data source. For accessing any transactional data such as line-item custom fields, proposal fields, cart fields, and so on, the line item custom fields should be configured in the custom setting "Configure LineItem Custom Fields" and Proposal/cart fields should be configured in the custom setting "Cart Header Criteria Fields" at Salesforce. Also, the line item's product or option relationship fields used in callback must be configured in the Price List Item entity as a part of the "Pricing Master Data Tables" consumer profile.

The following sections describe the interfaces:

- [Pricing Base Price Callback Interface](#)
- [Pricing Totalling Callback Interface](#)
- [Related Pricing Callback Interface](#)

Pricing Base Price Callback Interface

The *IPricingBasePriceCallback* interface provides you a mechanism to define a custom logic to be executed before, during, and after **Base**

Price calculation. The *IPricingBasePriceCallback* is executed in batches which consists of the batch line items. TurboPricing calls this interface for every batch.

The following methods are available in the *IPricingBasePriceCallback* interface:

Method Signature	Description
<i>Task</i> <i>BeforePricingBatchAsync(IBatchPriceRequest batchPriceRequest)</i>	You can use this method to define custom logic that must be executed before Base Price is calculated.
<i>Task</i> <i>OnPricingBatchAsync(IBatchPriceRequest batchPriceRequest)</i>	You can use this method to define custom logic that must be executed during the Base Price calculation. You can use the price list items to write the custom logic.

Method Signature	Description
<i>Task</i> <i>AfterPricingBatchAsync(ICollection<IBatchPriceRequest> batchPriceRequest)</i>	You can use this method to define custom logic that must be executed after the Base Price is calculated.

Example Code

The below code snippet is for reference purposes only.

```

namespace Apttus.Lightsaber.Customer.Pricing
{
    public class PricingBasePriceCallback : CodeExtensibility,
        IPricingBasePriceCallback
    {
        public async Task AfterPricingBatchAsync(ICollection<IBatchPriceRequest>
            batchPriceRequest)
        {
            await Task.CompletedTask;
        }

        public async Task BeforePricingBatchAsync(ICollection<IBatchPriceRequest>
            batchPriceRequest)
        {
            var batchLineItems =
                batchPriceRequest.GetLineItems().SelectMany(x =>
                    x.GetChargeLines()).Select(s => new LineItem(s)).ToList();

            //Example, setting custom field on line item before PLI
            resolution
            foreach(var batchLineItem in batchLineItems) {
                decimal extendedQuantity = batchLineItem.GetQuantity();
                decimal quantity = batchLineItem.GetQuantity();

                if (batchLineItem.IsOptionLine()) {
                    LineItem rootBundleLineItemModel = new
                        LineItem(batchLineItem.GetRootParentLineItem().GetPrimaryLineItem());
                    decimal bundleQuantity =
                        rootBundleLineItemModel.GetQuantity();
                    extendedQuantity = bundleQuantity *
                        batchLineItem.GetQuantity();
                }
            }
        }
    }
}

```

```

    }

    batchLineItem.APTS_Extended_Quantity__c = extendedQuantity;
}

//You can also query DB here, and perform initial setup such as
creating required Dictionary, List and so on for later use in the callback
code.

    await Task.CompletedTask;
}

    public async Task OnPricingBatchAsync(IBatchPriceRequest
batchPriceRequest)
    {
        var batchLineItems =
batchPriceRequest.GetLineItems().SelectMany(x =>
x.GetChargeLines()).Select(s => new LineItem(s)).ToList();

        foreach(var batchLineItem in batchLineItems) {
            IPriceListItemModel priceListItemModel =
batchLineItem.GetPriceListItem();
            IPriceListItem priceListItemEntity =
priceListItemModel.GetEntity();

            if (batchLineItem.PriceListId !=
priceListItemEntity.PriceListId) {
                batchLineItem.APTS_Is_Contract_Pricing__c = true ;
            }
        }
        await Task.CompletedTask;
    }
}
}

```

Pricing Totalling Callback Interface

The *IPricingTotallingCallback* interface provides you a mechanism to defined custom logic to be executed before, during, and after adjustment calculation.

The *IPricingTotallingCallback* is invoked once for each pricing request to calculate the total.

The following methods are available in the *IPricingTotallingCallback* interface:

Method Signature	Description
<i>Task</i> <i>BeforePricingCartAdjustmentAsync(IAggregateCartRequest aggregateCartRequest)</i>	You can use this method to define custom logic that must be executed before the adjustment is calculated.
<i>Task</i> <i>AfterPricingCartAdjustmentAsync(IAggregateCartRequest aggregateCartRequest)</i>	You can use this method to define custom logic that must be executed after the adjustment is calculated.
<i>Task</i> <i>OnCartPricingCompleteAsync(IAggregateCartRequest aggregateCartRequest)</i>	You can use this method to define custom logic that must be executed after the pricing is calculated completely.

Example Code

The below code snippet is for reference purposes only.

```
namespace Apttus.Lightsaber.Customer.Totaling
{
    public class PricingTotallingCallback : CodeExtensibility,
    IPricingTotallingCallback
    {
        public async Task
        BeforePricingCartAdjustmentAsync(IAggregateCartRequest aggregateCartRequest)
        {
            var cartLineItems =
            aggregateCartRequest.GetCartContext().GetLineItems().SelectMany(x =>
            x.GetChargeLines()).Select(s => new LineItem(s)).ToList();

            foreach(LineItem cartLineItem in cartLineItems) {
                if (cartLineItem.IncentiveBasePrice.HasValue &&
                cartLineItem.IncentiveBasePrice.Value != 0 ) {

                    decimal sellingTerm =
                    cartLineItem.GetValueOrDefault(LineItemPropertyNames.SellingTerm, 1 );
                    decimal lineItemQ = cartLineItem.GetQuantity();

                    decimal? unitIncentiveAmount = cartLineItem.BasePrice -
                    cartLineItem.IncentiveBasePrice;
```



```

        cartLineItem.APTS_Unit_Incentive_Adjustment_Amount__c =
unitIncentiveAmount;
        cartLineItem.IncentiveBasePrice = cartLineItem.BasePrice
- unitIncentiveAmount;
        cartLineItem.IncentiveAdjustmentAmount =
unitIncentiveAmount * lineItemQ * sellingTerm * - 1 ;
    }
}

    await Task.CompletedTask;
}

    public async Task
AfterPricingCartAdjustmentAsync(IAggregateCartRequest aggregateCartRequest)
{
    //Example, Set custom fields on line item based on the adjusted
price
    await Task.CompletedTask;
}

    public async Task OnCartPricingCompleteAsync(IAggregateCartRequest
aggregateCartRequest)
{
    var cartLineItems =
aggregateCartRequest.GetCartContext().GetLineItems().SelectMany(x =>
x.GetChargeLines()).Select(s => new LineItem(s)).ToList();
    foreach(var cartLineItem in cartLineItems) {
        if (cartLineItem.NetPrice < 1000 ) {
            cartLineItem.APTS_Deal_Color = "Red" ;
        } else {
            cartLineItem.APTS_Deal_Color = "Green" ;
        }
    }
    await Task.CompletedTask;
}
}
}

```

Related Pricing Callback Interface

The interface provides you the capability to define custom logic for calculating the pricing for related product line items. The prices in the related product line items are dependant on the price of other line items.

The following method is available in the *IRelatedPricingCallback* interface:

Method Signature	Description
<i>Task<List<IRelatedPricingBatchResponse>> ComputeBasePriceBatchAsync(IRelatedPricingBatchRequest relatedPricingBatchRequest);</i>	You can use this method to define custom logic that must be executed to specify a new base price for the related line item.

Example Code

The below code snippet is for reference purposes only.

```

namespace Apttus.Lightsaber.Customer.RelatedPricing
{
    public class RelatedPricingCallback : CodeExtensibility,
    IRelatedPricingCallback
    {
        public async Task<List<IRelatedPricingBatchResponse>>
        ComputeBasePriceBatchAsync(IRelatedPricingBatchRequest
        relatedPricingBatchRequest)
        {
            List<IRelatedPricingBatchResponse>
            relatedPricingBatchResponseResult = new
            List<IRelatedPricingBatchResponse>();

            List<ILineItemModel> relatedLineItems =
            relatedPricingBatchRequest.GetRelatedLineItems();

            foreach(var relatedLineItem in relatedLineItems) {

                var priceBreakupRecords =
                relatedLineItem.GetPriceBreakupRecords();

                foreach(var priceBreakup in priceBreakupRecords) {
                    if (priceBreakup.BreakupType == "Total" &&
                    relatedLineItem.GetEntity().RelatedAdjustmentAmount > 5000 ) {
                        IRelatedPricingBatchResponse relatedPricingResponse
                        =
                        relatedPricingBatchRequest.CreateRelatedPricingBatchResponse(relatedLineItem
                        );
                        relatedPricingResponse.BasePrice = 500 ;
                        relatedPricingBatchResponseResult.Add(relatedPricingResponse);
                    }
                }
            }
        }
    }
}

```

```

    }
    }
    return await
Task.FromResult(relatedPricingBatchResponseResult);
    }
}
}

```

Onboarding Data Sync Services

To complete post-provisioning for TurboConfig & TurboPricing, the tenant admin must configure settings for data sync services. TurboEngines data sync provides a high-performance mechanism to sync config and pricing master data at regular, scheduled intervals (or on-demand) between Conga CPQ on Salesforce, TurboPricing, and TurboConfig. Before the initial data sync, you must configure settings enable data sync services and give the administrator access to the TurboEngines Data Sync Admin user interface (UI) to set up and schedule or activate the sync.


Perform the following tasks to complete post-provisioning data sync tasks for TurboConfig and TurboPricing.

Configuring Data Sync Specific Settings

You must configure the data sync service URL and a CSP Trusted Site entry so SFDC can communicate with an external server.

To configure the service URL

1. Go to **Setup > Custom Settings**.
2. Go to **Turbo Engine Admin Properties**.
3. Click **Manage**.
4. Click **New**.
5. Enter the following required properties:
 - Name: *LightsaberServiceUrl*.
 - TurboEngines service Endpoint – Endpoint URL provided by Conga CloudOps
6. Click **Save**.

 Do not enter the forward-slash (/) symbol at the end of the Endpoint URL.

To configure the CSP Trusted Site

1. Go to **Setup > CSP Trusted Sites**
2. Click **New Trusted Site**.
3. Enter the following required properties:
 - a. Enter a **Trusted Site Name** for the trusted site (for example, "TurboEngineAdminService")
 - b. Enter the **Trusted Site URL** (this is the service URL from the previous task).
4. Click **Save**.

Enabling My Domain

As an additional prerequisite to using the Data Sync Admin, you must deploy the "My Domain" feature in Salesforce.

For more information, refer to https://developer.salesforce.com/docs/atlas.en-us.lightning.meta/lightning/intro_reqs_my_domain.htm and https://help.salesforce.com/articleView?id=domain_name_overview.htm&type=5

Configure Permissions for Data Sync Admin User

Users who need to configure and run TurboEngines Data Sync must have permission to access and use the Data Sync Admin UI. This can be a user assigned to the System Administrator profile, or you can customize a profile and create one or more users in this role.

To check if the current user has the right permissions:

1. Log in to your organization as the admin user.
2. Open the Salesforce App Launcher (Lightning) and launch the **TurboEngines Admin** app.
3. If the **Data Integration** and **Callbacks** tabs are visible after launching the app, the user has the correct permissions. Otherwise, log back in as a system administrator and perform the following tasks to provide access to the user profile.

To provide access to the data sync app

1. Go to **Setup > App Manager**.
2. Find the **TurboEngines Admin** app in the list. Click the drop-down at the end of the row and select **Edit**.
3. Click **User Profiles**.

4. From the list of Available Profiles, search and select the app you want to add.
5. Click the right-facing arrow to move the profile from the list of Available Profiles to the list of Selected Profiles.
6. Click **Save**.

To make all tabs visible in the data sync app

1. Go to **Setup > Profiles**.
2. Search for the profile you want to configure and click **Edit**.
3. Under Custom Settings, make sure the following tabs are set as "Default On":
 - **Data Integration**: This tab serves as the starting point for managing all consumer profiles.
 - **Callbacks**: This tab allows you to manage pricing callbacks for TurboPricing.
 - **Consumer Profile**: This tab allows you to set up and configure data sync operations.
 - **Run Details**: This tab allows you to review run history for data sync and take action.

Configuring Single Currency Orgs

Exchange rates are required for currency conversion during pricing and therefore must be synced by TurboEngines. Since single currency orgs do not have a currencies table, any attempt to sync pricing data will fail. Take one of the following two actions when onboarding the org prior to the initial sync:

- Enable multiple currency in the provisioned org (see Salesforce documentation).
- Raise a support ticket to have currencies removed from the Conversion Rates and Custom Settings consumer profile.

Salesforce orgs are provisioned with a single currency. In such cases, the currencies table will not exist. Only when the administrator enables multiple currency will table be created and hold the exchange rates.

Setting up and Syncing TurboConfig Data

For complete information and the tasks required to administer TurboEngines data sync for TurboConfig and TurboPricing, refer to *Data Sync Administrator Guide*.

Frequently Asked Questions (TurboConfig)

What is TurboConfig and how does it work?

TurboConfig is a configuration engine to process product configuration rules while configuring products and finalizing a quote. TurboConfig offloads the computation workload from the Salesforce platform to the Conga Flexible Compute Platform built using microservices. The benefit of the TurboConfig is that users can sell complex configurations much faster because of significantly-optimized processing time. Also, it allows customers to expand the solution to other business units and sell faster.

For example, in a TurboConfig-enabled flow, when the Sales Representative adds a product or a favorite configuration to the cart, the application of complex constraint rules associated with them is offloaded to the Conga Flexible Compute Platform to process for faster response.

When do I need to use TurboConfig?

The Salesforce platform has limitations (such as heap size, CPU timeout limits, number of SOQL limits, and view state) that result in slower response times and usability issues. TurboConfig handles such complex rules and processes a volume of rules significantly faster.

TurboConfig is recommended when you have a large number of rules or highly complex configuration rules to be applied while selecting a product or configuring a bundle.

For example

- If you have more than 100 constraint rules (inclusion, exclusion, recommendation, and replacement rules) applicable across standalone and bundle products
- If you have more than 50 field expressions applicable across products and bundles
- If you have more than 100 product attribute value rules applicable across bundles
- If you have a complex bundle structure that includes more than 500 options and several option groups
- If you have complex bundles rules such as min/max, custom filter callback, repeat inclusions.

How do I enable TurboConfig?

You must have a license for TurboPricing or TurboConfig to enable either service. If you do not have a license, please contact your Conga Account Executive before you begin. After you acquire a license TurboConfig instances will be provisioned for you.

For detailed instructions on how to enable TurboConfig, refer to [instructions on how to turn on TurboConfig](#).

Which version of CPQ should I be on to use TurboConfig?

You must be on CPQ on Salesforce Summer 2020 release or above.

What are the supported features in TurboConfig?

For a complete list of supported features on TurboConfig, refer to the [feature matrix](#).

Is the TurboConfig available for all products or only select products?

You can use TurboConfig for all or select products. However, the TurboEngines data sync services configure the selected products at a regular frequency.

For instructions on how to onboard the data sync services to TurboConfig, refer to the [instructions here](#).

How does TurboConfig work with Data Sync for synchronizing the data?

TurboEngines data sync provides a high-performance mechanism to sync the config and pricing master data at regular, scheduled intervals (or on-demand) between Conga CPQ on Salesforce, Turbo Pricing, and Turbo Config. To start using the data sync services, the tenant admin must configure settings for data sync services. For more information on configuring data sync settings, refer to [Onboarding data sync services](#).

Is there a way to automate the data sync of all products and changes on a regular basis?

Yes, TurboConfig administrators can now make use of the TurboEngine Data Sync Admin application to configure and manage master data sync at regular scheduled intervals and on-demand.

Does TurboConfig work on existing quote or configurations, which were created using a different constraint rule execution mode?

Yes, if you have quotes in progress and if you have configured quotes using the *Client* execution mode, you can process the quotes using the *CMS* execution mode. However, if you have created a quote using the *CMS* execution mode when you switch to the *Client* execution mode, you may have to delete the line items and add them again.

Can I configure custom flows for TurboConfig?

Yes, You can enable TurboConfig for selective CPQ flows. You can use this functionality to avoid making TurboConfig as the default configuration engine and use the engine to process large and complex configuration rules.

For more information on configuring custom flows, refer to [Configuring Custom Flows for TurboConfig](#).

How do I switch from Server Side/Client Side constraint rules to TurboConfig?

For detailed instructions on how to enable TurboConfig, refer to [instructions on how to turn on](#). Also, refer to the [feature parity matrix](#) before you switch to TurboConfig. Note that custom callbacks are not supported in this release.

When I refresh my Salesforce Sandbox org, should I change any config settings?

When you refresh your sandbox, you must reconfigure TurboConfig after the refresh. Follow the onboarding process to enable TurboConfig in your sandbox after you have refreshed the sandbox.

I have done some customization in my org such as added formula fields, workflow rules, callbacks. Do my customizations work when I switch to TurboConfig?

There is no impact on any customizations you may have done on CPQ Objects. However, if you have written any configuration callbacks such as Option Filter Callbacks, you will be required to migrate your callback to TurboConfig using the microservice callback framework. Note that the callbacks are not supported in TurboConfig in the Winter 2020 release. Refer to the supported [feature matrix](#) before switching to TurboConfig engine.

Is TurboConfig supported to work with ABO and Service CPQ?

No. ABO and Service CPQ are not supported to work with TurboConfig in the Winter '20 release. For a complete list of supported features on TurboConfig, refer to the [Feature Matrix](#).

Is TurboConfig security and privacy compliant?

TurboEngines run in a secure multi-tenant environment and TurboEngines are designed to provide full security and privacy with your data. The services are hosted in IBM Cloud, which is ISO 27001/2, SOC 1/2, GDPR compliant. Conga takes advantage of data encryption and access control features enabled by the cloud service provider. If you have any questions or need details, contact Conga Technical Support.

TurboEngines Data Sync Documentation

Select one of the following topics for more information:

- [About TurboEngines Data Sync](#)
- [What's New in Data Sync Documentation](#)
- [TurboEngines Data Sync for Administrators](#)

About TurboEngines Data Sync

TurboEngines Data Sync service is a critical component of the **Conga TurboEngines** platform that provides a high performance mechanism to sync master data at regular, scheduled intervals (or on demand) between Conga CPQ on Salesforce and specific consumer endpoints using Conga's **Flexible Computing Platform**.

About TurboEngines

Conga TurboEngines is a concurrent processing engine provided by Conga that comprises various microservices that process product rules and configurations, pricing configurations and data, and other product-related business data. TurboEngine offloads the computation workload from the Salesforce platform to the Conga Flexible Compute Platform to reduce the processing time on the cart. Processing the computation workload in the Conga Flexible Compute Platform reduces the interaction costs and the quote turnaround time specifically during peak load or large transactions.

TurboEngines scales on 3 dimensions:

- Number of users
- Size of transaction
- The complexity of product and pricing configuration


For more information on how to get started with and configure **TurboEngines**, please refer to the *Conga TurboEngines Spring '21 Administrator Guide* on the Conga documentation portal.

About the TurboEngine Data Sync Flow

TurboEngines Data Sync services comprises several components that work to pull data from Conga applications in Salesforce to a staging database that is then delivered using consumer services to various consumer endpoints (Consumer Profiles) based on their need

for data. The data sync service pulls data from Salesforce at regular, scheduled intervals (using scheduler) and as needed based on Salesforce Push Topic configuration. A user can also retrieve data by invoking on demand sync from the Data Sync Admin UI.

Refer to the following diagram for a high-level flow of the data sync process between SFDC and TurboEngines.



About Consumer Profiles

A Consumer Profile as defined in Data Sync is essentially a master list and format definition for objects, fields, and the related objects and fields to be synced to a specific consumer endpoint. In the Data Sync Admin user interface, the Consumer Profile is defined as **Sync Settings**, comprising object and field data to be synced, details or indicators related to the profile, and sync frequency settings.

For more information on Consumer Profiles, refer to [Navigating the Data Sync Admin User Interface](#).

Data Sync Prerequisites

Provisioning requirements for Conga TurboEngines must be met prior to managing data sync. Refer to [Enabling TurboEngines in an Org](#) in the *Conga TurboEngines Winter '20 Administrator Guide* for more information.

Key Terms

Term	Definition
TurboEngines	A concurrent processing engine provided by Conga that comprises various microservices that process and sync product configurations, pricing configurations and data.
Flexible Computing Platform	An Conga-designed cloud platform built using microservices that offloads the computation workload from the Salesforce platform to reduce processing time on the cart, interaction costs, and the quote turnaround time specifically during peak load or large transactions.
TurboPricing	A pricing engine microservice on the Flexible Computing Platform that computes complex pricing computations and callbacks.
TurboConfig	A configuration engine microservice on the Flexible Computing Platform that computes complex product configurations and product rules.
Data Sync	The process handled by TurboEngines Data Sync Services to sync master pricing data at regular, scheduled intervals or on-demand.
Run History	A log of all data successful and unsuccessful data sync executions that provides a means of troubleshooting sync operations using helpful error messages.
Consumer Profile	A master list and format definition for objects, fields, and related objects and fields to be synced to various consumer endpoints.
Consumer Service	The service that delivers synced data to the consumer endpoint.
Consumer Endpoint	The destination for synced data delivered by a Consumer Service and defined by the Consumer Profile.

What's New in Data Sync Documentation

The following table lists changes in documentation to support each release.

Document	Topic	Description
Spring '21 (Rev. C)	Working with Data Sync Run History	Updated topic to add the information about Details link in Run Details page.
Spring '21 (Rev. B)	Adding Objects and Fields for Sync	Updated topic to add the information about Formula Fields identification in the Manage Object UI.
	Working with Data Sync Run History	Updated topic to add details for the Retry option.
Spring '21 (Rev. A)	Adding Objects and Fields for Sync	Updated topic based on changes to the Manage Fields flow in the Sync Settings UI.
	Creating Sync Indexes	Updated topic based on changes to restrictions on Sync Indexes.
	Working with Data Sync Run History	Updated topic to add details for the Resync Sync Type.
	Data Sync Limitations	Updated topic to remove the limitation regarding syncing of future fields since the feature was removed.
Spring '21		No updates.
Winter '20	Winter '20 Data Sync Administrator Guide	Updated topic to add a minor note about TurboConfig.
	About TurboEngines Data Sync	Updated topic to add a definition for TurboConfig.
	Navigating the Data Sync Admin User Interface	Updated topic to add consumer profile information for TurboConfig.
	Adding Objects and Fields for Sync	Updated topic to reflect changes to managing fields and related fields.
	Managing Email Notifications	New topic.

Document	Topic	Description
	Running Data Sync On-Demand	Updated topic to add a note about email notifications.
	Creating Sync Indexes	New topic.
	Enabling Objects for Push-Based Sync	New topic.
	Working with Data Sync Run History	Updated topic to add a note about email notifications and descriptions for new sync status values.
	Viewing and Evaluating Error Messages	Updated topic with new error messages.
	Retrying Data Sync	New topic.
	Data Sync Limitations	Updated topic name.
	Data Sync FAQ	New topic.
Summer 2020 (Rev. A)	Navigating the Data Sync Admin User Interface	Updated topic to reflect the name change to the "TurboEngines Admin" app.
	Adding Objects and Fields for Sync	Updated topic to reflect minor changes to the simple and complex object tasks.
	Working with Data Sync Run History	Updated topic to include details for in progress sync.
Summer 2020	All topics.	First release (internal only).

TurboEngines Data Sync for Administrators

This section provides Data Sync Administrators with the information required to manage master data sync for Conga Commerce implementations that have enabled **Conga TurboEngines** as the primary pricing and configuration engine.

Topic	Description
What's Covered	This guide provides information for administrators to manage Conga TurboEngines Data Sync.
Primary Audience	<ul style="list-style-type: none"> • Conga Administrators • Conga Professional Services • Pricing Administrators • Customer Administrators
IT Environment	Refer to Getting Started for System Requirements and Supported Platforms.
Updates	For a comprehensive list of updates to this guide for each release, see the What's New in Data Sync Documentation topic.
Other Resources	<ul style="list-style-type: none"> • <i>Conga TurboEngines Documentation</i> • <i>Conga TurboEngines Release Notes</i> • <i>Conga CPQ Documentation</i>

This guide describes the following tasks:

- Managing Data Sync Settings
 - enabling and disabling data sync
 - adding objects and fields
 - adding sync actions and formats
 - running data sync
 - scheduling data sync
- Working with Data Sync Run History
 - viewing and evaluating run history
 - viewing error messages
- Troubleshooting Data Sync (known issues)

Before using TurboEngines Data Sync, you must be familiar with the following:

- Basic Salesforce administration
- Salesforce Lightning experience
- Salesforce and Conga terms and definitions
- Basic understanding of Conga TurboEngines
- Basic understanding of Conga TurboPricing
- Basic understanding of Conga TurboConfig

DOC ID: CTESPR21DSAG20210304


Navigating the Data Sync Admin User Interface

The TurboEngines Data Sync administrator user interface allows administrators to manage, modify, and monitor data sync operations of master data between Conga on Salesforce and various consumer endpoints. Administrators can make changes to data sync consumer profiles by adding, updating, or deleting objects and fields for sync. They can also monitor data sync jobs status and run history, as well as manually trigger data sync for any given consumer profile.

Navigating to TurboEngines Data Sync

To open the Data Sync Admin UI, go to **Salesforce App Launcher > TurboEngines Admin**.


Go to the **Data Integration** tab. From the list of Consumers click **Manage Sync** to open the Admin UI.

 The **Callbacks** tab is used for managing TurboPricing Callbacks. Refer to the [Conga TurboEngines Spring '21 Administrator Guide](#) for information on setting up and managing callbacks.

About Consumer Profiles

The standard and custom objects that are synced from Salesforce to TurboEngines are defined as Consumer Profiles. Consumer Profiles are a master list and format definition for objects, fields, and the related objects and fields to be synced to a specific consumer endpoint. These profiles are displayed in the Consumer list under the Data Integration tab. Consumer Profiles are classified into three Consumer Groups based on the consuming application (TurboPricing or TurboConfig).

TurboPricing Consumer Group

Consumer Profile	Data Sync Admin Access	Description
Pricing Master Data	Read / Write	<p>Seeded master pricing data (Salesforce standard and Conga custom objects). This consumer profile can be modified from Sync Settings.</p> <div> <p> The following objects will not be synced during initial sync and will be marked as Skipped in the Run History Detail page:</p> <ul style="list-style-type: none"> • Complex_Apttus_Config2__PriceRule__c • Complex_Apttus_Config2__PriceMatrix__c • Apttus_Config2__ProductGroup__c • Complex_Apttus_Config2__PriceRuleset__c • Complex_Apttus_Config2__RelatedPriceListItem__c • Product2 <p>These objects are synced as part of other objects in the form of denormalization.</p> </div>
Conversion Rates and Custom Settings	Read-only	Seeded custom settings for pricing. This consumer profile is read-only.

TurboConfig Consumer Group

Consumer Profile	Data Sync Admin Access	Description
Configuration Master Data	Read / Write	Seeded master product configuration data (Salesforce standard and Conga custom objects). This consumer profile can be modified from Sync Settings.

Extensibility

Consumer Profile	Data Sync Admin Access	Description
Customer-Specific Data	Read / Write	Seeded consumer profile with no data. This consumer profile must be modified from Sync Settings to add customer-specific data.

Overview of the Data Sync Admin UI

The TurboEngines Admin UI comprises two main tabs:

- **Sync Settings:** Manage objects and fields to sync for the selected consumer profile. You can view objects, fields and their hierarchy and make modifications as necessary. You can also define the frequency at which the data will be synced.
- **Run History:** View data sync run history and associated error messages. The tab displays a list of data sync ids and other information, including whether or not the sync was successful. You can click on an entry in the run history to view any error messages or other details that are provided.

Managing Sync Settings

Refer to the topics in this section for step-by-step information on enabling, configuring, and executing data sync from Sync Settings in the Admin UI.

- [Enabling and Disabling Data Sync](#)
- [Adding Objects and Fields for Sync](#)
- [Creating Sync Indexes](#)
- [Running Data Sync On-Demand](#)
- [Managing Data Sync Frequency](#)
- [Managing Email Notifications](#)

Enabling and Disabling Data Sync

You can enable or disable data sync for a consumer profile from the **Sync Settings** tab.

To enable or disable data sync for a consumer profile

1. From the list of Consumers, click **Manage Sync** to manage data sync for the profile you want to enable or disable.
2. From the Sync Settings header, click **Sync Enable** toggle to enable or disable data sync. A message is displayed notifying you that the data sync is enabled or disabled.

- i** When data sync is disabled for a consumer profile:
- The **Sync Now** button is disabled.
 - Any in-progress sync is not affected and completes as normal.
 - Any scheduled synchronizations are cancelled (note that the sync frequency setting for this profile is still set in the event the sync is re-enabled).
 - The admin can still modify objects and fields for sync.
 - The admin can still modify sync frequency.

Adding Objects and Fields for Sync

The initial list of objects to be synced is provided by the associated consumer profile and displayed on the Sync Settings page. When you need to add new objects or fields to the sync or update the existing data structure, you can do so from Sync Settings. You have the option to add simple (single object with no joins) or complex objects (single object with one or more joins). When adding new objects or managing existing objects, you can also select which fields to include or exclude from the sync operation.


- i** The Add Objects button is disabled for consumer profiles that are read-only.

To add a simple object to the sync

Add a simple object to the sync when you only need the object and its fields (included the Id of any reference fields).

1. Go to the **Sync Settings** page.
2. From the object list at the bottom of the page, click **Add Object**. The Add Object dialog is displayed.
3. Select **Simple Object**.
4. Click **Next**.
5. Search and select the object to sync.
6. Click **Next**.

7. Select **Data and metadata sync** to sync both object data and metadata, or select **Only metadata sync** to sync only metadata for the object.

 When you choose to sync only metadata, click **Save**. The sync profile is updated. No further action is required.

8. Click **Manage**. The Manage Object page is displayed.
9. Click **Manage Fields** to the right of the object name. The Manage Fields dialog is displayed.
10. Search and select one or more fields to add them to the sync. If you want to sync all fields for the selected object click checkbox to the left of Field Name in the table header.


 Formula fields are distinguished from non-formula fields by **[Data Type] (Formula Field)**.

11. Click **Submit**. The fields are added. Click the chevron (>) next to the object name to expand the view to include the fields you just added.
12. Click **Submit**. The object is added to the list of objects on the Sync Settings page.

To add a complex object to the sync

Add a complex object to the sync when you want to include joins for related objects and their fields (reference, child, and nested relationships).

1. Go to the **Sync Settings** page.
2. From the object list at the bottom of the page, click **Add Object**. The Add Object dialog is displayed.
3. Select **Complex Object**.
4. Click **Next**.
5. Search and select an object to sync.
6. Click **Next**.
7. Enter the **Target Object Name**. This can be any user-friendly name for the object (do not include spaces).
8. Click **Manage**. The Manage Object page is displayed for the object you selected. By default, only the top-level object is displayed in the list.
9. Click **Manage Fields** to the right of the object name. The Manage Fields dialog is displayed.
10. Search and select one or more fields to add them to the sync. To sync all fields for the selected object click the checkbox to the left of Field Name in the list header.

 Formula fields are distinguished from non-formula fields by **[Data Type] (Formula Field)**.

11. Click **Submit**. The Manage Objects page refreshes to display an expanded list of the object and fields to be synced.
12. To add reference or child objects, click **Manage Relations**. The Manage Relations dialog is displayed.
13. From the Reference Objects tab, search and select one or more lookup fields to add them to the sync. To sync all reference fields, click the checkbox to the left of Reference Object in the list header.
14. From the Child Objects tab, search and select one or more child objects to add them to the sync. To sync all child objects, click the checkbox to the left of Child Object in the list header.
15. Click **Submit** to add all selected references and child objects.
16. Reference and child object fields can be added as joins to the nth level:
 - a. To manage fields for a *reference* object you added, click the chevron (>) to the left of the reference field name and click **Manage Fields**. To manage additional references and child objects, click **Manage Relations**.
 - b. To manage fields for a *child* object you added click **Manage Fields** to the right of the object name. To manage additional references and child objects, click **Manage Relations**.
17. Click **Submit**. Click the chevron (>) to the left of a field name to view all fields, reference objects, and child objects you added for that field.
18. Click **Submit**. The object and its selected fields are added to the list of objects on the Sync Settings page.


To update an object for sync

Update objects when you want to include or exclude fields from the sync.

1. Go to the **Sync Settings** page.
2. Search for the object you want to modify.
3. Click the drop-down (▼) at the end of the row and select **Manage**. The Manage Object page is displayed.
4. Click **Manage Fields** to open the Manage Fields dialog. Click the checkbox next to any field in the list to enable or disable the field for sync.
5. Click **Next**. A new dialog is displayed.


6. Under **Do you want to sync existing data for the newly added fields?** select Yes or No:



- Select **Yes** to sync existing data for the entire object included any newly added fields.
- Select **No** to decline the sync. The next sync will be run depending on any changes to fields marked for sync or the next scheduled or manual sync.

 Be careful when choosing to resync the entire object as it will lead to a longer sync time.


7. Click **Submit** to return to the Manage Object page.
8. For complex objects, click **Manage Relations** to open the Manage Relations dialog. Click the checkbox next to any reference field or child object to enable or disable the field for sync. Click **Submit** to return to the Manage Object page.
9. Click **Submit** to save your changes and return to the Sync Settings page.

To delete an object

1. Go to the **Sync Settings** page.
2. Search for the object you want to delete.
3. Click the drop-down at the end of the row () and select **Delete**. A confirmation dialog is displayed.

 You cannot delete seeded objects. You cannot delete fields marked with the lock () icon.


4. Click **Yes** to confirm or **No** to cancel.


 Be careful when deleting objects. To maintain sync integrity, delete child or reference objects first.

Enabling Objects for Push-Based Sync

You can enable a simple or complex object for Push-based sync. This takes advantage of PushTopic Events in Salesforce that notify the data sync service when one or more records have been created, updated, or deleted, or when changes have been made to a record based on a specific PushTopic query. When you enable an object for PushTopic sync, any time activity in Salesforce meets the criteria for a PushTopic Event, the corresponding object and its data will be synced for the applicable consumer profile.

To enable an object for PushTopic sync

1. Go to the Sync Settings page.
2. From the list of objects, search for the object you want to enable for PushTopic sync.
3. Select the drop-down at the end of the row () and click **Enable Push Based Sync**. The Enable/Disable Push Based Sync dialog is displayed.
4. Click the **Push Based Sync** toggle to enable or disable the object for Push Based Sync.
5. Click **Submit**. The list of objects is updated and indicates the object's status under the Push Based Sync column. If enabled, the next time a PushTopic Event occurs, sync profile data is synced for Push Based Sync enabled objects.

 Due to limitations imposed by Salesforce you cannot enable more than 50 objects for Push Based Sync. Please be aware of the following:

- This is applicable across all consumer profiles. Meaning that any objects marked for Push Based Sync contribute to the overall limit.
- For objects marked for Push Based Sync in multiple consumer profiles, the object only counts once towards the maximum.
- For complex objects any child or reference objects also marked for Push Based Sync will be counted towards the maximum.

In addition, if you exceed the Salesforce limit for PushTopic events in a 24-hour period (this is determined by your Salesforce edition – see link below) any objects marked for Push Based Sync will sync only as scheduled in the Data Sync Admin. After the 24-hour period expires (measured 24 hours from the initial PushTopic Event) Push Based Sync will resume until the limit is reached again.

For more information on Salesforce PushTopic Events, refer to the following documentation:

- Salesforce PushTopic overview: https://developer.salesforce.com/docs/atlas.en-us.api_streaming.meta/api_streaming/pushtopic_events_intro.htm
- PushTopic Event Allocations: https://developer.salesforce.com/docs/atlas.en-us.api_streaming.meta/api_streaming/limits.htm



Creating Sync Indexes


For objects with significantly large data sets, it may be good to consider creating a sync index so that pricing and configuration data for that object is more easily searchable after it has been synced to one or more consumer endpoints. You can set up indexes for any objects and specify fields that should be included in the index. You can configure indexes

when you add an object for sync or when you manage any objects that are already part of the sync profile.



Sync indexes are most applicable for object pricing data subject to callbacks. For more information on configuring callbacks, refer to TurboEngines administrator documentation.

To add an index to a sync object

1. Go to the Sync Settings page.
2. From list of sync objects, search for the object and select the row drop-down () and click **Manage Index**. The Manage Index page is displayed.
3. Click **Add Index**.
4. Enter a unique **Index Name** in the field provided.
5. Click **Next**.
6. Click the chevron () to the left of the object name to view the list of fields.
7. Click the check box next to a field name to add it to the index. Click the check box to the left of the Field Name column to select all visible fields. Note that child objects and reference objects can also be selected.
8. Click **Next**. The fields you selected are displayed in the sequence they were added.
9. To reorder fields for sync, click and drag a field to a new location in the sequence.
10. Click **Save**. The index is created and the index list is updated to display the new index.
11. Click **Back** to return to the Manage Objects page.

-  Keep the following in mind when creating an index:
- After adding an index, you cannot make any modifications to it. If you need to make changes, delete and recreate the index.
 - You can add a maximum of 32 fields (columns) to an index.
 - You can create a maximum of 64 indexes per object.
 - You cannot create an index for an object that is marked to "Include all fields including future fields" from the UI. See [Data Sync Limitations](#) for more information.

To delete a sync index

1. Go to the Sync Settings page.
2. From list of sync objects, search for the object and select the row drop-down () and click **Manage Index**. The Manage Index page is displayed.
3. From the list of indexes, search for the index and select the row drop-down () and click **Delete**. A confirmation dialog is displayed.

4. Click **Yes** to confirm the deletion or **No** to cancel.
5. Click **Submit** to save the updated index to Sync Settings.

Running Data Sync On-Demand

In cases where you need to initiate data sync manually, you perform an on-demand data sync from the Sync Settings page.

Prerequisites:

- Data sync must be enabled for the given consumer profile.
- The consumer profile must include one or more simple or complex objects.

To run data sync manually

1. Go to the **Sync Settings** page.
2. Click **Sync Now**. The data sync process is begun and you are redirected to the Run History tab.
3. [Review Run History](#) to view sync details and any associated errors.



- If a sync is progress when you invoke on-demand sync, the sync is queued and executes after the in-progress sync is complete.
- If the sync fails for one or more objects, you can retry the sync. Refer to [Retrying Data Sync](#) for steps.

Managing Data Sync Frequency

For a given consumer profile, you can set and schedule master data to be synced at specified intervals. You can manage the frequency of data sync operations and set a start date and time for the first scheduled sync to begin.


To set the initial data sync frequency

1. Go to the **Sync Settings** page.
2. Click **Set New Frequency**. The Set Sync Frequency dialog is displayed.
3. From the **New Sync Frequency** drop-down, select the sync frequency.
4. To specify a start date and time for the first sync, click the checkbox next to **Schedule start date and time**.

- a. Select a date from the **Date** field.
 - b. Select a time from the **Time** field.
5. Click **Submit**. The frequency for syncing the data for this consumer profile is set. If no date or start time was configured, the first sync is run. The Sync Settings page displays the newly configured frequency, any run currently in progress, and also the date and time of the next scheduled sync.


To change data sync frequency

1. Go to the **Sync Settings** page.
2. Click **Manage Frequency**. The Set Sync Frequency dialog is displayed.
3. From the **New Sync Frequency** drop-down, select the sync frequency.
4. Click **Submit**.




 You cannot schedule a specific date and time for the next sync when you are updating a previously set frequency.

Managing Email Notifications

You can enable or disable email notifications from the Data Sync Admin UI. When enabled, an email notification is sent to the applicable recipients a sync fails or is partially successful ('Failed' or 'Partial Success').

 The From email corresponds to the email address specified in "My Email Settings" for the Salesforce profile associated with the Data Sync admin user.

To configure email notifications

1. Go to the Sync Settings page.
2. From the upper-right hand corner of the Sync Settings tab, select the **settings drop-down** () and click **Email Notification Settings**. The Email Notification Settings dialog is displayed.
3. Click the **Email Notification** toggle to enable or disable email notifications.
4. Enter a valid email address in the **Email** field and click the **Add** () icon. The email address is displayed below the field if added successfully. Click the delete icon () to the right of an email address to remove it from the list.
5. Click **Submit**.



 You must add at least one valid email address to enable email notifications.


Working with Data Sync Run History

After a manual or scheduled data sync is run, information about the sync is displayed in the **Run History** tab, regardless of whether or not the data sync was successful. You can view and interact with data sync run history to monitor the progress or status of the sync and any errors generated if the sync was unsuccessful.

The Run History table displays the following information.

Column	Description
Sync Id	The Id of a sync operation. Click the link to view object-level details.
Start Date and Time	The date and time the sync operation initiated. You can use the start date to get an understanding of how recently data was pulled from Salesforce to the consumer service.
End Date and Time	The date and time the sync operation completed or failed.
Duration	The duration of the data sync operation.

Column	Description	
Status	Status	Description
	In Progress	The data sync operation is currently in progress.
	Success	The data sync operation was successful without any errors.
	Partial Success	The data sync operation was successful for some objects but failed for one or more objects.
		The data sync operation was successful for some objects but sync failed and validation warning for one or more objects.
		The data sync operation was failed and the validation warning for one or more objects.
	Success with Warning	The data sync operation was successful but validation warning for one or more objects.
	Failed	The data sync operation failed with one or more errors.
	Pushed	The data sync operation was pushed for one or more objects.
<p>You can click on the error () icon to view a list of errors and suggested actions.</p> <div> <p> Whenever a sync fails or is partially successful, an email notification is automatically generated and sent to the appropriate administrator. Email notifications are configurable and can be enabled or disabled. For more information, see Managing Email Notifications.</p> </div>		

Column	Description
Type	<p>Indicates whether the sync was Scheduled, Manual, or Resync.</p> <div> <p> A sync is labeled as a Resync in Run History when one of the following actions has triggered a sync:</p> <ul style="list-style-type: none"> • An admin adds a new field for sync from the UI and selects "Yes" from the checkbox (to sync the entire object and any newly added fields). • A change in metadata is made to a formula field on the object or dependency object and the field is currently marked for sync. </div>

Only the most recent syncs are displayed on the page on your screen. To view older syncs, scroll down and the list will refresh. You can also use the search function at the top to find a specific sync Id.

To view object level details for a sync operation


1. Go to the **Run History** page.
2. Locate and click the link to the corresponding **Sync Id**. The **Run Details** page is displayed.

The Run History Details page displayed the following information.

Column	Description
Object Name	The object of the record or records that were synced.
Type	The type of the object (Simple or Complex).


Column	Description
Status	<p>The status of the synced object:</p> <ul style="list-style-type: none">• Preparing: The object the has data has been pulled from Salesforce but is not yet synced.• Successful: One more record was successfully synced.• No Change: No changes were made to records for that object.• Partial Success: The sync was successful, but some records failed to sync.• Failed: The sync failed for the object – check for error message(s).• Aborted: An error occurred fetching object data from Salesforce – the operation to sync this object was not run.• Skipped: Sync was skipped for this object. This status is only present for certain objects in initial sync.

Column	Description								
Records Sync Status	<p>Displays the number of records processed for that object out of the total number of object records (for example, "50/50" Processed).</p> <p>To view the sync record details of a specific object:</p> <ul style="list-style-type: none">Click the Details link. A Sync Record Details pop-up window is displayed. This allows you to view the sync record and object record details. <div><div><div>Sync Record Details</div><div><div>Datasync Record Details</div><div>Object Record Details</div></div><div>Details of In Progress records.</div><table><tr><th>Success</th><th>Datasync Failure</th><th>Validation Warning</th><th>Awaiting Response</th></tr><tr><td>10</td><td>0</td><td>0</td><td>0</td></tr></table><div>Sync is Success<div>Total 10/10 Records Processed</div></div><div>Ok</div></div></div> <p>The Sync Record Details window comprises two tabs.</p> <ul style="list-style-type: none">Datasync Record Details: This tab displays the details of In Progress records such as the number of records processed (in the form of Success+Validation/ Sent), failed, validation warning, and awaiting response, and other information including whether or not the sync was successful and the number of records processed.	Success	Datasync Failure	Validation Warning	Awaiting Response	10	0	0	0
Success	Datasync Failure	Validation Warning	Awaiting Response						
10	0	0	0						

Column	Description
	<ul style="list-style-type: none"> • Object Record Details: This tab displays the details of object-level records such as the number of records processed (in the form of Success+Validation/ Sent), successful, failed, and validation warning. 

To Retry the Sync for objects


1. Go to the **Run History** page.
2. Locate and click the link to the corresponding **Sync Id**. The **Run Details** page is displayed.
3. Click the checkbox next to the Object Name and click **Retry**.

 The **Retry** option is not available for the record or records that were synced successfully.

Viewing and Evaluating Error Messages

The Run History tab allows you to view sync details for any sync and to investigate errors that have occurred for any during data sync operations in the list. From the list under Run History, you can view basic sync information and error details and suggested action to take. You can also drill down to the object level to view status for any object in the sync and download a list of error messages if needed for troubleshooting purposes.

To view and evaluate error messages in Run History

1. Go to the **Run History** tab.
2. Locate a **Sync Id** with the status **Failed**.
3. Click the **error** () icon. A dialog is displayed with a list of errors and suggestion actions to take.

The following table summarizes errors that can occur during a sync operation and suggested actions to take to resolve these errors.

Message	Suggested Action (Consumer Admin)
Unable to sync data to the Consumer Database.	Click "Sync Now" on the Sync Settings page to retry data sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
An internal error has occurred with the Data Sync service.	Click "Sync Now" on the Sync Settings page to retry data sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Unable to fetch Consumer Profile.	Contact Conga Technical Support with the Sync Id.
Unable to create bulk job on Salesforce.	Click "Sync Now" on the Sync Settings page to retry data sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Unable to get initial results from Salesforce.	Please check that all objects in Sync Settings have read access. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Error occurred while retrieving the records from Salesforce.	Please check that all objects in Sync Settings have read access. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Unable to sync data to the target endpoint.	Click "Sync Now" on the Sync Settings page to retry data sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Unable to fetch Data using the target object	Please contact Conga Technical support with the Sync Id.
Unable to sync data to the target endpoint.	Please contact Conga Technical support with the Sync Id.
Unable to delete data from the target endpoint.	Please contact Conga Technical support with the Sync Id.

Message	Suggested Action (Consumer Admin)
SFDC Api Limit exceeded	It may take up to 24 hours to restore SFDC Api limit. After the limit is restored retry the sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Metadata sync of an object failed	Retry data sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).
Consumer profile sync of an object failed	Retry data sync. If the problem persists, please contact Conga Technical Support (you will need to provide the Sync Id).

To download a list of record-level errors

1. Click the **Sync Id** link for a sync with status 'Failed' or 'Partial Success'. The Run Details page is displayed.
2. From the list of objects synced, find the objects with Failed or Partial Success status. Click the check box to include any errors from an object in the error report. Click the check box to the left of the Object column to select all such objects.
3. Click the **Error Messages** button at the top of the Details list to download a list of error messages generated during the sync in JSON format.

Retrying Data Sync


When an a sync fails or is partially successful, you have the option to retry the sync operation for each object that had one or more records fail to sync. After each retry, Run History is updated to reflect any additional records that were synced successfully.

To retry a failed sync

1. Go to the Run History page.
2. Find the sync that failed or was partially successful.
3. Click the **Sync Id** to open the object details page.
4. Click the check box next to an object in the list with the status 'Failed' or 'Partial Success'. Repeat for each object you want to retry. You can select all such objects in the list by clicking the check box to the left of the Object column in the header.
5. From the Details page header, click **Retry**. The on-demand sync executes and all selected objects are updated to 'In Progress' status.

 You cannot retry a sync with status "Aborted".

6. After the on-demand sync finishes, the Status field is updated for each object along with the number of records synced. If the sync retry is successful for all objects, the Status field on the Run History page is also updated.

 Note: When you retry a failed sync, no new entry is created on the Run History page. The entry for the original sync is updated to reflect any changes.

Appendices

Refer to the following appendices for additional important information about TurboEngines Data Sync.

- [Data Sync Limitations](#)
- [Data Sync FAQ](#)

Data Sync Limitations

The following known issues apply to TurboEngines Data Sync up to the current release (Winter 2020). Please contact Conga Technical Support with any additional questions:

Issue: Adding Cross-Object Formula Fields

Data sync only supports up to eight levels in a cross-object formula field. Any levels beyond eight will be ignored.

Issue: Some Out-of-the-box Objects and Fields Can Cause Sync to Fail

Assumptions: Some objects exist in the list of objects to add that do not support Salesforce "PK chunking" for bulk data queries.

Scenario: Some SFDC out-of-the-box objects in the "Add Objects" list under Sync Settings could cause the data sync to fail if they are added to the consumer profile. There is no effect on custom objects (Conga and customer-specific) as they all support "PK chunking."

Workaround: As a workaround Conga can add objects as they are needed from the back end. Please contact Conga Technical Support if you have any questions regarding this limitation.

Issue: Deleting a Consumer Profile Field in SFDC

Assumptions: Changes are made to the data model for a consumer profile object in SFDC.

Scenario: When a field or related field of an object that is part of a consumer profile is removed, data sync will mark that field as inactive. If it is added back again with the same name, the status of the field remains inactive.

Workaround: Contact Conga Technical Support.

Data Sync FAQ

Q: How long does it take for the next scheduled data sync to complete?

A: This depends on the frequency and the volume of data being completed. The delay between syncs will always be based on the scheduled frequency plus the amount of time to sync the data.

Q: When I delete a field, reference, or object in Sync Settings, is the same data deleted from the consumer endpoint?

A: When you delete a field, reference, or object in Sync Settings, it is no longer enabled for sync. This has no effect on the data at the consumer endpoint other than that any new data for that field or object will no longer be synced.

Q: I have already added an object in sync settings but I want to add one or more fields? How can I be sure that the field will be synced the next time the sync is run?

A: Use the "Manage" feature for an object in sync settings to add additional fields or reference and child fields to the object and save. The next time the sync is run, existing data for those fields are synced to the consumer endpoint.

Q: Can I set up email notifications to send an email to the administrator when a sync completes successfully?

A: No. Email notifications are only sent on partial success or failure of a sync.

REST API Guide

Select one of the following topics for more information:

- [About REST API Guide](#)
- [What's New in API Guide](#)
- [About TurboEngines - Rest API](#)

About REST API Guide

This guide provides an API reference for the TurboConfig Publisher API. Use this API to sync product configuration data from Salesforce to the TurboConfig product configuration engine for processing. You can sync product data to TurboConfig by bundle Id or category Id.

Topic	Description
What's Covered	This guide provides a reference for the TurboConfig Apttus Publisher REST API provided by Apttus.
Primary Audience	<ul style="list-style-type: none">• Apttus TurboEngines Administrators• API Developers• Customer Administrators
IT Environment	Refer to the latest <i>Apttus TurboEngines Summer 2020 Release Notes</i> for information on System Requirements and Supported Platforms.
Updates	For a comprehensive list of updates to this guide for each release, see the What's New topic.
Other Resources	<ul style="list-style-type: none">• <i>Apttus TurboEngines Summer 2020 Administrator Guide</i>• <i>Apttus CPQ on Salesforce Administrator Guide</i>.

This guide describes the following task:

- Syncing product data using TurboConfig Publisher API.

Before using TurboEngines, you must be familiar with the following:

- Understanding of REST architecture
- Knowledge of REST request and response payloads and operations

- Knowledge of Salesforce API calls
- Salesforce and Apttus terms and definitions
- Basic understanding of Apttus TurboConfig

DOC ID: CTESPR21APIG20210303

What's New in API Guide

The following table lists changes in documentation to support each release.

Document	Topic	Description
Spring 2021	N/A	No new APIs were introduced in this release. The guide was updated to reflect product name changes.
Winter 2020	TurboConfig Publisher	Deleted Topic. A new Data Sync Service is introduced in this release. It provides a high performance mechanism to sync master data at regular, scheduled intervals (or on-demand) between Conga CPQ on Salesforce and specific consumer endpoints using Conga's Flexible Computing Platform .
Summer 2020	All topics.	First release.


About TurboEngines - Rest API

Conga **TurboEngines** is a concurrent processing engine provided by Conga that comprises various microservices that process product configurations (**TurboConfig**), pricing calculations (**TurboPricing**), and other product-related business data, such as promotions. Conga TurboEngines offloads the computation workload from the Salesforce platform to the **Conga Flexible Compute Platform** to reduce the processing time on the cart. Processing the computation workload in the Conga Flexible Compute Platform reduces the interaction costs and the quote turnaround time specifically during peak load or large transactions.

TurboEngines scale on the following dimensions:

- Number of users

- Size of transaction
- The complexity of the product and rules



Turbo DataSync APIs

TurboEngines Feature by Release

Review the latest TurboEngines Features by Release document.

- [Features by Release](#)

Features by Release

This document contains an overview of features introduced in each major release of Conga TurboEngines. For more information, see [TurboEngines Features by Release](#).

Conga Copyright Disclaimer

Copyright © 2022 Apttus Corporation ("Conga") and/or its affiliates. All rights reserved.

No part of this document, or any information linked to or referenced herein, may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written consent of Conga. All information contained herein is subject to change without notice and is not warranted to be error free.

This document may describe certain features and functionality of software that Conga makes available for use under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not, in any form, or by any means, use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part of the software. Reverse engineering, disassembly, decompilation of, or the creation of derivative work(s) from, the software is strictly prohibited. Additionally, this document may contain descriptions of software modules that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document.

U.S. GOVERNMENT END USERS: Conga software, including any operating system(s), integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Neither the software nor the documentation were developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Conga and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Apttus, AI Analyze, Conga, Conga AI, Conga AI Discover, Conga Batch, Conga Collaborate, Conga Composer, Conga Conductor, Conga Connect, Conga Courier, Conga Grid, Conga Mail Merge, Conga Merge, Conga Orchestrate, Conga Sign, Conga Trigger, Digital Document Transformation, True-Up, and X-Author are registered trademarks of Conga and/or its affiliates.

The documentation and/or software may provide links to web sites and access to content, products, and services from third parties. Conga is not responsible for the availability of, or any content provided by third parties. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Conga is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Conga is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

For additional resources and support, please visit <https://community.conga.com>.