



Conga Partner Commerce



Table of Contents

- Partner Commerce Release Notes10
 - Winter20.02.11 Release Notes 10
 - Packages..... 11
 - System Requirements and Supported Platforms 12
 - New Features..... 13
 - Enhancements..... 13
 - Data Model Changes..... 13
 - Fixed Issues 13
 - Known Issues 14
- Winter20.10.14 Release Notes..... 14
 - Packages..... 15
 - System Requirements and Supported Platforms 16
 - New Features..... 17
 - Enhancements..... 17
 - Data Model Changes..... 17
 - Fixed Issues 17
 - Known Issues 17
- Winter20.07.30 Release Notes..... 18
 - Packages..... 18
 - System Requirements and Supported Platforms 20
 - New Features..... 20
 - Enhancements..... 20
 - Data Model Changes..... 22
 - Resolved Issues 22
 - Known Issues 22
- Winter20.07.02 Release Notes..... 22
 - Packages..... 23
 - System Requirements and Supported Platforms 24
 - New Features..... 25
 - Enhancements..... 25

Data Model Changes.....	26
Resolved Issues	26
Known Issues	27
Winter20.06.18 Release Notes	27
Packages.....	27
System Requirements and Supported Platforms	29
New Features.....	29
Enhancements.....	30
Data Model Changes.....	30
Resolved Issues	30
Known Issues	30
Winter20.06.04 Release Notes	31
Packages.....	31
System Requirements and Supported Platforms	33
New Features.....	33
Enhancements.....	33
Data Model Changes.....	34
Resolved Issues	34
Known Issues	35
Winter20.04.16 Release Notes	35
Packages.....	36
System Requirements and Supported Platforms	37
New Features.....	38
Enhancements.....	40
Data Model Changes.....	40
Resolved Issues	40
Known Issues	40
Winter20.03.16 Release Notes.....	40
Packages.....	41
System Requirements and Supported Platforms	42
New Features.....	43
Enhancements.....	44
Data Model Changes.....	44
Resolved Issues	44

Known Issues	44
Winter20.02.26 Release Notes	45
Packages.....	45
System Requirements and Supported Platforms	47
New Features.....	47
Enhancements.....	47
Data Model Changes.....	48
Resolved Issues	48
Known Issues	48
Winter20.02.12 Release Notes.....	49
Packages.....	50
System Requirements and Supported Platforms	51
New Features.....	52
Enhancements.....	52
Data Model Changes.....	52
Resolved Issues	52
Known Issues	53
Winter20.12.11 Release Notes	53
Packages.....	54
System Requirements and Supported Platforms	55
New Features.....	56
Enhancements.....	56
Data Model Changes.....	56
Resolved Issues	57
Known Issues	57
Winter '20 Release Notes	57
Packages.....	58
System Requirements and Supported Platforms	59
New Features.....	60
Enhancements.....	61
Data Model Changes.....	61
Resolved Issues	62
Known Issues	62

About Conga Partner Commerce	63
Key Terminology	65
What's New in Partner Commerce Documentation	68
Partner Commerce for Administrators.....	71
Getting Started	72
System Requirements	72
Logging Into Your Salesforce Org	75
Setting Up Master Data	76
Installing Partner Commerce Package.....	76
Partner Commerce Package Objects.....	79
Upgrading Partner Commerce.....	79
Configuring Partner Commerce Application.....	85
Enabling Communities	86
Creating Region Field.....	86
Setting Up Communities.....	87
Registering a Salesforce Sites Domain	90
Creating Sharing Rules For User And Storefront	91
Configuring Remote Site Settings for Community URL.....	92
Configuring Custom Settings.....	92
Creating Community Users.....	93
Conga Digital Commerce Permission Set.....	93
Enabling State and Country Picklists.....	94
Adding a Storefront Record	94
Enabling API Filters.....	97
Payment Integration with Cybersource Payment.....	98
Tax Integration with Avalara Tax Engine.....	110
Setting Up Multi-Language Using Translations	114
Setting Email Notification Template for Order Lifecycle	123
Creating Custom Field on Account for the Price List.....	124
Setting Up Single and Multiple Store.....	124
Partner Commerce Application Caching	124
Configuring TurboEngines	125
Enabling TurboPricing in an Org.....	125

Creating a Connected App	127
Preparing Tenant Information	128
Setting Up the TurboPricing Endpoint URLs	130
Setting Up the Pricing Mode	130
Configuring Data Sync for TurboPricing	131
Downloading the Partner Commerce SDK.....	133
Cloning the Reference Templates	133
Installing the Reference Template	134
Local Development Setup	143
Server Deployment.....	144
Customizing Your Application.....	149
Customizing HTML Content and Standard Components	149
Adding Custom Fields on Object Models.....	151
Customizing Logic in the Services	155
Customizing the Template Page with Custom Field.....	155
Contact Support.....	156
Partner Commerce for Users	159
Logging in to Partner Commerce.....	160
To log in to Partner Commerce	160
To retrieve a forgotten password.....	161
To log out from Partner Commerce.....	162
Browsing Catalog.....	162
View Options	162
Filtering Products in the Catalog	165
Actions on the Product Catalog Page.....	166
Searching for Products	167
Viewing the Product Details	168
Adding Products to a Cart.....	171
Managing Accounts	172
Changing the Account.....	173
Managing Orders.....	174
To filter order in the orders list	175
Viewing Order Details.....	175

Presenting Orders.....	177
Confirming Orders.....	178
Making Payment for an Order.....	178
Managing Assets.....	179
Using the Standard Table and Chart Component on the Installed Product Page.....	180
Filtering Assets in the Installed Product Page.....	181
Renewing an Asset.....	181
Terminating an Asset.....	182
Buy More Subscription (Increment Asset).....	182
Changing the Configuration for an Existing Asset.....	182
Product Configuration.....	182
To set up the action intent as hide in the constraint rule action.....	184
Supported Capabilities in Partner Commerce.....	184
Application of Constraint Rules.....	187
Attribute Based Configuration Rules.....	188
Supported Features in Partner Commerce With TurboPricing Integration.....	189
Applying Promotions on the Products in the Shopping Cart.....	199
To apply promo code.....	199
Managing the Cart.....	200
Performing Asset Based Ordering actions for Installed Products on the Cart page.....	202
Mini Cart.....	203
View Cart.....	203
Managing Payments.....	204
Viewing Tax Details.....	204
Working with Multi-language Support.....	205
Partner Commerce SDK.....	206
SDK Reference.....	208
Partner Commerce for REST API Developers.....	210
CPQ REST API Version 2.....	211
CPQ REST API Version 3.....	211
Partner Commerce Features by Release.....	212
Features by Release.....	212
Community & Learning Center Resources.....	213

Present and place orders through a single digital commerce platform, providing a unified and modern buying and selling experience.

Partner Commerce Release Notes

Discover what's new in the latest release of Conga Partner Commerce.


- [Winter20.02.11 Release Notes](#)
- [Winter20.10.14 Release Notes](#)
- [Winter20.07.30 Release Notes](#)
- [Winter20.07.02 Release Notes](#)
- [Winter20.06.18 Release Notes](#)
- [Winter20.06.04 Release Notes](#)
- [Winter20.04.16 Release Notes](#)
- [Winter20.03.16 Release Notes](#)
- [Winter20.02.26 Release Notes](#)
- [Winter20.02.12 Release Notes](#)
- [Winter20.12.11 Release Notes](#)
- [Winter '20 Release Notes](#)

Winter20.02.11 Release Notes

Conga Release Notes contains the following information about Partner Commerce Winter20.02.11 Release.


For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- **Packages:** Lists packages that are required to upgrade to this release of the product
- **System Requirements and Supported Platforms:** Lists requirements and recommendations for installing this release
- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Data Model Changes:** Lists changes to the data model
- **Fixed Issues:** Lists customer-reported issues that are fixed in this release or known issues fixed from previous releases
- **Known Issues:** Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the minimum required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

 You must have Community Portal login credentials to be able to download these packages.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.40 4.106.40 Winter20.02.11
Conga Partner Commerce SDK (New)	2003.2.11 (2003)
TurboPricing (For details, see Enabling TurboPricing in an Org)	2021.7.1
Conga Quote Management	10.2.0227.10 10.227.10
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6
Conga Configuration & Pricing	12.2.1839.90 12.1839.90


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83.5 12.83.5
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.7 6.251.7

i Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c97d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for new updates.

Enhancements

There are no new enhancements in this release.

Data Model Changes

This release does not contain any data model changes for Partner Commerce.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
00773095	DC-7235	Assets are displayed for the logged-in user's account, but not from the user's other accounts.

Known Issues

There are no known issues in this release.


DOC ID: PCWIN20PRN20220211

Winter20.10.14 Release Notes

Conga Release Notes contains the following information about Partner Commerce Winter20.10.14 Release.


For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Data Model Changes](#): Lists changes to the data model
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.


Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

 You must have Community Portal login credentials to be able to download these packages.


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.39 4.106.39 Winter20.10.14
Conga Partner Commerce SDK (New)	2003.2.9 (2003)
TurboPricing (New) (For details, see Enabling TurboPricing in an Org)	2021.7.1
Conga Quote Management	10.2.0227.10 10.227.10
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6
Conga Configuration & Pricing	12.2.1839.90 12.1839.90
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83.5 12.83.5
Conga CPQ API	12.2.0111 12.111

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.7 6.251.7

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #ffc107; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for new updates.

Enhancements

There are no new enhancements in this release.

Data Model Changes

This release does not contain any data model changes for Partner Commerce.

Fixed Issues

The following table lists the issues fixed in this release. If any actions are required, they will be listed in this table.

Case Number	Conga Internal ID	Description
00116339	DC-7007	In non-turbo mode, my Asset page is not loading with more than 100 asset line items.

Known Issues

There are no known issues in this release.


DOC ID: PCWIN20PRN20211014

Winter20.07.30 Release Notes

This release note contains the following information about Partner Commerce Winter20.07.30 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- **Packages:** Lists packages that are required to upgrade to this release of the product
- **System Requirements and Supported Platforms:** Lists requirements and recommendations for installing this release
- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Data Model Changes:** Lists changes to the data model
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release

 This documentation may contain descriptions of optional software features and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize this release's new features. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.35 4.106.35 Winter20.07.30
Conga Digital Commerce SDK (New)	2003.1.107 (2003)
TurboPricing (New) (For details, see Enabling TurboPricing in an Org)	2021.7.1
Conga Quote Management	10.2.0227.10 10.227.10
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6
Conga Configuration & Pricing	12.2.1839.90 12.1839.90
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83.5 12.83.5
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.7 6.251.7

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #ffc107; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the documentation portal for updates.

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Support for Models with Expose Decorators

The Partner Commerce SDK has been updated with the following model changes to be used with expose decorators.

- CartLineitem
- AdjustmentLineitem
- Incentive
- SummaryGroup
- TaxBreakup
- TaxCode
- Cart
- AppliedRuleActionInfo
- AppliedRuleInfo
- Account
- AssetLineitem
- OrderLineitem
- Order
- QuoteLineitem
- Quote

Get Started

For more information on the supported models, see [Adding Custom Fields on Object Models](#).

Update to the Pricing API with LineNumber as Query Parameter

The Pricing API is updated to include lineNumber as a query parameter. This query parameter is used to pass the line number(s) to return only associated lineitems after pricing. Do not pass the lineNumber in the following cases:

- All the line items need to be retrieved
- One line item having dependent pricing change on unrelated line items in the cart

For use cases like Related Pricing, all the related line items or the entire cart must be passed for the correct pricing results. If all related lines in the cart are not passed pricing may not be accurate.

Get Started

For details on the pricing API, see [CPQ REST API Version 3](#).

Disabled Alias Flag for Fast Processing

Changes are made to few models to expose decorators and turn off the alias flag for all the cart services. This change is made to avoid normalization of the fields at the backend that takes a lot of processing time to convert API names to alias names. With this change, the response for all the cart actions is with API names instead of the alias name.

Get Started

For more information on the supported models, see [Adding Custom Fields on Object Models](#).

Data Model Changes

There are no data model changes in this release.

Resolved Issues

There are no resolved issues in this release.

Known Issues

There are no known issues in this release.

Winter20.07.02 Release Notes

This release note contains the following information about Partner Commerce Winter20.07.02 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features

- [Data Model Changes](#): Lists changes to the data model
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

i This documentation may contain descriptions of optional software features and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize this release's new features. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.32 4.106.32 Winter20.07.02
Conga Digital Commerce SDK (New)	2003.1.93 (2003)
TurboPricing (New) (For details, see Enabling TurboPricing in an Org)	2021.5.7
Conga Quote Management	10.2.0227.10 10.227.10
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Configuration & Pricing	12.2.1839.90 12.1839.90
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83.5 12.83.5
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.7 6.251.7

i Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c77d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the documentation portal for updates.

Important

To consume the capabilities of this release, you must have TurboPricing Version 2021.5.7.

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Support for Usage Price Type with TurboPricing

Use of Price Type = Usage is now supported with TurboPricing.

Get Started

For a complete list of available features and capabilities, see [Supported Features in Partner Commerce With TurboPricing Integration](#).

Expand and Collapse All Icons on the Product Details Page

The Product Details page is uplifted for consistent behavior of the Expand or Collapse All feature globally as well as for OptionGroup and AttributeGroup sections.

Get Started

For details on the product details page, see [Viewing the Product Details](#).

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the issue resolved in this release.

Case Number	Conga Internal ID	Description
00116339	DC-6768	My Asset page was not loaded with more than 100 asset line items.

The following table lists resolved issues from the previous release.

Conga Internal ID	Description
DC-6775	Multiple manual promotions were not applied to the cart.
DC-6760	After placing an order, tax details were not populated on the Checkout and Quote Summary page.
DC-6706	Changing the End Date of a bundle product did not update the selling term of the Option product using TurboPricing. This resulted in the option price not getting added to the net price and the cart total price.

Known Issues


There are no known issues in this release.

Winter20.06.18 Release Notes

This release note contains the following information about Partner Commerce Winter20.06.18 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).


- **Packages:** Lists packages that are required to upgrade to this release of the product
- **System Requirements and Supported Platforms:** Lists requirements and recommendations for installing this release
- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Data Model Changes:** Lists changes to the data model
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release

 This documentation may contain descriptions of optional software features and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages


The following packages and dependent packages are required to upgrade to this release to utilize this release's new features. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.30 4.106.30 Winter20.06.18
Conga Digital Commerce SDK (New)	2003.1.83 (2003)
TurboPricing (New) (For details, see Enabling TurboPricing in an Org)	2021.5.4.1
Conga Quote Management	10.2.0227.10 10.227.10
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6
Conga Configuration & Pricing (New)	12.2.1839.90 12.1839.90
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83.5 12.83.5
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.7 6.251.7

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c77d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the documentation portal for updates.

Important

To consume the capabilities of this release, you must have TurboPricing Version 2021.5.4.1.

Enhancements

There are no new enhancements in this release.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the resolved issue from the previous release.

Conga Internal ID	Description
DC-6713	When a product with default quantity was added from the catalog page, the quantity was updated on pricing. But when the same product was added from the product details page, the quantity was not updated on pricing.

Known Issues

The following table provides the cumulative list of known issues up to this release.


Conga Internal ID	Description
DC-6706	Changing the End Date of a bundle product does not update the selling term of the Option product using TurboPricing. This results in the option price not getting added to the net price and the cart total price.
DC-6760	After placing an order, tax details are not populated on the Checkout and Quote Summary page.
DC-6775	Multiple manual promotions are not applied to the cart.

Winter20.06.04 Release Notes

This release note contains the following information about Partner Commerce Winter20.06.04 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- **Packages:** Lists packages that are required to upgrade to this release of the product
- **System Requirements and Supported Platforms:** Lists requirements and recommendations for installing this release
- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Data Model Changes:** Lists changes to the data model
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release


 This documentation may contain descriptions of optional software features and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.27 4.106.27 Winter20.06.04
Conga Digital Commerce SDK (New)	2003.1.78 (2003)
TurboPricing (New) (For details, see Enabling TurboPricing in an Org)	2021.5.5
Conga Quote Management	10.2.0227.10 10.227.10
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6
Conga Configuration & Pricing (New)	12.2.1839.87 12.1839.87
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup (New)	12.2.83.5 12.83.5
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing (New)	6.3.251.7 6.251.7

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c94d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the documentation portal for updates.

Enhancements

There are no new enhancements in this release.

 **Important**

To consume the capabilities of this release, you must have TurboPricing Version 2021.5.5.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the issue resolved in this release.

Case Number	Conga Internal ID	Description
00114494	DC-6564	AddOptionToBundle API was not able to accept multiple options as input to add to a specific bundle.
00113185	DC-6463	ProductGroups API took a lot of time to fetch product configuration details on the product details page.
00112435	DC-6312	Disabled Product Attribute Value was not working for checkbox type attributes.

The following table lists resolved issues from the previous release.

Conga Internal ID	Description
DC-5906	When you increased the quantity for one of the multi-charge types of a product and validated the change, the quantity was not updated and the net price was not properly calculated. Options Roll Up line items are read-only.
DC-5903	TurboPricing integration supported up to 20 line items for the price calculation. With this release, TurboPricing integration now supports 200 to 250 line items for the price calculation.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-6706	Changing the End Date of a bundle product does not update the selling term of the Option product using TurboPricing. This results in the option price not getting added to the net price and the cart total price.
DC-6713	When a product with default quantity is added from the catalog page, the quantity is updated on pricing. But if the same product is added is from the product details page, the quantity on pricing is not updated.

Winter20.04.16 Release Notes

This release note contains the following information about Partner Commerce Winter20.04.16 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Data Model Changes](#): Lists changes to the data model
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release


i This documentation may contain descriptions of optional software features and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new in this release.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.21 4.106.21 Winter20.04.16
Conga Digital Commerce SDK (New)	2003.1.53 (2003)
Conga Quote Management (New)	10.2.0227.10 10.227.10
Conga Base Library (New) (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123.6 1.123.6
Conga Configuration & Pricing (New)	12.2.1839.69 12.1839.69
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83 12.83


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.3 6.251.3

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c97d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

The following feature is new to Partner Commerce in this release.

New Convert Currency Pipe

A new pipe named ***ConvertCurrencyPipe*** is introduced to perform client-side currency conversion for aggregate fields or any fields where Salesforce limits the results to default currency on the org. The pipe `ConvertCurrencyPipe` is part of the Partner Commerce SDK and exposed to templates and its usage is aligned to the Angular standards of calling currency pipe.

Example 1:

```
<span>{{ 5.55 | convertCurrency | async }}</span>
```

`<!-- Renders $5.55 -->` When no parameters are passed to the pipe, it converts and displays the currency based on the one defined on the Price List.

Example 2: (Specify currency ISO code)

```
<span>{{65.23 | convertCurrency: 'EUR' | async}}</span>
```

<!-- Renders €65.23 --> You can pass any currency code to the pipe, to convert the values to. Based on the conversion rates defined in the org, the pipe does the conversion and displays currency values.

The following optional parameters can also be passed into this pipe to control the decimal representation, currency symbol, and more.

Parameters	Description
display	Displays the currency symbol. It can take values like code, symbol, symbol-narrow, a customized string, or a boolean. The default is symbol-narrow.
digitsInfo	A string representing the decimal part of the currency value.

Get Started

For details on the ConvertCurrencyPipe, see [Modules > PricingModule > Pipes > ConvertCurrencyPipe](#).

Addition of a New Input Property to Chart Components

A new (optional) input property has been added to our chart component to allow you to define the currency values you wish to see on the dashboard components.

Example: `<apt-chart [currencyConversionCode]="EUR"> </apt-chart>`

If no input is provided, the currency conversion is driven by the default currency specified in the configuration files.

Get Started

For details on the new input property, see [Components > Chart Component](#).

Introducing CPQ REST API Version 3

CPQ REST API Version 3 is a performance-based version with modifications to the response structure.

i *CPQ REST API Version 3 only supports CPQ Pricing. Also, the SDK is integrated with Version 3.*

Get Started

For more details on Partner Commerce REST APIs, see [CPQ REST API Version 3](#).

Enhancements

There are no new enhancements in this release.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

There are no resolved issues in this release.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-5903	TurboPricing integration supports up to 20 line items for the price calculation.
DC-5906	When you increase the quantity for one of the multi-charge types of a product and validate the change, the quantity is not updated and the net price is not properly calculated.


Winter20.03.16 Release Notes

This release note contains the following information about Partner Commerce Winter20.03.16 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product

- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Data Model Changes](#): Lists changes to the data model
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.16 4.106.16 Winter20.03.16
Conga Digital Commerce SDK	2003.1.39 (2003)
Conga Quote Management	10.2.0227.9 10.227.9

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123 1.123
Conga Configuration & Pricing	12.2.1839.48 12.1839.48
Conga Quote Configuration Integration	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83 12.83
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.3 6.251.3

i Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c94d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

The following feature is new to Partner Commerce in this release.

Admin Setting to Control the Batch Size of Cache Records

Partner Commerce has a cache in place that stores dynamic queries so that the APIs do not have to rebuild them every time they are used. Every time an API is called, the default (50) cached records are pulled into the memory proactively to more intelligently speed up the API. There was no way to override the number of cached records.

A new admin setting named `APTS_ApiCacheHydrateSize` is introduced to override the default batch size.

Get Started

For details on caching, see [Partner Commerce Application Caching](#).

Enhancements

There are no new enhancements in this release.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the issue resolved in this release.

Case Number	Conga Internal ID	Description
00113370	DC-6456	<p>When an API was triggered, a large batch size of cached records was pulled into the memory. This displayed an out-of-memory error as the Salesforce limit was exceeded. This issue is resolved.</p> <p>Resolution: A new admin setting named <code>APTS_ApiCacheHydrateSize</code> is introduced to override the default batch size. See Admin Setting to Control the Batch Size of Cached Records.</p>

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-5903	TurboPricing integration supports up to 20 line items for the price calculation.


Conga Internal ID	Description
DC-5906	When you increase the quantity for one of the multi-charge types of a product and validate the change, the quantity is not updated and the net price is not properly calculated.

Winter20.02.26 Release Notes

This release note contains the following information about Partner Commerce Winter20.02.26 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Data Model Changes](#): Lists changes to the data model
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later


versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.15 4.106.15 Winter20.02.26
Conga Digital Commerce SDK (New)	2003.1.39 (2003)
Conga Quote Management (New)	10.2.0227.9 10.227.9
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123 1.123
Conga Configuration & Pricing (New)	12.2.1839.48 12.1839.48
Conga Quote Configuration Integration (New)	12.2.0344.10 12.344.10
Conga CPQ Setup	12.2.83 12.83
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251.3 6.251.3

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #ffc107; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

There are no new features in this release. Keep checking the Conga Documentation Portal for new updates.

Enhancements

There are no new enhancements in this release.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the issue resolved in this release.

Case Number	Conga Internal ID	Description
00112553	DC-6315	The application failed when deleting the line item from a cart that had only one item in it.
00112390	DC-6311	Constraint Rule message appeared even after deleting the product in condition.
00112081	DC-6272	Headless generic APIs do not work with custom objects.
00111278	DC-6206	Error messages were displayed after metadata change in an object due to API cache.

The following table lists the known issue resolved from the previous release.

Conga Internal ID	Description
DC-5911	After updating the configuration of an existing bundle and navigating to the view cart page to click the wrench icon displayed the previous option instead of the updated option. This was a known issue with TurboPricing integration only.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-5903	TurboPricing integration supports up to 20 line items for the price calculation.
DC-5906	When you increase the quantity for one of the multi-charge types of a product and validate the change, the quantity is not updated and the net price is not properly calculated.

Winter20.02.12 Release Notes

This release note contains the following information about Partner Commerce Winter20.02.12 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- **Packages:** Lists packages that are required to upgrade to this release of the product
- **System Requirements and Supported Platforms:** Lists requirements and recommendations for installing this release
- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Data Model Changes:** Lists changes to the data model
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release


i This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management (New)	11.2.0582.16 11.582.16
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.12 4.106.12 Winter20.02.12
Conga Digital Commerce SDK (New)	2003.1.32 (2003)
Conga Quote Management (New)	10.2.0227.6 10.227.6
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123 1.123
Conga Configuration & Pricing (New)	12.2.1839.43 12.1839.43
Conga Quote Configuration Integration (New)	12.2.0344.9 12.344.9
Conga CPQ Setup	12.2.83 12.83
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing (New)	6.3.251.3 6.251.3

 Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #ffc107; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

The following feature is new to Partner Commerce in this release.

Enabling API Filters

Partner Commerce contains headless APIs which are used from the SDK and can be used independently too. The Query API accepts JSON input with filters, conditions, fields, lookups, and relationships for an object to fetch records. Global filters get added from the Salesforce side.

With this release, you can now bypass global filters by adding a record to the APTS_Admin__c object named APTS_EnableAPIFilters with values True and False. By default, this flag is set to True. To use custom filters, you must set this flag to False.

Get Started

For details on filters applied, see [Enabling API Filters](#).

Enhancements

There are no new enhancements in this release.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the issue resolved in this release.

Case Number	Conga Internal ID	Description
00110912	DC-6176	While creating a quote using Commerce SDK, the quote was created using a guest account instead of an account as the input in the convertCartToQuote method.

Case Number	Conga Internal ID	Description
00110916	DC-6175	The API interceptor service that adds headers to internal API calls also added headers to external APIs thus adding extra headers like an access token.
00110913	DC-6173	Query API returned incorrect results due to global filters being added from the Salesforce side. This issue is resolved. Workaround: To bypass the global filters from Salesforce, you must enable API filters, see Enabling API Filters .

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-5903	TurboPricing integration supports up to 20 line items for the price calculation.
DC-5906	When you increase the quantity for one of the multi-charge types of a product and validate the change, the quantity is not updated and the net price is not properly calculated.

Winter20.12.11 Release Notes

This release note contains the following information about Partner Commerce Winter20.12.11 Release.

For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product
- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release

- **New Features:** Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- **Enhancements:** Provides high-level descriptions of enhancements to existing features
- **Data Model Changes:** Lists changes to the data model
- **Resolved Issues:** Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- **Known Issues:** Lists known issues that are applicable in this release

i This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management (New)	11.2.0582.8 11.582.8
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106.4 4.106.4 Winter20.12.11
Conga Digital Commerce SDK (New)	2003.1.18 (2003)
Conga Quote Management	10.2.0227 10.227
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123 1.123


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Configuration & Pricing (New)	12.2.1839.6 12.1839.6
Conga Quote Configuration Integration	12.2.0344 12.344
Conga CPQ Setup	12.2.83 12.83
Conga CPQ API	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing	6.3.251 6.251

i Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none">• Microsoft Edge Chromium• Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div data-bbox="485 672 1426 757" style="border: 1px solid #f9c97d; padding: 5px;"><p> Internet Explorer is not supported.</p></div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

The following feature is new to Partner Commerce in this release.

Export Native Configuration Component to Extend for Customization

The Commerce SDK is enhanced to allow exporting the Native configuration component thus enabling you to extend the component to further modify the UI template.

Enhancements

There are no new enhancements in this release.

Data Model Changes

There are no data model changes in this release.

Resolved Issues

The following table lists the issues resolved in this release.

Case Number	Conga Internal ID	Description
00109598	DC-6007	Selecting an attribute displayed an incorrect value on the product configuration page.
NA	DC-5911	After updating the configuration of an existing bundle and navigating to the view cart page to click the wrench icon displayed the previous option instead of the updated option. This was a known issue with TurboPricing integration only.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-5903	TurboPricing integration supports up to 20 line items for the price calculation.
DC-5906	When you increase the quantity for one of the multi-charge types of a product and validate the change, the quantity is not updated and the net price is not properly calculated.


Winter '20 Release Notes

This release note contains the following information about Partner Commerce Winter '20 Release.

- ✓ For more information on new features, enhancements, and document improvements refer to [What's new in Partner Commerce Documentation](#).

- [Packages](#): Lists packages that are required to upgrade to this release of the product

- [System Requirements and Supported Platforms](#): Lists requirements and recommendations for installing this release
- [New Features](#): Provides high-level descriptions of new features introduced in this release, with links to more detailed information
- [Enhancements](#): Provides high-level descriptions of enhancements to existing features
- [Data Model Changes](#): Lists changes to the data model
- [Resolved Issues](#): Lists customer-reported issues that are resolved in this release or known issues resolved from previous releases
- [Known Issues](#): Lists known issues that are applicable in this release

 This documentation may contain descriptions of software features that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document. Please contact your CSM or AE for information on your specific features and licensing.

Packages

The following packages and dependent packages are required to upgrade to this release to utilize all the new features of this release. These are the *minimum* required versions; later versions are also supported. Separate prerequisites for each feature can be found in the respective guides. The packages marked as **(New)** are new packages in this release.

Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management (New)	11.2.0582 11.582
Conga Partner Commerce	1.0.0000 1.0
Conga Digital Commerce (New)	4.2.106 4.106 Winter '20
Conga Digital Commerce SDK (New)	2003.0.90 (2003)
Conga Quote Management (New)	10.2.0227 10.227


Product	Latest Certified Version <i>Version Name / Version Number</i>
Conga Base Library (New) (Pre-requisite for Installing Conga Configuration & Pricing)	1.2.123 1.123
Conga Configuration & Pricing (New)	12.2.1839 12.1839
Conga Quote Configuration Integration (New)	12.2.0344 12.344
Conga CPQ Setup (New)	12.2.83 12.83
Conga CPQ API (New)	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Conga Order Management	1.0.0000 1.0
Conga Billing (New)	6.3.251 6.251

i Before installing or upgrading Conga managed packages, you must review the dependency matrix for each managed package. You can refer to the package dependency matrix at [Conga Packages Dependency Matrix](#).

System Requirements and Supported Platforms

The following table lists the minimum requirements for installing and using Partner Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .

System Requirement	Minimum Supported Version
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c99d; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Upgrade Notes

For more information on the prerequisites and post-upgrade tasks, see [Upgrading Partner Commerce](#).

New Features

The following features are new to Partner Commerce in this release.

TurboPricing Integration with Partner Commerce

Partner Commerce introduces TurboPricing integration for pricing calculations to offload complex pricing computation workload from the Salesforce platform to the Conga Flexible Compute Platform. TurboPricing is an optional pricing engine built using microservices to reduce the processing time on the cart.

Get Started

For more details on the TurboPricing setup, see [Configuring TurboEngines](#).

For more details on the supported features in this release, see [Supported Features in Partner Commerce With TurboPricing Integration](#).

New REST API for Accept Quote and Accept Order

The Accept Quote and Accept Order SOAP APIs are converted to REST API with the following signatures:

[POST] /quotes/:quoteld/accept

[POST] /orders/:orderId/accept

Get Started

For details on Partner Commerce REST APIs, see [CPQ REST API Version 2](#).

New REST APIs to Swap, Terminate and Change Assets

With this release, the following two new APIs are introduced to exchange/upgrade, change, and terminate the Assets.

[POST] /assets/swap : To exchange or upgrade the assets

[POST] /assets/terminate : To terminate the assets

[POST] /assets/{assetId}/change : To change the parameters of an asset, associated configuration and related details

Get Started

For details on Partner Commerce REST APIs, see [CPQ REST API Version 2](#).

Enhancements

The following section describes existing features that are changed (or are no longer supported) in this release.

Update to Product Search to Always Match Whole Search Keywords


With this update, Partner Commerce searches for products matching whole keywords including spaces.

Get Started

For details on product search, see [Searching for Products](#).

Data Model Changes

The following objects and fields are introduced to or changed in the system or data model in this release.

 The System/User indicates whether the field is used by the System only (System), or if the field may be used for integration updates (User). The below given all fields are consumed by Users and updated by System.

Object	Fields	Description	System/ User	New/ Changed
Api Cache		Stores record information such as Line Item Ids and Attribute metadata for quick loading thus improving performance.		New
	Key	System generated unique key, cached data, sequence, and unique identifier.	System	New
	Data			
	Sequence			
	Identifier			

Resolved Issues

There are no resolved issues in this release.

Known Issues

The following table provides the cumulative list of known issues up to this release.

Conga Internal ID	Description
DC-5903	TurboPricing integration supports up to 20 line items for the price calculation.
DC-5906	When you increase the quantity for one of the multi-charge types of a product and validate the change, the quantity is not updated and the net price is not properly calculated.
DC-5911	Add a bundle product along with its configuration to the cart. Click the wrench icon to change the configuration from the cart page to replace the existing option with another option. Now updating the configuration and navigating to the view cart page to click the wrench icon displays the previous option instead of the updated option. This is a known issue with TurboPricing integration only.

About Conga Partner Commerce

Partner Commerce is the activity of electronically buying or selling products on online services or over the Internet. Partner Commerce has three main components: Web Commerce, Mobile Commerce, and Social Commerce, thus connecting channels and devices. Partner Commerce enables consumers to shop from their homes and offices, and even on the move.

As an administrator, you can use CPQ to perform configuration and pricing tasks to build the catalog page for your e-commerce website. Configuration involves creating products, options, attributes, categories and associating them appropriately with each other for visibility on the Catalog page. A product can be created as a standalone product or as a bundle product with options and attributes. You can control the selection of a product on the catalog page by configuring constraint rules. You can also control the selection of attributes on the configuration page of a product by setting up an attribute-based configuration for that product. Pricing enables you to set up pricing structures for the products so that the price for all products is calculated accurately. Pricing has two components: Price Lists and Price List Items. A price list controls the visibility of products to the user. A price list contains several price list items, each linked to a product. CPQ calculates the price for each product based on the applied price list, price list items, and various pricing and discounting rules.

After you have used CPQ to configure products and pricing, you can associate the price list to the storefront object within the Digital Commerce package. After your catalog has been set up, the next step is to create a Storefront record. The storefront object is very basic and contains only two fields to map a storefront to a price list and logo for the guest user. The price list refers to the price list you want the guest user to access and the logo must be an ID or a URL of the logo attachment for the store. The storefront record also has a banner related list that can be used to set up banners for the jumbotron component in the reference template.

You can define the asset management functions with different data objects to track quote details until an order is fulfilled. You can set up multi-language websites. You can apply promotions, make secure payments, and calculate tax on your cart page.

Partner Commerce allows an administrator to perform the following administrative tasks:

- Set up and activate communities
- Install Partner Commerce Package and dependent packages
- Post deployment community setup
- Assign Partner Commerce permission set
- Create a custom field on account for the price list
- Set up single and multiple stores

- Payment integration using Cybersource Payment
- Tax integration with Avalara tax engine
- Set up a multi-language storefront using translations
- Set email notification template for the checkout
- Enable state and country picklists
- Add a storefront record
- Add storefront promotional banners and associate them with the storefront record
- Clone and install the reference template
- Configure templates
- Set up the local development environment
- Server Deployment
- Customize your application
 - Customize HTML content and standard components
 - Add custom fields on object models
 - Add custom attributes to a product
 - Customize logic in the services
 - Customize the template page with a custom field
 - Optimize Search Engine

Partner Commerce allows a partner-user to perform the following tasks:

- General Administration
 - Assign permission sets for user access
 - Set up Master Data
- Browse the product catalog
- Search products and view product details
- Add products to the cart
- Manage assets
- Manage orders
- Configure products with options and attributes
- Apply promotions on the products in the shopping cart
- Manage cart
 - Request a quote
 - Manage payments
 - View tax details
 - Working with multi-languages storefront
 - Checkout of the cart
- Manage product configuration rules - Constraint Rules and Attribute-based configuration rules.

⚠ The product configuration rules are not in complete parity with CPQ at present. Refer to [Product Configuration](#) for supported capabilities in Partner Commerce.

The differences in feature and capability support in Partner Commerce in comparison with CPQ are listed below:

- For Product Attribute Rules, the scope must be Product and Product Family. The permitted values for Partner Commerce are:
 - Allow
 - Default
 - Hidden
 - Disabled
 - Required
 - Reset
- For the Attribute Value Matrix, the scope must be Product and Product Family. The permitted values for Partner Commerce are:
 - Default
 - Constraint
 - Force Set
- Options Configuration - The minimum and maximum options configuration works at all levels of option groups. In Partner Commerce, only three levels are supported. Also, the minimum and maximum product quantity and total quantity validation work for all levels of option groups.
- Constraint Rules - Constraint Rules are supported for standalone, bundle, and option products for basic inclusion, exclusion, and recommendation type rules.
 - On the Product Level, all the rules are applied only when you have selected the Match in Primary checkbox.
 - On the Product Option Level, all the rules are applied only when you have selected the Match in Options checkbox and a combination of the Match in Primary and Match in Options checkboxes.
- Creating the draft order
- Generating the draft order document and presenting the same to the end customer
- Confirming the order

Key Terminology

It is important to understand how terms are used when working with Partner Commerce.

Term	Description
Configure Price Quote (CPQ)	Conga solution for configuring products, setting up pricing, and generating quotes.
Partner Commerce	Partner Commerce enables your partner company to create quotes, configure products, and manage orders for the end customer to ensure faster selling and up-time without your support.
Product Catalog	A view that allows hierarchical categorization of products for users to search through and add to their configuration.
Products	Products or services that can be sold on its own as a standalone item, an option of other products, or as part of a bundled product.
Assets	Assets define a purchased product or service. An asset is associated with an account. After being processed and fulfilled, new quotes and orders result in new assets, which are listed on a customer's account and a line item from an asset becomes an Installed Product.
Constraint Rules	Rules that drive automatic inclusion, exclusion, recommendation, or replacement of products selected in the catalog page. Each Constraint Rule is composed of three parts: the Rule Detail, the Rule Condition, and the Rule Actions.
Promotions	A promotion is a marketing technique that you apply to reduce the list price of a product or a service. You can create such a promotion and restrict the scope, limit, and benefits so your sales representatives apply this promotion to specific products, for specific customers, and for a limited period.
Options	A product that can be sold along with another product.
Attributes	Features of a product, such as color, size, weight, and more.

Term	Description
Communities	Conga leverages Salesforce Communities to host your Partner Commerce site providing authentication and hosting features for your storefront. You can create multiple communities within your organization for multiple storefronts.
Storefront	A custom object that is part of the E-Commerce package. The storefront object maps a storefront to a price list and other basic information such as logos, banners, and more.
Reference template/application	Base template provided by Conga for further development and customization as per your requirement.
Payment integration	Digital Commerce payment integration using Cybersource.
Tax integration	Tax integration using Avalara tax engine with the help of a Tax Callback class.
Translations	If your org has multiple languages enabled, use Translation Workbench to maintain your translated labels in your org. You can manage translated values for any Salesforce supported language.
Quote	A structured definition of a prospective sale that contains product configurations, pricing, and customer opportunity information.

What's New in Partner Commerce Documentation

The following section lists changes in the documentation to support each release.

Winter '20

Document	Topic	Description
Winter20.0 4.16 (REV A)	All topics in Digital Commerce SDK	All topics updated.
	CPQ REST API Version 3	Performance-based update.
Winter '20	Configuring TurboEngines	New topic: A new feature for this release (TurboPricing Integration)
	Upgrading Partner Commerce	Updated information about how to upgrade Partner Commerce.
	Supported Features in Partner Commerce With TurboPricing Integration	New topic: Supported Features in Partner Commerce with TurboPricing Integration
	Searching for Products	Updated the topic with information about searching the product
	All topics in Digital Commerce SDK	All topics updated.
	CPQ REST API Version 2	<ul style="list-style-type: none"> • New API's added: Assets, Order, and Quote • API's updated with TurboPricing Integration

Summer 2020 Patch 1

Document	Topic	Description
Summer 2020 Patch 1	Upgrading Partner Commerce	Updated information about how to upgrade Partner Commerce.
	Application of Constraint Rules	Updated the topic with information about Constraint Rule Behaviour when Scope = Product Group or Product Family.
	All topics in Digital Commerce SDK	All topics updated.
	All topics in Digital Commerce for REST API Developers	API's updated with new config info.

Spring 2020

Document	Topic	Description
Spring 2020	Upgrading Partner Commerce	New topic. Added information about how to upgrade Partner Commerce.
	Server Deployment	Updated topic about how to include the UI as a static resource and deploy to Salesforce.
	Assets	Updated the topic with information about changes to the Installed Product User Interface.
	Managing the Cart	Updated the topic with information about changes to the My Carts User Interface.
	Product Configuration	Updated topic: <ul style="list-style-type: none"> • Hiding Option Groups and Options • Support for Modifying Option Groups and Options within a Bundle Configuration • Support for Required checkbox for Options
	All topics in Digital Commerce SDK	All topics updated.

Document	Topic	Description
	All topics in Digital Commerce for REST API Developers	Introduction of CPQ REST APIs for Digital Commerce.

Winter 2019

Document	Topic	Description
Winter 2019 Rev B	Product Configuration	Modified topic. Added information for enhancements introduced in Winter 2019 Patch 5.
Winter 2019 Rev A	About Apttus Partner Commerce	Updated topic to conform with Apttus Documentation standards.
	Product Configuration	Modified topic: Added information for supported capabilities.
Winter 2019	All topics	Complete new guide.
	All topics in Digital Commerce SDK	All topics updated.

Partner Commerce for Administrators

This section covers information on how Partner Commerce works. This section also provides step-by-step instructions on how to install, implement and deploy Partner Commerce for your customers.

Topic	Description
What's Covered	This section is designed to provide administrators with information on setting up data to be consumed within Partner Commerce. This section covers the most common use cases for administration and assumes a level of familiarity with basic Salesforce.
Primary Audience	Admin users are responsible for installing, implementing, and deploying the Partner Commerce solution.
IT Environment	For information pertaining to the requirements and recommendations, see System Requirements and Supported Platforms Matrix .
Updates	For a comprehensive list of updates for each release, see What's New in Partner Commerce Documentation .
Other Resources	<ul style="list-style-type: none"> • See Partner Commerce for Users for basic admin tasks and end-user experience. • See Partner Commerce SDK for technical instructions on the installation and setup of a Partner Commerce storefront. • See Partner Commerce for REST API Developers for details of the CPQ REST APIs consumed by Partner Commerce. • See CPQ documentation for detailed information on setting up the master data.

This section describes the following tasks:

- Configuring Digital Commerce Application
- Configuring TurboEngines
- Downloading the Digital Commerce SDK
- Cloning and installing the reference template
- Running the Application in Local Host
- Deploying the Application to Salesforce
- Customizing the Digital Commerce Application

Before using Partner Commerce, you must be familiar with the following:

- Basic Salesforce administration

- [Salesforce and Conga terms and definitions](#)

Select one of the following topics for more information:

- [Getting Started](#)
- [Configuring Partner Commerce Application](#)
- [Configuring TurboEngines](#)
- [Downloading the Partner Commerce SDK](#)
- [Customizing Your Application](#)
- [Contact Support](#)

Getting Started

To get started with Partner Commerce, you must complete the following pre-requisites:


1. Ensure that you fulfill the minimum [system requirements](#).
2. [Install Partner Commerce package and all dependent packages in your Salesforce org.](#)
3. Configure Products, Price List, and Catalog and ensure you can create a proposal in CPQ.
4. Ensure you have a User with the System Admin profile.
5. Ensure you have access to Partner Commerce GIT repository (for base template and all associated libraries).
6. Ensure you have NPM (Node Package Manager) login credentials for Conga NPM private repository.

System Requirements

Before you install and start using or customizing your Digital Commerce application, you must set up your environment for Angular development using the Angular CLI tool. This topic includes information about minimum system requirements and configuring the environment variables.

Supported Platforms

The following table lists the minimum requirements for installing and using Digital Commerce.

System Requirement	Minimum Supported Version
Operating System	Standard Salesforce.com requirements. See Salesforce PDF .
Browser	<p>Conga supports the following browsers:</p> <ul style="list-style-type: none"> • Microsoft Edge Chromium • Google Chrome <p>Conga recommends the latest version of the browser for the best performance. Conga also recommends its customers to use Microsoft Edge Chromium as the browser of choice.</p> <div style="border: 1px solid #f9c775; padding: 5px; margin-top: 10px;"> <p> Internet Explorer is not supported.</p> </div>

Minimum Software Requirements

Before you begin, make sure your development environment includes Node.js® and an npm package manager.

 Command prompt must run as administrator for all command line operations.


1. Node JS v10.16.2 or higher: Install Node JS from the official [Node website](#). For windows, download Windows installer .msi 64-bit.
2. Angular CLI v10.1.1 or higher:
 - To check if already installed, use command: `ng -v`
 - If not installed, use command: `npm install -g @angular/cli`
3. Windows Build Tools. Install python gyp using command: `npm install --global --production windows-build-tools`
4. [Visual Studio Code](#)
5. [JDK / JRE 8 or Higher](#)
6. Apache Ant™ (v1.10.3 or higher) - [Install apache-ant-1.10.3-bin.zip or higher](#)

Environment Variables


When NodeJs, JDK/JRE, and ANT are installed, it is necessary that they are accessible globally using the command prompt. Sometimes the environment variables are not configured and you may see errors stating 'node'/java/'ant' is not recognized as an internal or external command. You must configure the environment variables on your local system.

To configure environment variables

1. Go to **This PC > System Properties > Advanced System Settings**.
2. Click **Environment Variables**.



3. Add the necessary paths into the **User Variable**.



Logging Into Your Salesforce Org

Before you log in, make sure you meet the following criteria.

- All required packages are installed.
- You have administrative privileges.
- You have login credentials provided by Conga.

To log into the application

1. Go to <http://www.salesforce.com>.

Or

If your organization is using a sandbox or test environment (for example, if you are doing user acceptance testing), go to <http://test.salesforce.com> instead.

2. In the toolbar at the top of the page, click **Login**. The login page opens.
3. Enter your **User Name** and **Password**, and click **Log in to Salesforce**.

You have successfully logged into the application.

Setting Up Master Data

In order for your storefront to display products and pricing associated with it. You must set up master data in CPQ.

- Product - Define Standalone, Bundle, and Option products.
- Pricing - Define Simple Pricing, Price Rulesets, Price Matrix (Attributes / Quantity).

For details, refer to the Product Management and Pricing sections *in the CPQ Guide*.

Installing Partner Commerce Package

Multiple packages must be installed to implement a complete Partner Commerce solution. Packages for Partner Commerce must be installed in the order indicated in the table in this section. You begin with the base packages and then install the integration packages that enable the various products to function together.


Caution

It is recommended to download and install the required packages in a Salesforce sandbox org **before** installing them in your production environment. For information on installing and upgrading in a sandbox, please contact the Support team before you install any packages.

Install the packages in the following order.

Order	Package	Install Center tab to access the package	Required?
1	Conga Contract Lifecycle Management	Contract Management	Y
2	Conga Partner Commerce (Required only if you are using Partner Commerce)	CPQ	Y
3	Conga Digital Commerce	CPQ	Y
4	Conga Quote Management	CPQ	Y

Order	Package	Install Center tab to access the package	Required?
5	Conga Base Library	Contract Management	Y
6	Conga Configuration & Pricing	CPQ	Y
7	Conga Quote Configuration Integration	Integrations	Y
8	Conga Quote Asset Integration	CPQ	Y
9	Conga CPQ Setup	CPQ	Y
10	Conga CPQ API	CPQ	Y
11	Conga Promotions	CPQ	Y
12	Conga Order Management (Required only if Partner Commerce package is installed)	CPQ	Y
13	Conga Billing (Required only if Cybersource Payment package is installed)	Billing	Y

 You must have Conga-provided login credentials to the Community Portal to be able to download packages.

To install the Partner Commerce managed packages

1. Go to the **Resources** > **Install Center** tab on the [Conga Community Portal](#).
2. In **My Packages** navigation link, click **CPQ** and scroll down to **Conga Partner Commerce**, from the **VERSION** drop-down, select the version that you want to install.
3. Click **Install Version**.
4. Select the environment in which you want to install the packages.
 - To install the packages in your production environment, click **Install in Production**.

- OR -

To install the packages in your sandbox, click **Install in Sandbox**.

5. In the Salesforce login screen, enter your login credentials and click **Log In**.
6. On the Upgrade page, enter the password provided by Conga.
7. Select the profile for which you want to install the package. Conga recommends that you select **Install for All Users**.
8. If you want to **Install for Specific Profiles**, you must define the access level for all profiles. Select from one of the following options.
 - **No Access** - This is the default setting. Apply this access level to disable all object permissions.
 - **Full Access** - Apply this access level to assign users permissions to Read, Create, Edit, Delete, View All, and Modify All for all objects in the Approvals package.
 - Apply other access levels to assign users permissions to Read, Create, Edit, Delete, View All, and Modify All for specific objects in the Approvals package.

i If permission is not enabled for a profile, you can apply Conga-provided **Apttus Ecommerce** Permission Set to enhance the access levels of the user profile. To assign a permission set, select it from the **Available Permission Sets** box and click **Add**. To remove a **permission set assignment**, select it from the **Enabled Permission Sets** box and click **Remove**. For more information, see [Conga Digital Commerce Permission Set](#).

9. Click **Set**.

10. Click **Upgrade**.

A message is displayed indicating the installation is underway. Once installed, repeat this procedure for each of the packages.

i **Important**

Ensure that at least CPQ and Digital Commerce package licenses are assigned to an admin user, community user, and guest user.

Partner Commerce Package Objects

Partner Commerce is comprised of multiple packages as mentioned in the installation section and this section lists out the objects inside the Partner Commerce and the Digital Commerce package.

Partner Commerce Package Object list:

Object Name	Purpose of the Object
License	Represents a license for the B2B Commerce feature.

Digital Commerce Package Object list:

Object Name	Purpose of the Object
Storefront	Represents the storefront details.
Storefront Banner	Represents the storefront banner details.
Api Cache	Stores record information such as Line Item Ids and Attribute metadata for quick loading thus improving performance. When changes are made in the metadata of an object you are using, you should always clean the Api Cache objects.

Upgrading Partner Commerce

This section covers all the tasks required for upgrading Partner Commerce to the latest version from the previous two releases.

i If you do not have Partner Commerce installed, you can contact the Support Team to request an installation link, then perform the standard installation as described in [Installing Partner Commerce Package](#).

- [Preparing for Upgrade](#)
- [Upgrading Partner Commerce from Summer '20 Patch 1 to Winter '20](#)
- [Upgrading Partner Commerce from Winter '19 to Summer '20 Patch 1](#)
- [Performing the Post Upgrade Tasks](#)

Preparing for Upgrade

Before you upgrade to Partner Commerce, you must ensure the following:

- You go through *Partner Commerce Features by Release* to know about the new features, enhancements, and deprecated features in Partner Commerce since your existing release. After you upgrade Partner Commerce, you cannot roll back to any previous release.
- You have [supported platforms and system requirements](#).
- You have access to the **Install Center** on the [Conga Community Portal](#) for Partner Commerce managed package and dependent packages.
- You must have access to the [npm-release repository](#) to upgrade Partner Commerce SDK.
- You have administrator privileges to your Salesforce org.
- You need not back up your configurations. All configurations you performed since you installed your existing release will remain intact after the upgrade.

Upgrading Partner Commerce from Summer '20 Patch 1 to Winter '20

This section describes step-by-step instructions to upgrade your Partner Commerce application and SDK from Summer '20 Patch 1 to Winter '20.

To upgrade Partner Commerce application

1. Go to **Setup > Installed Packages**.
2. Refer to the following table to ensure that your Salesforce org has the Summer '20 Patch 1 packages installed and you have the Winter '20 packages and dependent packages to upgrade. These packages are required to utilize the new features and enhancements of Winter '20.

Package Names	Summer '20 Patch 1 <i>Version Name / Version Number</i>	Winter '20 <i>Version Name / Version Number</i>
Conga Contract Lifecycle Management	11.1.0547 11.547	11.2.0582 11.582

Package Names	Summer '20 Patch 1 <i>Version Name / Version Number</i>	Winter '20 <i>Version Name / Version Number</i>
Conga Partner Commerce	1.0.0000 1.0	1.0.0000 1.0
Conga Digital Commerce	4.1.85.2 4.85.2 Summer 2020 Patch 1	4.2.106 4.106 Winter '20
Conga Digital Commerce SDK	2002.1.3 (2002)	2003.0.90 (2003)
Conga Quote Management	10.1.0221 10.221	10.2.0227 10.227
Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.1.93 1.93	1.2.123 1.123
Conga Configuration & Pricing	12.1.1787.6 12.1787.6	12.2.1839 12.1839
Conga Quote Configuration Integration	12.0.0332 12.332	12.2.0344 12.344
Conga CPQ Setup	12.1.61 12.61	12.2.83 12.83
Conga CPQ API	12.1.0104 12.104	12.2.0111 12.111
Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0	1.0.0000 1.0
Conga Quote -Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14	6.5.0014 6.14
Conga Order Management (Required only if Partner Commerce package is installed)	1.0.0000 1.0	1.0.0000 1.0
Conga Billing	6.2.238.1 6.238.1	6.3.251 6.251

3. Perform the upgrade. The upgrade procedure is the same as the installation procedure. Install the required managed package in the same order as mentioned in the table above. For detailed information on installing managed packages, see [Installing Partner Commerce Package](#).
4. After the upgrade is complete, perform the [post-upgrade](#) tasks.

To upgrade Partner Commerce SDK

Refer to the [SDK Guide](#), and go to **Upgrade Information > Upgrading the Partner Commerce Template from Summer '20 Patch 1 to Winter '20**. Perform the following tasks:

1. Update to Angular 10
2. Replace ngx-gallery with ngx-gallery-9
3. Upgrade your other dependencies
4. Install "ladda" and "core-js"
5. Move the Roboto font SCSS file to styles.scss
6. Turn off Ivy
7. Update the Product detail component
8. Update the Product detail resolver

Upgrading Partner Commerce from Winter '19 to Summer '20 Patch 1

This section describes step-by-step instructions to upgrade your Partner Commerce application and SDK from Winter '19 to Summer '20 Patch 1.

To upgrade Partner Commerce Application

1. Go to **Setup > Installed Packages**.
2. Refer to the following table to ensure that your Salesforce org has the Winter '19 packages installed and you have the Summer '20 Patch 1 packages and dependent packages to upgrade. These packages are required to utilize the new features and enhancements of Summer '20 Patch 1.

Winter '19 Package Names	Winter '19 Version Name / Version Number	Summer '20 Patch 1 Package Names	Summer '20 Patch 1 Version Name / Version Number
Apttus Contract Management	9.3.0432.5 9.432.5	Conga Contract Lifecycle Management	11.1.0547 11.547
Apttus Partner Commerce (Required only if you are using Partner Commerce)	1.0.0000 1.0	Conga Partner Commerce	1.0.0000 1.0
Apttus E-Commerce	3,25 3,25 Winter '19	Conga Digital Commerce	4.1.85.2 4.85.2 Summer 2020 Patch 1
Apttus Digital Commerce SDK	1903.0.0 (1903)	Conga Digital Commerce SDK	2002.1.3 (2002)
Apttus Proposal Management	9.1.0197 9.197	Conga Quote Management	10.1.0221 10.221
Apttus Base Library (Pre-requisite for Installing Apttus Configuration & Pricing)	NA	Conga Base Library (Pre-requisite for Installing Conga Configuration & Pricing)	1.1.93 1.93
Apttus Configuration & Pricing	11.2.1675 11.1675	Conga Configuration & Pricing	12.1.1787.6 12.1787.6
Apttus Quote/Proposal-Configuration Integration	11.2.0310 11.310	Conga Quote Configuration Integration	12.0.0332 12.332
Apttus CPQ Admin	11.1.39 11.39	Conga CPQ Setup	12.1.61 12.61
Apttus CPQ API	11.2.0099 11.99	Conga CPQ API	12.1.0104 12.104

Winter '19 Package Names	Winter '19 <i>Version Name / Version Number</i>	Summer '20 Patch 1 Package Names	Summer '20 Patch 1 <i>Version Name / Version Number</i>
Apttus Promotion Management (Required if you are using Promotions)	1.0.0000 1.0	Conga Promotions (Required if you are using Promotions)	1.0.0000 1.0
Apttus Quote/Proposal-Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14	Conga Quote Asset Integration (Required if you are using Assets Based Ordering)	6.5.0014 6.14
Apttus Order Management (Required only if Partner Commerce package is installed)	1.0.0000 1.0	Conga Order Management	1.0.0000 1.0
Apttus Billing Management	5.1.0158 5.158	Conga Billing	6.2.238.1 6.238.1

3. Perform the upgrade. The upgrade procedure is the same as the installation procedure. Install the required managed package in the same order as mentioned in the table above. For detailed information on installing managed packages, see [Installing Partner Commerce Package](#).
4. After the upgrade is complete, perform the [post-upgrade](#) tasks.

To upgrade Partner Commerce SDK

Refer to the [SDK Guide](#), and go to **Upgrade Information > Upgrading the Partner Commerce Template from Winter '19 to Summer '20 Patch 1**. Perform the following tasks:

1. Update the Libraries

2. Replace ConstraintIconModule, ConstraintAlertModule and ConstraintSideMenuModule with ConstraintRuleModule
3. Import BsModalRef From 'ngx-bootstrap/modal'
4. Replace apt-cr-side-menu
5. Replace ProductConfigurationSummaryModule with ConfigurationSummaryModule
6. Update the Cart Model
7. Remove detailPageAlert from apt-cr-constraint-alert
8. Fix the Cart List Component
9. Pass the aboEnabled Flag to add-to-cart component from product-detail.component.ts.
10. Fix Route

Performing the Post Upgrade Tasks

After you upgrade to this Digital Commerce release, consider the following options and requirements:

- All upgrade scenarios must work the same way as the previous release.
 - Layout changes: Validate layout changes.
 - RemoteAPICalls: All API calls must be functional.

 The upgrade procedure above is tested against basic setup and not custom code or trigger.

Configuring Partner Commerce Application

This topic covers step by step instructions for configuring the Partner Commerce application in your Salesforce Org.

- [Enabling Communities](#)
- [Creating Region Field](#)
- [Setting Up Communities](#)
- [Registering a Salesforce Sites Domain](#)
- [Creating Sharing Rules For User And Storefront](#)
- [Configuring Remote Site Settings for Community URL](#)
- [Configuring Custom Settings](#)
- [Creating Community Users](#)
- [Conga Digital Commerce Permission Set](#)
- [Enabling State and Country Picklists](#)

- Adding a Storefront Record
 - Adding Storefront Promotional Banners
- Enabling API Filters
- Payment Integration with Cybersource Payment
 - Creating a Cybersource Account with the Secure Acceptance Method
 - Configuring the Payment Form
 - Creating Profiles in Custom Settings
 - Defining Custom Labels
- Tax Integration with Avalara Tax Engine
 - Setting Up Tax Integration
- Setting Up Multi-Language Using Translations
 - Setting Up Translations using SDK
 - Setting Up Translations Using Salesforce
 - Setting Up Translations using Translation Workbench
- Setting Email Notification Template for Order Lifecycle
- Creating Custom Field on Account for the Price List
- Setting Up Single and Multiple Store
- Partner Commerce Application Caching

Enabling Communities

Enabling Communities is the first step to creating communities.

To enable community

1. Go to **Setup > Customize > Communities > Communities Settings** and select **Enable communities**.
2. Select a domain name for your communities, and click **Check Availability** to see if the domain name is available.
3. If you see a success message, click **Save**.

The Communities page is refreshed and displays the All Communities section.

Creating Region Field

Perform the following steps to create a Region picklist field:

1. Go to **Setup**, in the Quick Find box, search for *Users*, and select the **Fields** option under the Users.

2. Go to the **User Custom Fields** section and click **New**.
3. Select **Picklist** as *Data Type* and click **Next**.
4. Enter **Region** as a *Field Label*.
5. Select **Enter values, with each value separated by a new line** option under *Values*, and add picklist values for the region and click **Next**.
6. Mark the profiles as **Visible** to which you want to grant edit access to this field via field-level security and click **Next**.
7. Click **Save**.

Setting Up Communities

The Partner Commerce platform leverages a Salesforce Community to provide authentication and hosting features for guest users. After the Partner Commerce package is deployed, the next step is to create a Salesforce Community. At a minimum, you just need the community URL. However, if you intend to support guest users, you will need to enable that within the community settings. After deployment, the angular library will provide a Visualforce page that you can set as the default page for all page settings within the community. For example home, login, forgot password, change password, and more). Being that it is a single-page application that is designed to handle all incoming requests.

Creating Communities in your Org

The default storefront for E-commerce is created with the Partner Commerce package. You need to create a community for E-commerce.

You can create communities using a wizard. This wizard helps you select community templates that suit your business requirement.

To create a community

1. Go to **Setup > Customize > Communities > All Communities** and click **New Community**.
2. Select from one of the Standard Community templates. For example, Salesforce Tabs + Visualforce.
3. Click **Get Started**.
4. Type a community **Name**. **URL** displays the domain name of your community. In **Optional**, type a suffix for your community and click **Create**. For example, Name = E-Commerce or Partner Commerce, Optional = ecom or pcom.

Your community is created.

Creating Sites

Sites enable you to create your Partner Commerce websites that are directly integrated with your Salesforce org—without requiring users to log in with a username and password. To create sites, refer to [Create Sites](#) for detailed information.

Activating the Community

After you set up a community, you must activate the community.


To activate a community

1. Go to **Setup > Customize > Communities** and click **All Communities**.
2. Click **Workspaces** and under My Workspaces click **Administration**.
3. From the Settings page, click **Activate Community**.

Your community space is now activated.

Setting Up the Default Page

After the community is created and activated, you need to set up Default Page for your community.

 After deployment, the angular library will provide a Visualforce page that you can set as the default page for all page settings within the community.

To set up a default page

1. Go to **Setup > Customize > Communities** and click **All Communities**.
2. Click **Workspaces** and under My Workspaces click **Administration**.
3. Click the **Pages** option.
4. From the *Community Home* drop-down, select **Visualforce Page**.
5. Search and select **ECommerce** for your eCommerce template and click **Save**.

Configuring Sharing Settings

Perform the following steps to configure the **Sharing Setting** for **Default External Access**:

1. Go to **Setup**, in the Quick Find Box, search and select **Sharing Settings**.
2. Click **Edit**.
3. Compare the **Default External Access** with **Default Internal Access** and update the Default External Access with the same option selected as Default Internal Access.
4. Click **Save**.

Granting User Access to Community via Profiles

You can enable users to access the community through profiles based on the level of access you want to grant. Ensure that you provide access to at least an admin user, community user (e-commerce), and guest user.

To enable users to access a community

1. Go to **Setup > Customize > Communities** and click **All Communities**.
2. Click **Workspaces** and under My Workspaces, click **Administration**, and select **Members**.
3. Under the *Select Profiles* section, from the **Available Profiles** column, select respective profiles and add them to the **Selected Profiles** column.
4. Under the *Select Permission Sets* section, from the **Available Permission Sets** column, select respective permission sets and add them to the **Selected Permission Sets** column.
5. Click **Save**.

Allowing External Users to Self-Register

Perform the following steps to allow the external user to self-register:

1. Go to **Setup > Customize > Communities** and click **All Communities**.
2. Click **Workspaces** and under My Workspaces, click **Administration**, and select **Login & Registration**.
3. Under the *Registration Page Configuration* section, select **Allow external users to self-register**.
4. Click **Save**.

Publishing Communities

Perform the following steps to publish the community:

1. Go to **Setup > Customize > Communities** and click **All Communities**.
2. Click **Workspaces** and under My Workspaces, click **Builder**.

3. Click **Publish**.

Setting Up Guest Users

You can set up guest users for your community. The concept of guest users is simply hiding access to certain pages.

To set up a guest user

1. Go to **Setup > Customize > Communities** and click **All Communities**.
2. Click **Workspaces** and under My Workspaces, click **Administration**.
3. Select **Pages**, select the [Force.com](#) section. This section takes you to the underlying site record for your Salesforce community.
4. Under the Site Visualforce Pages section, ensure the pages are listed for the guest user to access. The pages that are not listed cannot be accessed by a guest user.
5. Once done, click **Public Access Settings** where you can see the guest user profile for our storefront. This displays what a guest user can access and manage object and field-level permissions.
6. Click **Save**.

Registering a Salesforce Sites Domain

Your company's Salesforce Sites domain is used for all the sites that you create. You must register your company's Salesforce site domain to create public websites and applications that are directly integrated with your [Salesforce.com](#) organization—without requiring users to log in with a username and password. Your Salesforce site domain must be unique and must consist of only alphanumeric characters. [Salesforce.com](#) recommends using your company's name or a variation of your company's name, such as 'mycompanyportal.'

 You cannot modify your Salesforce site domain name after the registration process.

To register your Salesforce Sites domain

1. Go to **Setup >** in the Quick Find Box, search and select **Sites**.
2. Enter a unique name for your Salesforce Sites domain. A Salesforce Sites domain name can contain only alphanumeric characters and hyphens and must be unique in your organization. It must begin with a letter, not include spaces, not end in a hyphen,

and not contain underscores or periods.

 You can't modify your Salesforce Sites domain name after you have registered it.

3. Click **Check Availability** to confirm that the domain name you entered is unique. If it isn't unique, you are prompted to change it.
4. Read and accept the Sites Terms of Use by selecting the checkbox.
5. Click **Register My Salesforce Site Domain**.

Creating Sharing Rules For User And Storefront


Perform the following steps to assign permission sets:

1. Go to **Setup** > in the *Quick Find* box, search and select the **Sites**.
2. Click the respective **Site Label**. For example, E-Commerce or Partner Commerce.
3. Click **Public Access Settings** > **View Users**.
4. Click the e-commerce site user. For example, Site Guest User, E-Commerce/Partner Commerce.
5. Under the *Permission Set Assignments* section, click **Edit Assignments**.
6. From the **Available Permission Sets** column, select respective permission sets and add them to the **Enabled Permission Sets** column.
7. Click **Save**.

Perform the following steps to create a sharing rules storefront:

1. Go to **Setup** > in the *Quick Find* box, search and select the **Sharing Settings**.
2. Go to the **Storefront Sharing Rules** section and click **New**.
3. In Step 1, enter the **Label** for the rule name.
4. In Step 2, select **Guest user access, based on criteria** option.
5. Select the respective **Field**, **Operator**, and **Value** to set the criteria. For example, Field: Storefront Name, Operator: Contains, Value: E-Commerce or Partner Commerce.
6. Click **Save**.

Perform the following steps to create the user of a sharing rule:

 You must use the **Region** field to create sharing rules for users.

1. Go to **Setup** > in the *Quick Find* box, search and select the **Sharing Settings**.
2. Go to the **User Sharing Rules** section and click **New**.
3. In Step 1, enter the **Label** for the rule name.
4. In Step 2, select **Guest user access, based on criteria** option.

5. Select the respective **Field**, **Operator**, and **Value** to set the criteria. For example, Field: Region, Operator: equals, Value: North Region.
6. Click **Save**.

Configuring Remote Site Settings for Community URL

Perform the following steps to configure Remote Site Settings for your Community URL:

1. Go to **Setup** > in the *Quick Find* box, search and select the **Remote Site Settings**.
2. Click **New Remote Site**.
3. Enter a descriptive term for the *Remote Site Name*.
4. Enter the URL for the remote site.

 Go to the **Sites** to get the **Site URL**. For example, <http://commercesite.test.force.com>

5. Click **Save**.

Configuring Custom Settings

Perform the following steps to configure Config System Properties:

1. Go to **Setup** > in the *Quick Find Box*, search and select **Custom Settings**.
2. Click **Config System Properties** > **Manage**.
3. Click **System Properties** > **Edit**.
4. Enter the Instance Url. For example, <https://commercedomainname.my.salesforce.com>
5. Click **Save**.

Follow above all steps to configure **Instance Url** for **Comply System Properties**.

Perform the following steps to configure Config Custom Classes:

1. Go to **Setup** > in the *Quick Find Box*, search and select **Custom Settings**.
2. Click **Config Custom Classes** > **Manage**.
3. Click **System Properties** > **Edit**.
4. In the *Tax Callback Class*, enter **Apttus_Webstore.APTS_TaxCallBack**.
5. Click **Save**.

Creating Community Users

You can create community users and enable them to access your community.

To create community users

1. Add a user to an account as a contact record and enable the contact record as a **Customer User** or **Partner User**, depending on your business relationship.
2. Refer to [Create Community Users](#) for detailed information.

Conga Digital Commerce Permission Set

The Digital Commerce package comes with basic permission set for providing the necessary access to users. The permission set is named 'Apttus Ecommerce' and should be assigned to users to access the Partner Commerce storefront. If you would like to make any changes to the permissions, you may clone the permission set and make any changes necessary.

Using the managed permission set may prevent a portal user from logging in to Partner Commerce. This occurs because the managed permission set does not have API Enabled Permission by default. You must create an unmanaged permission set and enable API permission.

To enable API permission

1. Clone Apttus Ecommerce permission set and name it Apttus Ecommerce Custom.
2. Go to **Setup > Administration Setup > Manage Users > Permission Sets** and select the permission set. In this case, Apttus Ecommerce and Apttus Ecommerce Custom.
3. Go to **System Permissions** and select to check **API Enabled**.
4. Click **Save**.

Every time you assign Apttus Ecommerce permission set to a user, you **MUST** assign Apttus Ecommerce Custom permission set as well.

 You must provide CRUD permission to the API Cache object.

For Proposal and Checkout APIs to work seamlessly, you must assign appropriate user permissions to custom fields that you may have added to an object.

Enabling State and Country Picklists

Your Partner Commerce site may require State and Country picklists. You must configure these picklists on the org level which enables the State and Country fields to display the picklists on the Contact object.

To enable state and country picklists

1. Go to **Setup**, in the Quick Find box, search for *State and Country/Territory Picklists*, and click **State and Country/Territory Picklists**. The State and Country/Territory Picklists setup page appears.
2. On the State and Country/Territory Picklists setup page, follow the step-by-step instructions to enable the State and Country picklists.

For complete information, refer to [Enable and Disable State and Country Picklists](#) in Salesforce documentation.

Adding a Storefront Record

The Store object is created during the deployment process. The Store object is the only supplementary object to the CPQ code. You must create a store record. After installing the managed package, there is no way for you can access the Storefront object. You must add a Storefront tab to access the Storefront object.

Apart from the underlying catalog, the Digital Commerce package comes with a store object and tab to map a storefront to a catalog. If you are using an MDO org, there may already be a 'store' object installed. This object is deprecated in favor of the 'Storefront' object that comes with the Digital Commerce package.

After setting up your catalog, the next step is to create a 'Storefront' record. The storefront object is very basic and contains only a couple of fields to map a storefront to a price list and logo for the guest user. The price list should look up to the price list you want the guest user to access and the logo should be an id or a URL of the logo attachment for the store. The storefront record also has a 'banner' related list that can be used to set up banners for the jumbotron component in the reference template. Remember the name of the storefront you created. This will be used in a later step to associate with a storefront codebase.

To add a storefront tab


1. Go to **Setup > Create > Tabs** and click **New**.
2. From **Object**, select Storefront.

3. From **Tab Style**, select a style and click **Next**.
4. Click **Next** and click **Save**.

The Storefronts tab is created. You can now create a Storefront record.

To add a storefront record

1. Click **All tabs** and click **Storefronts**.
2. Click **New**.
3. For **Storefront Name**, type a mandatory name for your storefront.
4. For **Default Locale**, select a locale for the users in the storefront.
5. For **Default Price List**, select a price list. This is the default price list used for guest users in the storefront.

-  There are three price list parameters that can be set in the application:
- Using API headers.
 - Logged in User must be associated with Contact and Account object that has a price list.
 - Storefront account and price list.

6. For **Default Account for Guest Users**, type an account name as the default account for orders placed by guest users from E-Commerce.
7. For **Translation URL**, type the URL to retrieve the translation custom labels for the storefront.
8. For **Payment Callback URL**, type the payment callback URL.
9. For **Guest Username** and **Guest Password2**, enter a username and password.
10. For **Configuration Layout**, select a layout of your choice. Native is the default layout, meaning if selected, the product details page displays the default Digital Commerce configuration layout. You can select Embedded to provide the same Digital Commerce experience similar to CPQ.

 If you do not see the fields above, add them by editing the layout.

11. To enable Asset Based Ordering capabilities for your storefront, select **Enable ABO**.
12. If you enabled Asset Based Ordering, use the **Asset Actions** field to enable them for your storefront.
13. To enable request quote capabilities for the storefront, select **Enable Request Quote**.
14. To enable tax integration, select **Enable Tax Calculations**.
15. To set the purpose of the storefront, select the relevant **Channel Type**.
16. To enable Promotion capabilities for your storefront, select **Enable Promotions**.

17. For **Logo**, use Notes and Attachments to attach an image file. Copy and paste the image ID in the Logo field to reference the image. You can also type a URL to reference an externally hosted logo image.
18. For **Enable API Filters**, by default, this flag is set to True. To override global filters, you must set this flag to False. For more information, see [Enabling API Filters](#).
19. Click **Save**.

Adding Storefront Promotional Banners

Storefront Banners are custom objects that are deployed with the managed package. You can add as many banners as you want.

To create storefront banners

1. In the Storefront record, from the Storefront Banners related list, click **New Storefront Banner**.
2. The Storefront field is auto-populated.
3. Enter the following information:

Field	Description
Title	Title for the banner.
Subtitle	Subtitle or sub heading for the banner.
Link	Specify the page that opens, when clicked.
Image	This field references a custom id or a URL.

4. From **Currency**, select a mandatory currency for your storefront banner.
5. Click **Save**. The Storefront Banner details page appears.

To add an image to the Storefront Banner

1. In the Storefront record, from the Note & Attachments related list, click **New Note**.
2. For **Title**, enter a title of the Banner image.
3. Click **Save**.
4. Click **Attach File** to attach a banner image and follow the instructions.

Enabling API Filters

Digital Commerce contains headless APIs, which are used from the SDK and can be used independently too. The Query API accepts JSON input with filters, conditions, fields, lookups, and relationships for an object to fetch records. Implementing Digital Commerce applies global filters by default. You can bypass and override by adding a record to the APTS_Admin__c object named APTS_EnableAPIFilters with values True and False. By default, this flag is set to True. To override global filters, you must set this flag to False.

Important

Disabling global filters disables all the filters across the application. For using filters of your choice, you must explicitly pass appropriate parameters.

The following global filters are applied:

API	Version	Condition
carts	All	OwnerId = Current User Id
carts	All	Account = Current Account
carts	All	PriceListId = Current Price List
carts	3	BusinessObjectId != null
carts	3	BusinessObjectType != null
products	All	IsActive = true
products	All	Has a valid price list item in the current price list (price list item inherits price list item filters)
pricelistitems	All	Effective Date == null OR Effective Date <= TODAY
pricelistitems	All	Expiration Date == null OR Expiration Date >= TODAY
pricelistitems	All	Active = true

API	Version	Condition
pricelistitems	All	PriceListId = Current Price List
pricelistitems	All	ListPrice != null
quotes	All	OwnerId = Current User Id
quotes	All	Account = Current Account
quotes	All	Primary_Contact = Current User Contact Id
assets	All	AccountId = Current Account
categories	All	IsHidden = false
categories	All	Hierarchy.Type = 'Offering' OR Hierarchy.Type = 'Both'
categories	All	AncestorId != null OR PrimordialId = null
categories	All	IsLeaf = No OR ProductCount > 0
orders	All	OwnerId = Current User Id
orders	All	SoldToAccountId = Current Account Id
orders	All	PrimaryContactId = Current User Contact Id

Payment Integration with Cybersource Payment

You can use Cybersource Payment Gateway with Partner Commerce to perform payments for Orders. This section describes how you can integrate Cybersource Payment with Partner Commerce.


Prerequisite

You must have already installed the CPQ and Billing Management packages.

The following four Billing objects store record entries that are used by the Cybersource unmanaged package for every transaction.

Object Name	Purpose
Payment	When a transaction is successfully completed with a success message, a new entry is made in the Payment object with regards to the order.
Payment Method	This object stores the data for saving payment detail for future use.
Gateway Transaction	This object creates a new record every time a payment request to Cybersource is sent and updates the status when a response is received.
Gateway Communication	This is a child object of Gateway Transaction. This object creates a new entry for each request and response payload.

The following diagram illustrates the relationship of Salesforce objects:



To implement payment integration using Cybersource

1. Download and install the Cybersource unmanaged package from the repository. This package includes all the related objects, labels, classes, and permissions with some rest API resources. Based on these resources the payment integration is executed through classes.
2. You must [create a Cybersource account](#) with the following two Secure Acceptance profiles.
 - a. Hosted API - This is used to display IFrame in your Digital Commerce site.
 - b. Checkout API - This is used to perform transactions by using the payment method in a silent way.
 - c. [Set up Payment Integration using Cybersource.](#)
3. [Create profiles in the APTS Cybersource Profile Details custom setting.](#) This custom setting is part of the unmanaged package.
4. [Define custom labels](#) for the Hosted profile and Checkout/Silent Order Post profile.

Creating a Cybersource Account with the Secure Acceptance Method

To integrate the Cybersource payment gateway, you must create a Cybersource account and create your own profile under secure acceptance setting.

Prerequisite

You must subscribe for a Cybersource subscription account using the <https://ebc2.cybersource.com/ebc2/registration/external> link.

Creating Profiles Under Secure Acceptance Setting

Perform the following steps to create profiles under secure acceptance setting:

1. Log in to your Cybersource account using <https://ubctest.cybersource.com/ebc2> link.
2. From the Dashboard, under **Payment Configuration**, select **Secure Acceptance Setting**.
3. From the **Secure Acceptance Setting** page, click **New Profile**. The Create Profile panel appears.
4. Enter the profile name and description, the company name, the integration method used to process notifications and the contact to whom they will be sent, and any additional services. This information is available in the General Information tab after you create the profile.

 The integration method cannot be changed later.

Profile Information

Profile Name *
DigiCom2019

Profile Description
AAA

Integration Methods *

Integration Methods *
Hosted Checkout

Company Name *
Apttus

Contact Information

Name

Email Address

Phone Number

Added Value Services

Payment Tokenization

Decision Manager

BIN Lookup ⓘ

5. Click **Submit**. The Create Profile panel closes and the Edit Profile page appears.

The profile is created as “Inactive.” You can complete profile values to promote it using the steps in **Editing Secure Acceptance Profiles** at any time.

Editing a Secure Acceptance Profile

You must make changes to an inactive profile, then promote the changes to the active profile.

1. On the left navigation pane, click the **Payment Configuration** icon.
2. Click **Secure Acceptance Settings**. The Secure Acceptance Settings page appears.
3. Click the **Inactive Profiles** tab.
4. In the Profile Name column, click the name of the profile you want to edit. The Edit Profile page appears. You can also select an Active profile, and click the Edit icon. Business Center automatically takes you to the Inactive version of the profile.

- Click the tab containing the information you want to update and make changes as necessary.


Tab Name	Description
General Information	Enter basic information about the name and format of the profile.
Payment Settings	Select accepted card types, checkout methods, and reversal preferences.
Security	Generate access key and security key that you need to pass for the transaction.
Payment Form	Set up checkout steps, and which fields to include in billing and order review forms.
Notifications	Designate where to send transaction data.
Customer Response	Customize response and error messages.
Branding (Optional)	Add your branding logos, fonts, and colors.

- When you are done, click **Save**.
- Click the **Promote Profile** icon to add changes to the Active profile.

Defining Payment Methods

After creating a profile, perform the following steps to configure payment methods.

- From the **Edit Profile** page, go to the **Payment Settings** tab.
- Click **Add Card Types** to add cards of your choice.

 If you want to use Electronic Check (eCheck) or Pay Pal method, you must raise a support ticket first with Cybersource. Cybersource implements your requirement, post which eCheck and Pay Pal options are displayed. You can also select account types as per your requirement.

- Select the **3DS1** option under the Payment Authentication 3DS Version section.
- Select both the options (**Fails AVS Check** and **Fails CVN Check**) under the Automatic Authorization Reversal section.

5. Click the setting icon next to the card type to add supported currencies and required fields. The card setting page appears.

 The default currency is US Dollars (USD). To add more currencies, you must raise a support ticket with Cybersource.

6. Select the options of your choice and click **Submit**.

Creating Access and Security Key


Perform the following steps to create your access key and security key that is needed for transactions:

1. From the **Edit Profile** page, go to the **Security** tab.
2. Click the **Create** icon.
3. Enter a **Key Name** and click **Create**.

An access key and security key is generated. You must enter the keys in the *APTS_CyberSource_Profile_Details__c* Cybersource custom setting.

Configuring Transaction Responses

You can configure transaction responses from the **Notification** tab. You can define whether to receive responses through email or a post on API. Currently, Email notifications are supported.



Merchant Notifications ⓘ

Merchant POST URL

URL
.....

Merchant POST Email

Email*
example@example.com

Card Number Masking
Return last 4 digits card number (***** ... ▾)

Customer Notifications

Email Receipt to Customer

Configuring Customer Responses

The customer response setting allows you to configure the redirect page after the transaction is completed/canceled.

Transaction Response Page i

Hosted By CyberSource (A response message is displayed when the transaction is declined, canceled, or if there is an error (listed below))

Hosted By You (Selecting this option enables you to manage your own response pages)

URL

Transaction Response Message

Decline Limit ▼

Custom Cancel Response Page i

Hosted By CyberSource ("Your order was canceled." is displayed when the transaction is canceled. A button will take the user to the Customer Redirect URL specified below.)

Hosted By You (Selecting this option enables you to manage your own response page)

URL

Configuring the Payment Form

You must configure your CyberSource secure acceptance page from the Payment Form tab.

1. From the Edit Profile page, go to the **Payment Form** tab.
2. Select the **Payment Form Flow**.

Payment Form Flow ⓘ

- Multi-Step Payment Form
Your customer completes the checkout process over a number of pages.
- Single Page Form
Your customer completes the checkout process on a single, longer page.

3. Configure payment and checkout page information.

Purchase Information

- Display the total tax amount in each step of the checkout process.

Checkout Steps ⓘ

- Billing Information
- Shipping Information
- Payment Information

4. Select the fields to display on the billing page. Select the **Display** checkbox corresponding to each field to display it on the billing page. You can also mark some fields as required by selecting the **Require** checkbox corresponding to that field.

Billing Information ⓘ			
	Display	Edit	Require
First Name	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Last Name	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Company	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Street Address 1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Street Address 2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
City	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
State (US/Canada)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
State (Other World States)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Zip/Postal Code	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Country	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Phone Number	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Email	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. Select the fields to display on the eCheck page. Select the **Display** checkbox corresponding to each field to display it on the billing page. You can also mark some fields as required by selecting the **Require** checkbox corresponding to that field.

eCheck Information ⓘ			
	Display	Edit	Require
Routing Number	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Account Number	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Check Number	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Account Type	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Date of Birth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Driver's License Number	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Driver's License State	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Company Tax ID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6. Select the settings to show on the order review page. You can show the Billing Information, Shipping Information, and Payment Information.

Order Review		Display	Edit
Billing Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Shipping Information	<input type="checkbox"/>	<input type="checkbox"/>	
Payment Information	<input checked="" type="checkbox"/>	<input type="checkbox"/>	


7. Click **Save**.

Creating Profiles in Custom Settings


After you configure the Cybersource settings, you must create profiles in the APTS CyberSource Profile Details custom settings. The Cybersource unmanaged package includes a Cybersource custom setting named APTS_CyberSource_Profile_Details__c. This custom setting stores the access_Key, Secret_Key, and Profile ID from Payments. You must create two records in the custom settings, one for the [hosted profile](#) and another for the [checkout profile](#).

To create a hosted profile in custom settings

1. Go to **Setup > Develop > Custom Settings** and click **Manage** for APTS CyberSource Profile Details.
2. Click **New**.
3. Enter the **Name** for the profile. For example System Properties.
4. Enter the **Access Key** that you generated in the [Security tab](#) in Cybersource.
5. Enter the **IFram URL** provided by Cybersource during the subscription.
 - For Test Transactions, you must use <https://testsecureacceptance.cybersource.com/embedded/pay>
 - For Live Transactions, you must use <https://secureacceptance.cybersource.com/embedded/pay> or the URL provided by Cybersource.
6. Enter the **Merchant ID**. The merchant ID is the same as the Organization ID that you used to create the Cybersource account.
7. Enter the **Profile ID**. You will receive the Profile ID when you create a secure acceptance profile.
8. In Secret Key1 and Secret Key2, enter the secret keys that you generated in the [Security tab](#) in Cybersource.

 Due to the Salesforce limitation of 250 characters, the secret key is divided into two fields. You must manually break the key into two and enter these fields. You must ensure that there are no extra spaces at the beginning or, the end of the secret key.


- If you are using a test environment, select **Is TestEnvironment**.

 Checking this flag sets the default order amount to \$100 as Cybersource may display an error for amounts exceeding \$100 in test environments.


- Click **Save**.

To create a checkout profile in custom settings

- Go to **Setup > Develop > Custom Settings** and click **Manage** for APTS CyberSource Profile Details.
- Click **New**.
- Enter the **Name** for the profile. For example Silent Checkout Profile.
- Enter the **Access Key** that you generated in the [Security tab](#) in Cybersource.
- Enter the **Iframe URL** provided by Cybersource during the subscription.
 - For Test Transactions, you must use <https://testsecureacceptance.cybersource.com/silent/embedded/pay>
 - For Live Transactions, you must use <https://secureacceptance.cybersource.com/silent/embedded/pay> or the URL provided by Cybersource.
 - Enter the **Merchant ID**. The merchant ID is the same as the Organization ID that you used to create the Cybersource account.
- Enter the **Profile ID**. You will receive the Profile ID when you create a secure acceptance profile.
- In Secret Key1 and Secret Key2, enter the secret key that you generated in the [Security tab](#) in Cybersource.

 Due to the Salesforce limitation of 250 characters, the secret key is divided into two fields. You must manually break the key into two and enter these fields. You must ensure that there are no extra spaces at the beginning or, the end of the secret key.

- If you are using a test environment, select **Is TestEnvironment**.

 Checking this flag sets the default order amount to \$100 as Cybersource may display an error for amounts exceeding \$100 in test environments.

- Click **Save**.

To configure the callback URL for Payment Iframe in the custom settings

1. Go to **Setup > Develop > Custom Settings** and click **Manage** for APTS CyberSource Profile Details.
2. Click **System Properties**.
3. Enter the **Payment Callback URL**, to redirect the customer to the Partner Commerce application after payment is done.
4. Click **Save**.

Defining Custom Labels

The Cybersource unmanaged package comes with two labels where you must enter the custom setting profile you created. These labels use relevant values while performing payment transactions.


To define custom labels

1. Go to **Setup > Create > Custom Labels** and click **Edit** for `cyberSource_Active_CustomSetting`.
2. Enter a short description.
3. In **Value**, enter the name for the hosted profile you created in the APTS CyberSource Profile Details custom setting. For example System Properties.
4. Click **Save**.
5. Now to go to **Setup > Create > Custom Labels** and click **Edit** for `cyberSource_Active_Silent_CustomSetting`.
6. In **Value**, enter the name for the checkout profile you created in the APTS CyberSource Profile Details custom setting. For example Silent Checkout Profile.
7. Click **Save**.

Tax Integration with Avalara Tax Engine

You can communicate with a Tax Engine of your choice with the help of a Tax Callback class. For this, you should know the Request Fields that are sent to Callback and further to the Tax Engine. The following diagram gives an overview of how information is sent from the Product to the Tax Engine and received back after processing.

Tax Engine



Tax input is a container that holds the following fields:

- **Item:** Contains an Invoice Line Item or a Credit Memo Line Item.
- **Handback:** A generic wrapper class that can be used to pass an additional field value. Set the value for this field to *TaxInputRelatedObjects*. This class contains the parent Invoice or Credit Memo based on whether the item contains an Invoice Line Item or a Credit Memo Line Item.
- **Tax Address:** The address specified as the Shipping Address of the Ship-To account. If there is no Shipping Address mentioned in the Ship-To account, then the Billing Address of the Ship-To account is used.
- **Tax Code:** This value is taken from the product Price Line Item (PLI).
- **Taxable Amount:** This is the amount to apply the tax to.

When communicating with a Tax Engine, you must note that:

- The implementation of the Tax Callback must return a *TaxResultHandback* object in the *Handback* field of a Tax Result.
- The implementation of the Tax Callback must determine a *commit mode* by checking if the status of the Invoice is *Approved Pending*.

You must register a **Tax Callback class** which is called for tax calculation on invoice generation.

Setting Up Tax Integration

Prerequisite

You must have already installed CPQ packages.

To set up tax integration, you must complete the following tasks:

- [Install the tax integration package and define the class in custom settings](#)
- [Enable tax calculations](#)
- [Create Tax Code and Tax Certificate](#)
- [Set up Tax Calculations](#)
- [Set up Tax Breakups](#)

To set up tax integration with Avalara tax engine

1. Download and install Avalara Tax Integration with Ecommerce unmanaged package from the repository.
2. Go to **Custom Settings** and click **Manage** for Config Custom Classes.
3. Click **New**.
4. Enter the **Name** as *System Properties*.
5. In Tax Callback Class, enter APTS_APTSTaxCallBack. This class is part of the Avalara Tax Integration with the Ecommerce unmanaged package.
6. Click **Save**.

To enable tax calculations

1. Go to the **Storefronts** tab. Choose and click your storefront name to open your storefront record.
2. Click **Edit** and set the **Enable Tax Calculations** flag to True.
3. Click **Save**.

In Digital Commerce at the time of Quote creation or Order generation tax needs to be calculated for taxable line items or order line items. You must create a Tax Code and a Tax Certificate record.

To create tax code and tax certificate record

1. Go to the **Tax Code** tab and click **New**.
2. Enter a **Name** for the tax code.


3. In **Code**, enter the tax code provided by Avalara.
4. Enter a meaningful **Description** for the tax code.
5. Click **Save**. You can define this code in your price list item.
6. Go to the **Tax Certificate** tab and click **New**.
7. Enter a **Number** for the tax certificate.
8. Enter a meaningful **Description** for the tax certificate.
9. Select the **Effective Date** and **Expiration Date** for the tax certificate.
10. Click **Save**. You can define the newly created tax certificate in your Account object.

By default, not all products are taxable. To make a product taxable, you must set the **Taxable** flag to *True* and enter the tax code on the Price List Item.

To set up tax calculation

1. Go to the **Price List Item** for the line item you want to calculate the tax for.
2. Set the **Taxable** flag to *True* and enter the **Tax Code**.
3. Click **Save**.

In Digital Commerce, when you select a product that is taxable and you request a quote, the system calculates the tax and displays it into the cart. The breakup of the tax is defined in Salesforce from the line item level. The percentage of the tax breakup is passed on from Avalara. The mechanism here is that the API picks the account address and passes it to Avalara. Based on the region/address, Avalara passes tax percentage information which is then computed in Salesforce and displayed in the Tax Breakup object. Refer to the image below for the type of tax breakups populated on the Digital Commerce site.




Now when the order is generated, you get order tax breakup for orders and proposal tax break up for proposals. These tax breakups are attached to respective line items.


You must ensure that the Account object has a valid Billing and Shipping Address and the Tax certificate is defined.

Use Case:

1. From the Product Catalog, select a **Product** and add it to the cart.
2. Click **Request Quote**. The Request Quote page appears.
Tax for the selected product is calculated and displayed.
3. To view the tax break up, click **Estimated Tax**.



4. You can either Place an Order or Request a Quote. If you Request a Quote, you can view the tax summary from **My Accounts > Quotes**. If you place an order, you can view the tax summary from **My Accounts > Orders**.



Setting Up Multi-Language Using Translations

You can set up multi-language support for your site. You have the following three ways to achieve this:

- Translations from the SDK
- Translations from Salesforce
- Translations using Translation Workbench

Translation can be set up for the following:

- Static Labels or text (Page Titles, Header, Footer, Tabs, Descriptions)
- Field Label translations
- Data translations (product, category, product attribute group)

The default language is English. You can set a different language from the User Profile.

To set a default language for a user

1. Go to Setup > Administration Setup - Managed Users and click Users.
2. Click Edit next to the User.
3. In Locale, select a locale. For example Spanish (Mexico).
4. In Language, select your preferred language for the user. For example Spanish.
5. Click Save.

Setting Up Translations using SDK

The managed package consists of a Translator Loader. This Translator loader contains a folder named `assets > i18n` that consists JSON files used to define translations. By default, only the English language (`en_US.json`) is packaged with the base template. In order to add more languages, you can clone the English language JSON file and modify it to accommodate your preferred language. In the `translator-loader.service.ts` file, the translation GET method checks for the translation URL from the Storefront record. Priority is set to check if the Translation URL is defined on the Storefront object. If not, the system checks for the files in the SDK. The system selects the URL from the local JSON files. If both, the Storefront and the SDK, do not have the URL, the system sets the default language to English. Refer to the GET method code snippet. If the translation URL is not present on the Storefront object, the system uses SDK to translate labels, fields, and data.

```

getTranslation(lang: string): Observable<any> {
  return this.storefrontService.getStorefront().pipe(
    mergeMap(storefront => {
      const translateUrl = _.get(storefront, 'TranslationURL');
      const localTranslator$ = this.httpClient.get(localTranslatorURL + `${lang}.json`);
      const sfdcTranslator$ = this.isValidURL(translateUrl) ?
        this.httpClient.get(translateUrl) :
        this.platformService.post('GetTranslateLabels', { language: lang, sfTranslateURL: translateUrl });
      sfdcTranslator$.pipe(catchError(e => observableThrowError({})));

      return combineLatest(localTranslator$, sfdcTranslator$);
    }), map(([localJson, sfdcJson]) => {
      this.onTranslationLoaded.emit(true);
      return _.merge(localJson, sfdcJson);
    }));
}

```

Setting Up Translations Using Salesforce

The translation URL must be present on the Storefront record. Go to the **Storefront record** > **Translation URL** = `/apex/APTS_EcommerceTranslation`. This URL points to a static page that contains all the translations. See example code snippet.

Example Code Snippet for E-Commerce Translation

```

<apex:page contentType="application/json; charset=utf-8" language="{!
$CurrentPage.parameters.language}">

{
  "ERROR": {
    "MIN-OPTIONS": "{!$Label.eCom_MIN_OPTIONS}",
    "CART": {
      "TOO_MANY_ATTEMPTS": "{!$Label.eCom_TOO_MANY_ATTEMPTS}",
      "PRICE_CHANGE": "{!$Label.eCom_PRICE_CHANGE}",
      "PRICE_CHANGE_TOASTR_TITLE": "{!$Label.eCom_PRICE_CHANGE_TOASTR_TITLE}"
    },
    "APPLICATION_ERROR_TOASTR_TITLE": "{!$Label.eCom_APPLICATION_ERROR_TOASTR_TITLE}"
  },
  "SUCCESS": {
    "CART": {
      "ITEM_ADDED_TOASTR_MESSAGE": "{!$Label.eCom_ITEM_ADDED_TOASTR_MESSAGE}",
      "ITEM_ADDED_TOASTR_TITLE": "{!$Label.eCom_ITEM_ADDED_TOASTR_TITLE}"
    }
  }
}

```

```

},
"ASSETS": {
  "CHANGECONFIGURATION_SUCCESS": "{!$Label.eCom_Assets_ChangeConfigurationSuccess}",
  "CHANGECONFIGURATION_START_DATE": "{!
$Label.eCom_Assets_ChangeConfigurationStartDate}",
  "CHANGECONFIGURATION_END_DATE": "{!
$Label.eCom_Assets_ChangeConfigurationEndDate}"
},
"MY_ACCOUNT": {
  "LAST_LOGIN_DATE": "{!$Label.eCom_LAST_LOGIN_DATE}"
},
"BUTTON": {
  "Change Configuration": "{!$Label.eCom_Button_ChangeConfiguration}"
},
"PRODUCT_CARD": {
  "INSTALLED_PRODUCT": "{!$Label.eCom_PRODUCT_CARD_INSTALLED_PRODUCT}",
  "STANDARD_PRICE": "{!$Label.eCom_PRODUCT_CARD_STANDARD_PRICE}"
},
"PAGINATION": {
  "FIRST": "{!$Label.eCom_PAGINATION_FIRST}"
},
"COMMON": {
  "ORDERS": "{!$Label.eCom_COMMON_ORDERS}",
  "USERNAME": "{!$Label.eCom_COMMON_USERNAME}",
  "QUANTITY": "{!$Label.eCom_COMMON_QUANTITY}",
  "CHANGE_CONFIGURATION": "{!$Label.eCom_Common_ChangeConfiguration}",
  "ADD_TO_CART": "{!$Label.eCom_Add_to_Cart}"
},
"CONSTRAINT_POPOVER": {
  "PRODUCTS_INCLUDED_EXCLUDED_HEADING": "{!
$Label.eCom_PRODUCTS_INCLUDED_EXCLUDED_HEADING}"
},
"CART": {
  "PAYMENT": {
    "PAYMENT_TITLE": "{!$Label.eCom_CART_PAYMENT_TITLE}"
  },
  "CART_SUMMARY": {
    "QUANTITY": "{!$Label.eCom_CART_SUMMARY_QUANTITY}"
  },
  "CHECKOUT": "{!$Label.eCom_CHECKOUT}",
  "BILLING_AND_SHIPPING_INFORMATION": "{!
$Label.eCom_BILLING_AND_SHIPPING_INFORMATION}"
},
"MANAGE_CART": {

```

```

"CART_SUMMARY": {
  "CART_SUMMARY_TITLE": "{!$Label.eCom_Cart_Summary_Title}",
  "SUB_TOTAL": "{!$Label.eCom_Sub_Total}"
},
"CART_TABLE": {
  "ITEMS_IN_YOURCART": "{!$Label.eCom_ITEMS_IN_YOUR_CART}"
},
"FOOTER": {
  "PRODUCTS": "{!$Label.eCom_FOOTER_PRODUCTS}"
},
"HEADER": {
  "SUBMIT": "{!$Label.eCom_HEADER_SUBMIT}",
  "ENTER_YOUR_SEARCH_TERM": "{!$Label.eCom_ENTER_YOUR_SEARCH_TERM}",
  "LAST_LOGIN": "{!$Label.eCom_HEADER_LAST_LOGIN}",
  "HOME": "{!$Label.eCom_HEADER_HOME}",
  "LOG_OUT": "{!$Label.eCom_HEADER_LOG_OUT}",
  "LOG_IN": "{!$Label.eCom_HEADER_LOG_IN}"
},
"PROMOTION": {
  "PROMO_CODE": "{!$Label.eCom_PROMOTION_PROMO_CODE}",
  "PROMOTION_APPLIED": "{!$Label.eCom_PROMOTION_APPLIED}",
  "APPLIED_PROMOTION": "{!$Label.eCom_APPLIED_PROMOTION}"
},
"LOGIN": {
  "USERNAME": "{!$Label.eCom_LOGIN_USERNAME}",
  "SIGN_IN": "{!$Label.eCom_LOGIN_SIGN_IN}",
  "INCORRECT_CREDENTIALS_TOAST_MESSAGE": "{!
$Label.eCom_INCORRECT_CREDENTIALS_TOAST_MESSAGE}"
},
"PRODUCT_DETAILS": {
  "PRODUCT_DETAIL": "{!$Label.eCom_PRODUCT_DETAIL}",
  "PRODUCT_CODE": "{!$Label.eCom_PRODUCT_CODE}",
  "STANDARD_PRICE": "{!$Label.eCom_PRODUCT_DETAILS_STANDARD_PRICE}",
  "UPDATE_CONFIGURATION": "{!$Label.eCom_PRODUCT_DETAILS_UPDATE_CONFIGURATION}"
},
"INSTALLED_PRODUCTS": {
  "PRODUCT_FAMILY": "{!$Label.eCom_INSTALLED_PRODUCTS_PRODUCT_FAMILY}"
},
"MINI_CART": {
  "YOUR_CART_IS_EMPTY": "{!$Label.eCom_MINI_CART_YOUR_CART_IS_EMPTY}"
}
}

```

</apex:page>

Storefront

Customize Page | Edit Layout | Printable View | Help for this Page

« Back to List: Users

Open Activities [0] | Related Content [0] | Notes & Attachments [2] | Storefront Banners [1] | Activity History [0]

Storefront Detail [Edit] [Delete] [Clone] [Submit for Approval]

Storefront Name [] Owner QA Manager [Change]

Default Locale en-US Enable ABO ✓

Default Price List Tier 1 Hardware & Software Asset Actions Buy More; Change Configuration; Renew; Terminate

Default Account for Guest Users ACME TEST 123 Enable Request Quote ✓

Translation URL /apex/APTS_EcommerceTranslator// Enable Tax Calculations ✓

text area Enable Promotions ✓

Logo []

Created By QA Manager, 09/05/2019 01:10 Last Modified By QA Manager, 26/07/2019 05:57

[Edit] [Delete] [Clone] [Submit for Approval]

Whenever you are displaying a label on the UI, a translation pipe is used.

```
{{ 'MY_ACCOUNT.QUOTE_DETAIL.QUOTES_BY_STATUS' | translate }}
```

This translation pipe calls the translation loader service, which uses the translation get method to look for the translation URL whether it is in the code base or defined on the storefront object. The translation get method looks at the URL, reads the file, gets all the key values, and displays the response on the template.

Defining translations on Salesforce using Custom Labels

For the translation URL defined on the Storefront record, you must define custom labels.

To define custom labels

1. Go to Setup > App Setup > Create and click Custom Labels.
2. Click New Custom Label.
3. Enter a Short Description for the custom label you are creating.
4. Enter a Name for the custom label.
5. The default language is English.
6. In Categories, enter text to categorize the label.
7. In the Value text box, enter text. This value can be translated into any language that Salesforce supports.
8. Click Save.

Translations for custom labels determine what text to display for the label's value when a user's default language is the translation language.

1. Go to Setup > App Setup > Create and click Custom Labels.


2. Select the name of the custom label to open.
3. In the Translations related list, click New to enter a new translation or Edit next to the language to change a translation.
4. Select the Language you are translating into.
5. Enter the Translation Text. This text overrides the value specified in the label's Value field when a user's default language is the translation language.
6. Click Save.

Defining translations for custom objects

Salesforce supports Product Translations, Category Translations, and Attribute Group Translations.

To define translations for Products

1. Go to the Product Translations tab and click New. - OR - Go to the Product tab, select a product for which you want to define translation, and from the Product Translations related list, click New Product Translations.
2. Enter a Translation Name.
3. Enter translated text for the following fields:
 - Description
 - Language
 - Name
 - Product
 - ProductCode

 Currently, Family is not supported.


Product Translation ESP_Cloud Server Solution [Edit Layout](#) | [Printable View](#)
[« Back to List: Custom Labels](#)

Product Translation Detail [Edit](#) [Delete](#) [Clone](#) [Submit for Approval](#)

Translation Name	ESP_Cloud Server Solution	Owner	QA Manager [Change]
Description	es_MX Description - Cloud Server Solution	Language	es
Family	?	Name	es_MX Cloud Server Solution
Created By	QA Manager, 03/06/2019 21:20	Product	Cloud Server Solution
		ProductCode	es_MX CSS
		Last Modified By	QA Manager, 28/06/2019 00:14

[Edit](#) [Delete](#) [Clone](#) [Submit for Approval](#)

Now when you browse a product on the cart for which you have defined translations in Salesforce, the translated text is displayed.



⚠ For illustration purposes, the translated categories are prefixed with es_ in the above image. In the actual scenario, the correct language is displayed.

Similarly, you can define category translations.

To define translations for Categories

1. Go to the Product tab, select a product for which you want to define the category translation.
2. Go to the Categories related list and click the category classification Id.
3. From the Product Classification page, click the Category.
- OR -
4. Go to the Categories tab and select the Category for which you want to define translations.
5. From the Category Translations related list, click New Category Translation.
6. Enter a Category Translation Name.
7. Search and select the Category Hierarchy.
8. Enter a Language and a Label.
9. Select a currency.
10. Click Save.

To define translations for Product Attribute Group

1. Go to the Product Attribute Groups tab and select a product attribute group for which you want to define the attribute group translation.
2. Go to the Attribute Group Translations related list and click New Attribute Group Translation.
3. Enter a Translation Name.
4. The Product Attribute Group field is already populated.

5. In Name, enter the translated attribute group name.
6. Enter a Language.
7. Select a currency.
8. Click Save.

Setting Up Translations using Translation Workbench

You can also translate fields and objects using Translation Workbench. You can set up languages for your translations in the Translation Workbench.

To set up translation using Translation Workbench

1. Go to **Setup > Administration Setup > Translation Workbench** and click **Translation Settings**.
2. Add a Language you want to support for your site.
3. To make the translations available to the users in that language, click **Active**.
4. Click **Save**.
5. Now go to **Setup > Administration Setup > Translation Workbench** and click **Translate**.
6. Select **Language**.
7. Select **Custom Field** as the *Setup Component*. This way you can translate the fields on an object.
8. Select an **Object**. A list of all the available fields in the selected object is displayed.
9. For the fields that you want to set the translations, double-click the **Field Label Translation**.

Master Field Label ▲	Field Label Translation	Field Type
Active		Picklist
Billing Contact Filter Criteria		Long Text Area(5000)
Billing Contact Format		Picklist
Billing Day Of Month		Picklist
Billing Preference		Lookup(Billing Preference)
Calendar Cycle Start		Picklist
Country Code	es_Country Code	Picklist
Credit Memo Email Template		Text(100)
Customer Priority		Picklist
Customer Rating1		Picklist
Default Credit Memo Template		Text(255)
Default Invoice Statement Template		Text(255)
Default Invoice Template		Text(255)
Dunning Policy		Lookup(Dunning Policy)
Exclude From Dunning		Checkbox
Invoice Email Template		Text(100)
Last Invoiced Date		Date
Number of Locations		Number(3, 0)
Payment Email Template		Text(255)
Payment Term		Lookup(Payment Term)
Price List	sp_PriceList	Lookup(Price List)
Ready For Invoice Date		Date

10. Click **Save**.

Setting Email Notification Template for Order Lifecycle

Partner Commerce sends an email notification whenever the order changes its status. To use these email notifications you must configure email notification template settings in Salesforce.

Prerequisites

- You must have configured the URL for the portal.

To configure email notification template

1. Go to **Setup > Administration Setup** and click **Customer Order Email Notification Templates**.
2. Click **Edit**.
3. From **Edit Template**, replace `{!recipient.name}` with `{recipient.Contact_Full_Name__c}`.
4. Click **Save**.

Creating Custom Field on Account for the Price List

PriceListId gets added to CPQ on the Account object. Create a custom field on the Account for the Price List with API name PriceListId__c. You can use this Price List in the Storefront record, to set up your Storefront with Categories, Products, and more.

Setting Up Single and Multiple Store


You can set up a single store within a community as well as multiple stores within the same community. Communities are used to segment users. For example, if you want users to view all your storefronts, you can create one community with multiple storefronts. In case, you want to restrict the set of users to different stores, you must create separate communities to restrict access.

You can achieve this by creating different visualforce pages and control access through profiles and permissions sets.

Partner Commerce Application Caching

The API Cache object that comes with the managed package stores record information such as Line Item Ids and Attributes metadata for quick loading thus improving performance.

The API Cache object caches the Query String and does not rebuild it again once it is cached. When changes are made in the metadata that is part of the query string, you should always clean the Api Cache object.

 You must provide CRUD permission to the API Cache object.

Partner Commerce has a cache in place that stores dynamic queries so that the APIs do not have to rebuild them every time they are used. Every time an API is called, the default (50) cached records are pulled into the memory proactively to more intelligently speed up the API. There was no way to override the number of cached records.

A new admin setting named APTS_ApiCacheHydrateSize is introduced to override the default batch size.

Configuring TurboEngines

TurboEngines is a concurrent processing engine provided by Conga that comprises various microservices that process pricing calculations (**TurboPricing**). TurboEngines offload the computation workload from the Salesforce platform to the **Conga Flexible Compute Platform** to reduce the processing time on the cart. Processing the computation workload in the Flexible Compute Platform reduces the interaction costs and the quote turnaround time specifically during peak load or large transactions. By default, the digital commerce package is deployed in the non-TurboEngines mode. You can switch TurboEngines mode according to your business setup.

TurboEngines also provide a critical component called **TurboEngines Data Sync** services that provide a high-performance mechanism to sync pricing master data at regular, scheduled intervals (or on-demand) between Salesforce and the Flexible Compute Platform. Data is pushed to TurboPricing consumer endpoints and made available for processing to take advantage of the performance improvements offered by the TurboEngines platform.

The following section provides information and step-by-step tasks for enabling TurboPricing for your organization.

- [Enabling TurboPricing in an Org](#)
- [Creating a Connected App](#)
- [Preparing Tenant Information](#)
- [Setting Up the TurboPricing Endpoint URLs](#)
- [Setting Up the Pricing Mode](#)
- [Configuring Data Sync for TurboPricing](#)

Enabling TurboPricing in an Org

This topic provides a summary of the necessary steps for enabling TurboPricing for your org.


An administrator can be any of the following persona: Customer Administrator, Partner Administrator, any other administrators assigned the responsibility of enabling TurboEngines for their org. In the table on this topic, this persona is referred to as the *Tenant Admin*.

Prerequisites

- Refer to the [Supported Features](#) topic to make sure all features you want are included before making a provisioning request.
- You must have the appropriate TurboEngines license before turning on your org. If you do not have a license, please contact your Conga Account Executive.
- You must have the Winter 2020 build of Configuration & Pricing (CPQ) in the Salesforce org to enable TurboPricing. Refer to "Packages" in *CPQ Winter 2020 Release Notes*.

Enabling TurboPricing

To enable TurboPricing, perform the following steps for each org:

Step	Task	Owner	Description
Pre-Provisioning Tasks			
1	Set up Connected App in your org	Tenant Admin	Create a connected app to provide authentication and authorization to TurboPricing Data Sync Service.
2	Prepare pre-provisioning tenant information	Tenant Admin	Gather all required information for provisioning your TurboPricing org. Provide this information to Conga Technical Support to begin the provisioning process.
Post-Provisioning Tasks			
<div style="border: 1px solid #ccc; padding: 10px;"> <p> Perform the following steps only after receiving a notice from Conga Technical Support that the requested orgs are provisioned. You must have the new service URLs to proceed.</p> </div>			
3	Configure Services	Tenant Admin	Update the following settings: <ol style="list-style-type: none"> 1. Set up the Pricing Execution Mode 2. Set up the TurboPricing endpoint URL
4	Configure data sync settings for TurboPricing	Tenant Admin	Complete the data sync for post-provisioning. <ul style="list-style-type: none"> • For TurboPricing

Step	Task	Owner	Description
5	Sync data to TurboEngines	TurboEngines Administrator (can be Tenant Admin)	Set up and schedule or activate data sync to sync pricing master data.

Creating a Connected App

As part of the pre-provisioning process, you must configure a Connected App in your org to provide authentication and authorization for the TurboPricing services.

To create a Connected App

1. Navigate to **Setup > App Setup > Create > Apps**.
2. Scroll down and search for the **Connected Apps** related list and click **New** to create a new app.
3. Enter the following details in the **Basic Information** section.

Field	Description
Connected App Name	Enter the name of the Connect App.
API Name	The API name is generated automatically based on the name of the Connected App.
Contact Email	Enter the email address of the administrator managing the Connected App.

4. Enter the following details in the **API (Enable OAuth Settings)** section.

Field	Description
Enable OAuth Settings	Select this to define the OAuth settings. For example, <i>TurboPricing</i> . When you enable this field, additional settings are displayed under API (Enable OAuth Settings) section.
Enable for Device Flow	Select this to enable the connected app for an external application.

Field	Description
Callback URL	The Callback URL is generated automatically when you select the field Enable for Device Flow . For example, https://test.salesforce.com/services/oauth2/success is generated based on the instance URL. You can also add other URLs in separate lines.
Selected OAuth Scope	Select all entries under Available OAuth Scopes and move them to Selected OAuth Scopes by clicking the Add arrow.
Require Secret for Web Server Flow	Select this to require the connected app to provide a consumer secret for authorization.

5. You must leave all other fields blank. Click **Save**.


To capture Consumer Key and Consumer Secret

After you create a Connected App, the application generates **Consumer Key** and **Consumer Secret**. You must provide the values of **Consumer Key** and **Consumer Secret** to the Technical Support team.

1. Navigate to **Setup > App Setup > Create > Apps**.
2. Scroll down and search for the **Connected Apps** related list.
3. Click the name of the Connected App you created in the previous topic.
4. Click **Copy** next to **Consumer Key**.
5. Click **Click to reveal** next to **Consumer Secret**. After the value of the field is displayed, click **Copy**.
6. Store the information for the next part of the process.

Preparing Tenant Information

Your provisioning request for TurboPricing must include specific information related to your tenant. Before your org can be provisioned, you must gather the required information and provide it to the Technical Support team.

 Configure a Connected App to use with TurboPricing before collecting the information described in this topic.

Refer to the following table for all required pre-provisioning information:

Configuration	Required for Service	Description
OrgId	TurboPricing	This is the Salesforce Organization ID of the org to be provisioned for TurboEngine service. To locate your Organization ID: <ol style="list-style-type: none"> 1. Log in into the org to be provisioned. 2. Go to Setup > Company Profile > Company Information > Salesforce.com Organization ID. 3. Copy the 15-character ID (to be converted into 18 characters).
Org Type	TurboPricing	Org type to be provisioned (sandbox or production)
Tenant Name	TurboPricing	The one-word tenant name used for the tenant endpoint (for example, <i>customername-sandbox</i>)
Consumer Key	TurboPricing	The consumer key (<code>client-id</code> in OAuth 2.0) generated from your Connected App. Refer to Creating a Connected App .
Consumer Secret	TurboPricing	The secret key (<code>client-secret</code> in OAuth 2.0) generated from your Connected App. Refer to Creating a Connected App .
Salesforce User Name	TurboPricing	Admin username for the org to be provisioned with read/write access to CPQ (used by the Technical Support team for verifying settings).
Salesforce Password	TurboPricing	Password for the Salesforce admin user.
Authority	TurboPricing	The URL used to verify session ID for TurboPricing (<i>login.salesforce.com</i> , <i>test.salesforce.com</i> , or a custom Salesforce domain)
InstanceURL	TurboPricing	The URL given by the UI after logging into the org to be provisioned (for example, <i>customerturbo.my.salesforce.com</i>)

After collecting all the required information, provide it with your tenant provisioning request to the Technical Support team.

Setting Up the TurboPricing Endpoint URLs


This section provides information for setting up the TurboPricing endpoint URLs to trigger TurboPricing API's.

To add APTS_PricingServiceOverrideURI

1. Go to **All Tabs** > click **Admin**. The Home page is displayed.
2. Click **New**. The New Admin page is displayed.
3. In the **Name** field, enter APTS_PricingServiceOverrideURI.
4. In the **Value** field, enter the TurboPricing endpoint URL (without https://).
5. Click **Save**.

To add APTS_PricingServiceUrl

1. Go to **All Tabs** > click **Admin**. The Home page is displayed.
2. Click **New**. The New Admin page is displayed.
3. In the **Name** field, enter APTS_PricingServiceUrl.
4. In the **Value** field, enter the TurboPricing endpoint URL (with https://).
5. In the **Code** field, enter the Org ID.

 You must convert the 15 characters Org ID to the 18 characters and add in the lowercase.

6. Click **Save**.

Setting Up the Pricing Mode

This section provides information for setting up the pricing execution mode.

1. Go to **Setup** > **App Setup** > **Develop** > **Events** > **Custom Settings**.
2. Click **Config System Properties**. Click **Manage**.
3. Click **Edit** next to System Properties.
4. In the **Pricing Execution Mode**, enter *Turbo*.
5. Click **Save**.

For TurboPricing with SDK Integration, you must set the pricingMode = *turbo* in the base template. For details, refer to [Configuring Templates](#).

Configuring Data Sync for TurboPricing

To complete post-provisioning for TurboPricing, the tenant admin must configure settings for data sync services. TurboEngines data sync provides a high-performance mechanism to sync pricing master data at regular, scheduled intervals (or on-demand) between Partner Commerce and TurboPricing. Before the initial data sync, you must configure settings enable data sync services, and give the administrator access to the TurboEngines Data Sync Admin user interface (UI) to set up and schedule or activate the sync.

Perform the following tasks to complete post-provisioning data sync tasks for TurboPricing:

Configure Data Sync Specific Settings

You must configure the data sync service URL and a CSD Trusted Site entry so SFDC can communicate with an external server.

To configure the service URL

1. Go to **Setup > App Setup > Develop > Custom Settings**.
2. Click **Manage** next to **Turbo Engine Admin Properties**.
3. Click **New**.
4. Enter the following required properties:
 - **Name:** LightsaberServiceUrl
 - **Turbo Engine service Endpoint:** Endpoint URL provided by the Technical Support Team
5. Click **Save**.

To configure the CSD Trusted Site

1. Go to **Setup > Administration Setup > Security Controls > CSD Trusted Sites**.
2. Click **New Trusted Site**.
3. Enter the following required properties:
 - **Trusted Site Name:** Enter a name for the trusted site (for example, "TurboEngineAdminService")
 - **Trusted Site URL:** Enter the full URL. This is the service URL you configured in the previous section (To configure the service URL).
 - **Context:** Select a context.
4. Click **Save**.

Configure Permissions for Data Sync Admin User

Users who need to configure and run Turbo Engine Data Sync must have permission to access and use the Data Sync Admin UI. This can be a user who is assigned to the System Administrator profile, or you can customize a profile and create one or more users in this role.

To check if the current user has the right permissions

1. Log in to your organization as the admin user.
2. Open the Salesforce App Launcher (Lightning) and launch the **Turbo Engine Admin** app.
3. If the **Data Integration** and **Callbacks** tabs are visible after launching the app, the user has the correct permissions. Otherwise, log in back as a system administrator and perform the following tasks to provide access to the user profile.

To provide access to the data sync app

1. Go to **Setup > App Manager**.
2. Find the **Turbo Engine Admin** app on the list. Click the drop-down at the end of the row and select **Edit**.
3. Click **User Profiles**.
4. From the list of Available Profiles, search and select the app you want to add.
5. Click the right-facing arrow to move the profile from the list of Available Profiles to the list of Selected Profiles.
6. Click **Save**.

To make all tabs visible in the data sync app

1. Go to **Setup > Profiles**.
2. Search for the profile you want to configure and click **Edit**.
3. Under Custom Settings, make sure the following tabs are set as "Default On":
 - **Data Integration**: This tab serves as the starting point for managing all consumer profiles.
 - **Callbacks**: This tab allows you to manage pricing callbacks for Turbo Pricing.
 - **Consumer Profile**: This tab allows you to set up and configure data sync operations.

- **Run Details:** This tab allows you to review run history for data sync and take action.

Setting Up and Syncing TurboPricing Data

For complete information and the tasks required to administer TurboEngines data sync for TurboPricing, refer to the latest *TurboEngines Data Sync Administrator Guide* on the Documentation portal.

Downloading the Partner Commerce SDK

All the Partner Commerce SDK libraries are hosted at <https://art01.apttuscloud.io/api/npm/npm-release>.

After [cloning the reference template](#), you must update the npmrc file in the reference template with the SDK library hosted URL and your own secret key.


Contact our Professional Services team to get your own secret key.

Cloning the Reference Templates

You can clone a template from the standard repository and customize it as per your specific requirement.

To clone a template from the repository

1. Open command prompt and type `git clone`, the *URL* of the template, and a new name for your cloned template. See the following example:



```
C:\WINDOWS\system32\cmd.exe - git clone https://github.com/.../getting-started apttus-qa
Microsoft Windows [Version 10.0.17134.165]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\cmoyl>cd ../../

C:\>cd Workspace

C:\Workspace>git clone https://github.com/.../getting-started apttus-qa
Cloning into 'apttus-qa'...
```

2. Press **Enter** on your keyboard.

Your template is cloned. You can now open the code for the cloned template.

Installing the Reference Template

After cloning a template, the first task is to run the `npm install` command. For this, you must have access to the npm registry for the SDK. To gain access to the artifacts you must raise a ticket with the DevOps team.

After you can have access to the SDK, you must run the `npm install` command. The `npm install` command installs third party libraries. One of the dependencies under the `package.json` folder is the `apttus/ecommerce` library that bundles all the components library and the data access layers. The `npm install` process sets up the Partner Commerce SDK with your Salesforce instance.

Pre-requisite: You must ensure that the following tasks are completed before you run the `npm install` command:

- Install required packages on your Salesforce org
- Set up a community, if not already done
- Create a custom field on Accounts for Price List
- Create a Store object and a store record within it
- Ensure you have `angular-CLI` installed on your local machine in order to use the templates


To install the SDK and dependent libraries

1. Open the code of the template.
2. Type **npm install** and press **Enter** on your keyboard.

The SDK and dependent libraries are ready for use.

Configuring Templates

You can open the repository folder on your local machine to check the setup.

 A new folder named `node_modules` is created. You should never modify anything in the `node_modules` folder. This folder is not part of the repository. All the third party dependencies get installed in this folder. Whenever you run an `npm` command the dependencies are overridden in this folder.

Salesforce Credentials


As part of the setup, `sf.json` file is created that contains the credentials for deploying the application. If you want to deploy your Storefront in a different org, you can update the credentials in this `sf.json` file.

Configuration Parameters

During the `npm install` phase, a configuration file named `config.ts` is automatically created. This is a runtime configuration for the application. This file is different from the `sf.json` file. The `config.ts` file contains runtime specific variables that help the application to operate. You must set it up with the following parameters:


Name	Type	Required	Default Value	Description
production	True/false	Yes	-	Specify the environment where you want the application to run.
organizationId	True/false	Yes	-	Specify the org Id of the application. For details, see the <i>Contact Support</i> section.

Name	Type	Required	Default Value	Description
defaultImageSrc	String	No	-	Specify the URL of the default image to use when no image is found.
defaultCountry	String	No	'US'	The default country code is "US".
defaultLanguage	String	No	'en-US'	The default locale is "en-US".
enableErrorLogging	True/false	No	True	Set this to True, in non-production mode, to send error logs.
enableErrorReporting	True/false	No	True	When set to True, in non-production mode, it shows a modal window to provide user feedback.
enableMultiCurrency	True/false	No	False	If using a multi-currency enabled org, set to true to enable currency fields on models.
enableQueryLogs	True/false	No	True	Set to true to print query requests and results in the browser console.
enablePerformanceLogs	True/false	No	True	Set to true to print performance metrics of requests in the browser console.
defaultCurrency	String	No	'USD'	The default currency to use for guest users. Defaults to USD.

Name	Type	Required	Default Value	Description
bufferTime	Number (milliseconds)	No	200	The number in milliseconds to wait before sending requests. A larger number will batch requests into a single network callout, but may decrease performance.
maxBufferSize	Number	No	10	The maximum number of requests to batch into a single callout.
disableBuffer	True/False	No	False	When set to true, will disable buffered requests entirely. 1 request = 1 network callout.
subqueryLimit	Number	No	10	
pricingMode	String	No	Default	The default pricing mode is "default". To use TurboPricing as the pricing mode, set the value to "turbo".
disableCache	True/false	No	False	When set to true, data returned from requests will not be cached.
encryptResponse	True/false	No	True	When set to true, responses from the server will be encrypted. <div style="border: 1px solid #ffc107; padding: 5px; display: inline-block;">  Encryption payload is limited to 1 MB. </div>
productIdentifier (Deprecated)	String	No	'Id'	The API name of the field on the product to use as the unique identifier in the application.


Name	Type	Required	Default Value	Description
cartRetryLimit	Number	No	10	Maximum number of times the CPQ reprice operation should be attempted when the state of the cart changes.
debounceTime	Number (milliseconds)	No	200	Amount of time the application should wait for user input before batching DML operations.
storageAccount (Deprecated)	String	No	-	
tenantId (Deprecated)	String	No	-	
tenant (Deprecated)	String	No	-	
proxy	String	No	-	The login proxy to use to bypass CORS restrictions on login.
useIndexedDB	True/false	No	False	When set to true, data cache will be persisted in browser IndexedDB.
skipPricing	True/False	Yes	True	When the user changes an existing cart, Digital Commerce skips pricing. Setting this flag to False allows Digital Commerce to perform pricing when the user changes an existing cart.

Name	Type	Required	Default Value	Description
skipRules	True/False	Yes	False	When the user changes an existing cart, Digital Commerce evaluates the rules. Setting this flag to True skips rules when the user changes an existing cart.
pricingFallback	True/False	Yes	False	When TurboPricing fails, an error message is displayed without any further action. Setting this flag to True enables the system to use CPQ pricing.
packageNameSpace	String	Yes	-	
storefront	String	Yes	-	
expandDepth	Number	No	10	The maximum number of queries that should be executed to populate subquery data.
hashRouting	True/False	No	False	
queryDepth	Number	No	2	The maximum depth of relationships to be used in a query.
endpoint	String	Yes	-	Specify the URL you set on the community sites.



Setting Up Proxy for Local Development

There is also a `proxy.config.json` file that gets installed in the root directory as part of the deployment. To configure the `proxy.config.json` file, you must provide the Community URL in both the target locations. This allows you to make SOAP API calls from your local development server (for functionality like login and reprice cart). Populate the 'target' attributes in that file with the instance URL of your community.




All the code for the templates is open sourced into the library we just cloned and installed. It consists of all the modules such as cart page, home page, account page, and more. We can go into any template, for example, Home page layout where you can see some of the components of the underlying component library. For example, apt-jumbotron. This is a component library that gets installed as part of the apttus/ecommerce. You don't need to essentially build a code for this component. This is a component with the npm package. You just need to modify a single line of HTML code to reference and use it.

You can reference your configuration and import them into your main application module from the app.module.ts file. This app.module.ts file contains an ApttusModule and a CommerceModule. These two modules are getting referenced from the underlying libraries. You must import them into the root module or application to use them.

Importing the app modules in the root module


Add two lines for the following:

- `ApttusModule.forRoot` - The module runs all the underlying state management, caching, communication with the Salesforce org. You must import the configuration from the `config.ts` file.



- `CommerceModule.forRoot` - In the `forRoot` method of the `CommerceModule` declare the storefront that you want to use. For example, `CommerceModule.forRoot('Tier 1')`

This defines the Storefront for your application.



Setting Up Subset of Categories

You can set up specific categories or subset of categories from the header.component.ts file.



Turning Off Sentry for a Customer

Our angular application is wired into Sentry, any errors that occur for customers are sent to sentry. You can view those in sentry, along with stack trace, and debug them. If customers don't want such information to be sent to us, you may consider turning it off for customers.

Go to config.ts and do the following:

- enableErrorLogging - Set this to False.
- enableErrorReporting - Set this to False.

Local Development Setup

Now you can run your application locally on your local machine by running the **ng serve** command. This runs the E-Commerce site locally in your local machine against the configuration that you set up during the npm install phase.

Navigate to <http://localhost:4200/> to see how your application looks like. The application displays categories, products, pricing, and more based on the Price List selected in the Storefront record. The app is automatically reloaded if you change any of the source files.

Bootstrap Theme Changes

Bootstrap and ngx Bootstrap (angular wrapper to Bootstrap) is installed during the npm install phase. The templates are built around the Bootstrap as a UI framework. You can change to any other mechanism if you don't want to use Bootstrap.

A variables.scss file is installed in the template. If you want to do some quick and easy theme change to your template, you can modify this file as per your requirement. All this follows standard Bootstrap framework constructs to modify cards, dropdowns, forms, buttons, and more.

Server Deployment


After everything looks correct in your local machine, you are now ready to deploy your application on your Salesforce Org.

Deploying Standard Template

Along with the managed package, you get a standard template.


To deploy the standard template

1. [Create a Storefront Record](#) pertaining to your desired template. To deploy the partner commerce template, you must name your storefront '**Partner Commerce**'. All other settings are optional.



2. [Set up a Community](#) to host the storefront you created. After the community is set up, assign the corresponding visualforce page as the home page of the community.

3. Within the community workspace, go to the Administration section, and from the left menu, click **Pages**.



4. From the Community Home drop-down, select **Visualforce Page**. Search and select **Partner Commerce** for your partner commerce template and click **Save**.

Your standard template is successfully deployed. From All Communities, click the URL to see how your application looks in your Salesforce org.

Deploying Custom Template

If you have access to the Digital Commerce SDK and have customizations of your own. You can deploy your customizations to Salesforce and host them in your community.

To deploy custom template

1. You must set up the **Main.ts** file. The Digital Commerce SDK breaks out the individual pages into *chunks* that make load times quicker for those pages. In order to support this within Salesforce, you must point the webpack script to the chunks. You can do this by modifying the main.ts file as below:

```
import { enableProdMode } from '@angular/core';
import { platformBrowserDynamic } from '@angular/platform-browser-dynamic';

import { AppModule } from './app/app.module';
import { environment } from './environments/environment';
```

```

declare var __webpack_public_path__: string;
const sv = (<any>window).sv;

if (environment.production) {
  enableProdMode();
  if (sv && sv.resource) {
    __webpack_public_path__ = sv.resource + '/';
  }
}

platformBrowserDynamic().bootstrapModule(AppModule)
  .catch(err => console.error(err));

```

2. You must change the output hashing in Angular.json. By default, when the application is built, unique hash keys are assigned to all the scripts preventing certain caching mechanisms in the browser. This is not required in Salesforce and may cause issues. To prevent such issues, you must set the outputHashing parameter in the angular.json file to *none* for your build.



```

"configurations": {
  "production": {
    "fileReplacements": [
      {
        "replace": "src/environments/environment.ts",
        "with": "src/environments/environment.prod.ts"
      }
    ],
    "optimization": true,
    "outputHashing": "none",
    "sourceMap": false,
    "extractCss": true,
    "namedChunks": false,
    "aot": true,
    "extractLicenses": true,
    "vendorChunk": false,
    "buildOptimizer": true,
    "tsConfig": "tsconfig.prod.json",

```

3. Build your application using angular cli. The angular cli provides an easy script to build your application. Simply run the following replacing production with whatever configuration you are using.

```
ng build --configuration="production"
```

- After the application is built, an output folder called **dist** with the entire contents of your application in various resource files is created.

Name	Date Modified	Type	Size
web	3/30/2020 6:33 PM	Configuration Sou...	3 KB
styles	3/30/2020 6:33 PM	Cascading Style S...	561 KB
scripts	3/30/2020 6:33 PM	JavaScript File	164 KB
runtime	3/30/2020 6:33 PM	JavaScript File	3 KB
Roboto-Regular.woff2	3/30/2020 6:33 PM	WOFF2 File	64 KB
Roboto-Regular.woff	3/30/2020 6:33 PM	WOFF File	84 KB
polyfills-es5	3/30/2020 6:33 PM	JavaScript File	71 KB
polyfills	3/30/2020 6:33 PM	JavaScript File	132 KB
manifest.webmanifest	3/30/2020 6:33 PM	WEBMANIFEST File	2 KB
manifest	3/30/2020 6:33 PM	JSON Source File	2 KB
main	3/30/2020 6:33 PM	JavaScript File	5,073 KB
index	3/30/2020 6:33 PM	Chrome HTML Do...	1 KB
favicon	3/30/2020 6:33 PM	Icon	2 KB
fa-solid-900.woff2	3/30/2020 6:33 PM	WOFF2 File	75 KB
fa-solid-900.woff	3/30/2020 6:33 PM	WOFF File	97 KB
fa-solid-900	3/30/2020 6:33 PM	TrueType font file	190 KB
fa-solid-900	3/30/2020 6:33 PM	SVG Document	830 KB
fa-solid-900.eot	3/30/2020 6:33 PM	EOT File	190 KB
fa-brands-400.woff2	3/30/2020 6:33 PM	WOFF2 File	75 KB
fa-brands-400.woff	3/30/2020 6:33 PM	WOFF File	88 KB
fa-brands-400	3/30/2020 6:33 PM	TrueType font file	130 KB
fa-brands-400	3/30/2020 6:33 PM	SVG Document	700 KB
fa-brands-400.eot	3/30/2020 6:33 PM	EOT File	130 KB
5	3/30/2020 6:33 PM	JavaScript File	8 KB
3rdpartylicenses	3/30/2020 6:33 PM	Text Document	99 KB
assets	3/30/2020 6:33 PM	File folder	

- Create a static resource. After the contents of the application is built, you must bundle it and deploy it to a Salesforce static resource. Select all of the build files and put them into a zip file with a name of your choice.
- Go to **Setup > Develop > Static Resources** and click **New** to create a new static resource with the zip file as its contents.

Static Resource

Static Resource Edit Save Cancel

Static Resource Information

Name

Description

File Bundle.zip

Cache Control

Save Cancel

- Create the Visualforce Page. After the static resource has been created, you must create a visualforce page to display the contents of the resource file. See the example

visualforce page below you can use to host your application. You can make any changes you want, but there are a couple of considerations:

- You must add the script to assign the `window.sv.resource` variable to the URL of the static resource.
- Remove the base tag or assign it to the relative URL of the community.
- Replace `Resource.ECommerce` in the below template with the name of the static resource file you uploaded.

```
<apex:page standardStylesheets="false" showHeader="false" sidebar="false" docType="html-5.0" applyHtmlTag="false" applyBodyTag="false">
  <head>
    <meta charset="utf-8" />
    <title>ECommerce</title>

    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <link rel="icon" type="image/x-icon" href="favicon.ico" />
    <link rel="manifest" href="manifest.webmanifest" />
    <meta name="theme-color" content="#1976d2" />
    <link rel="stylesheet" href="{!URLFOR($Resource.ECommerce, 'styles.css')}"/>
    <script>
      window.sv = {
        resource: '{!URLFOR($Resource.ECommerce)}'
      };
    </script>
  </head>

  <body>
    <app-root></app-root>
    <noscript>
      >Please enable JavaScript to continue using this application.</noscript>
    >
    <script src="{!URLFOR($Resource.ECommerce, 'runtime.js')}"/></script>
    <script src="{!URLFOR($Resource.ECommerce, 'polyfills-es5.js')}"/></script>
    <script src="{!URLFOR($Resource.ECommerce, 'polyfills.js')}"/></script>
    <script src="{!URLFOR($Resource.ECommerce, 'scripts.js')}"/></script>
    <script src="{!URLFOR($Resource.ECommerce, 'main.js')}"/></script>
  </body>
</apex:page>
```

Customizing Your Application

In this Section

- [Customizing HTML Content and Standard Components](#)
- [Adding Custom Fields on Object Models](#)
 - [Adding Custom Attributes to a Product](#)
- [Customizing Logic in the Services](#)
- [Customizing the Template Page with Custom Field](#)


Customizing HTML Content and Standard Components

You can override the HTML for any component that comes with your angular application. You can do so by writing an extension component. Similarly, you can override the methods within it as well. For example, there is a registration method and you want to retain it but want to change the look and feel of the template, you must write an extension component. You can override extension classes, extension services, or extension components that are present within the angular library.


To customize the HTML content

1. Go to the **header.component.html** file and browse for the **apt-mini-profile** component. The HTML content is all bundled into this component.
2. Go to your application and use basic angular syntax to generate a component. For example: `ng g c components/my-profile --module-components/component.module.ts --spec=false`
3. A new `my-profile.component.ts` is created.
4. Import the `miniprofile` component from `@apttus/ecommerce` and extend the `miniprofile` component. By doing this, all the controller code is inherited from the

miniprofile component.



- 5. Refer to the Digital Commerce SDK and search for miniprofilecomponent. Click on the Template tab for the HTML template for all of the components in it.
- 6. Copy all the HTML content and paste it in the my-profile.component.html you just created and save it.
- 7. From the new component you just created, copy the selector and go to the header where it is referenced and paste the selector.



- 8. Run ng serve command.

The profile component is overridden.

Go to my-profile.component.html and within the HTML content add a custom field and save.

Refresh your application on the local machine and you will see the newly added custom field. If you want to assign the custom field to a user that is associated with the component, you can do so by modifying the ngModel. For example: [(ngModel)]="user.My_Custom_field__c"


```
<div class="form-group">
  <label for="Ramesh">Ramesh</label>
  <input type="text" class="form-control" id="Ramesh" name="Ramesh" placeholder="Ramesh" [(ngModel)]="user.My_Custom_field__c">
</div>
```

Adding Custom Fields on Object Models

You can add custom fields to a modal by using the extended model in components. The strategy to add customization to the application is to use the object-oriented nature of typescript to extend and override the out-of-the-box content. Let us see how to add a custom field to the Product object.

To create a custom model

1. Right-click on the App folder and click **Create Folder** to create a new folder for models and name it. For example models.
2. Right-click on the models folder and click **Create File** to create a product model and name it. For example s-product.model.ts
3. In the s-product.model.ts, import Product from @apttus/ecommerce. For example: `import { Product } from '@apttus/ecommerce'`
4. Create the extension of the product for your custom model. For example export class SProduct extends Product {} The SProduct class has all the properties of the original product.



```

1  import { Product } from '@apttus/ecommerce';
2  import { ATable, AField } from '@apttus/core';
3
4  @ATable({
5    subjectName: 'Product2',
6    apiName: null
7  })
8  export class SProduct extends Product{
9
10
11    @AField({
12      sql: 'SRM_Manufacturer__c',
13    })
14    public manufacturer: string = null;
15  }

```

5. When adding custom properties to your model, you must associate the following decorators from the @apttus/core library. These are used to map your classes to the underlying Salesforce objects. Basically, this mechanism is to map typescript classes with Salesforce objects using decorators.
 - ATable - This is used to map product class to any object on the backend by specifying what object you want to map it up to. For Salesforce, the object name can be added to field subjectName.
 - AField - This is used to specify the Salesforce name of the custom field. For example: SRM_Manufacturer__c. It is not necessary to use the Salesforce syntax for the field name. You can provide a generic name. For example manufacturer.

You must specify a default value for any field created. Do not leave a blank value.

- Type - This is used to determine relationship types (child or lookups). It is recommended to also set the default value to 'null' on all attributes unless a default value is explicitly needed.

```

44 // Model syntax summer '19
45 @ATable({
46   subjectName: 'Apttus_Config2__ProductConfiguration__c'
47   // aqlName is optional
48   // aqlName: 'LineItem'
49
50   // Dynamic attribute has been added to generate model at runtime
51   // Use for highly dynamic objects like ProductAttributeValue
52   dynamic: true
53 })
54 export class CustomCart extends Cart {
55   // Standard field
56   @AField({
57     soql: 'Apttus_Config2__ProductId__c',
58     aql: 'ProductId'
59   })
60   productId: string = null;
61
62   // Lookup Field
63   @AField({
64     soql: 'Apttus_Config2__ProductId__r',
65     aql: 'ProductId'
66   })
67   @Type(() => Product)
68   product: Product = null;
69
70   // Child Field
71   @AField({
72     soql: 'Apttus_Config2__LineItems__r',
73     aql: 'LineItems',
74     // New flag to tell SDK to run additional queries to populate line item data.
75     expand: 'shallow'
76   })
77   @Type(() => LineItem)
78   LineItems: Array<LineItem> = null;
79

```

Now that you have created your custom product model, mapped typescript class to the Salesforce object Product2, and provided custom fields, you must map it back to the service. The product service looks up at the product class. You can override that using a setType method that is available on every single service. This method should be created in the constructor of the component. This changes the mapping of that service to the model that you want to use. Once this is done within your application or within your module, the method gets applied to every other component within your module. Now pass it in the class reference of the class you just created. For details, refer to the image below.


```

4 import * as _ from "lodash";
5 import { Observable } from "rxjs/Observable";
6 import { ACondition } from "@aptus/core";
7 import { SProduct } from "../../models/s-product.model";
8
9
10 @Component({
11   selector: 'app-product-details',
12   templateUrl: './product-details.component.html',
13   styleUrls: ['./product-details.component.scss']
14 })
15 export class ProductDetailsComponent implements OnInit {
16
17   product: Product;
18   rules: Array<ConstraintRule>;
19   relatedProducts$: ObservableArray<Product>;
20   similarProducts$: ObservableArray<Product>;
21
22   replacementProducts$: ObservableArray<Product>;
23   replacementRules: Array<any>;
24   volumeDiscounts: Array<PriceMatrixEntry>;
25
26   constructor(private route: ActivatedRoute,
27               private productService: ProductService,
28               private cdr: ChangeDetectorRef,
29               private priceMatrixService: PriceMatrixService,
30               private constraintRuleService: ConstraintRuleService) {}
31
32   // this.productService.setType(SProduct);
33
34   ngOnInit() {
35     this.route.params
36       .filter(params => params['productCode'] != null)
37       .map(params => params['productCode'])
38       .flatMap(productCode => {
39         this.product = null;
40         this.rules = null;

```

Adding Custom Attributes to a Product

You can add custom attributes on any product in the product details page through the product attribute model that contains all the product attributes.

To add a custom attribute to a product

1. You must import the product attribute model from the E-Commerce library into the product attribute value service.

```
@ATable({
  subjectName: 'Apttus_Config2__ProductAttributeValue__c',
  aqlName: 'cpq_ProductAttributeValue'
})
export class ProductAttributeValue extends AObject {
  @AField({
    soql: 'Apttus_Config2__BillingOffsetDays__c',
    aql: 'BillingOffsetDays'
  })
  BillingOffsetDays: number = null;
  @AField({
    soql: 'Apttus_Config2__Color__c',
    aql: 'Color'
  })
  Color: string = null;
  @AField({
    soql: 'Apttus_Config2__LineItemId__c',
    aql: 'LineItemId'
  })
  LineItemId: string = null;
  @AField({
    soql: 'Apttus_Config2__Vendor__c',
```

2. In the @Table decorator, you must set the Dynamic flag to *True*.

```

1  import { AObject, ATable, AField } from '@apttus/core';
2
3  @ATable({
4    subjectName: 'Apttus_Config2__ProductAttributeValue__c',
5    aqlName: 'cpq_ProductAttributeValue',
6    dynamic: true
7  })
8  export class ProductAttributeValue extends AObject {
9    @AField({
10     soql: 'Apttus_Config2__LineItemId__c',
11     aql: 'LineItemId'
12   })
13   LineItemId: string = null;
14 }
```

The following objects have the dynamic flag set to true, by default.

- a. ProductAttributeValue
- b. OrderAttributeValue

- c. QuoteAttributeValue
- d. AssetAttributeValue

Customizing Logic in the Services

Your application is built around the concept of Modals and Services and pairing the two to work together. You can do one or more of the following:


- Change the modal that goes with some business logic and service
- Change the business logic or service for a particular modal
- Create completely new modals and new services

Customizing the Template Page with Custom Field

You can use the custom field you just created in your template.

To customize the template page

1. Go to product-details.component.ts and modify the product name with your custom field name.



```

10 @Component({
11   selector: 'app-product-details',
12   templateUrl: './product-details.component.html',
13   styleUrls: ['./product-details.component.scss']
14 })
15 export class ProductDetailsComponent implements OnInit {
16
17   product: SProduct;
18   rules: Array<Condition> = SProduct (alias) class SProduct {
19     relatedProducts$: Observable<Array<Product>>;
20     similarProducts$: Observable<Array<Product>>;
21
22     replacementProducts$: Observable<Array<Product>>;
23     replacementRules: Array<any>;
24     volumeDiscounts: Array<PriceMatrixEntry>;
25
26     constructor(private route: ActivatedRoute,
27               private productService: ProductService,
28               private cde: ChangeDetectorRef,
29               private priceMatrixService: PriceMatrixService,
30               private constraintRuleService: ConstraintRuleService) {
31       this.productService.setType(SProduct);
32     }
33
34     ngOnInit() {
35       this.route.params
36         .filter(params => params['productCode'] != null)
37         .map(params => params['productCode'])
38         .flatMap(productCode => {
39           this.product = null;
40           this.rules = null;
41           this.replacementRules = null;
42           return this.productService.where([new ACondition(Product, this.productService.config.productCode, productCode)]);
43         })
44         .map(res => res[0])
45         .filter(product => product != null)
46         .subscribe(product => this.onProductLoad(product));

```

2. Go to the product-details.component.html and add an entry for your custom field to be displayed on the template.

```
1 <div class="py-4 container-fluid">
2   <apt-breadcrumb [subject]="product"></apt-breadcrumb>
3
4   <div class="row" *ngIf="product && rules; else loading">
5     <div class="col-12 col-md-4">
6       <product-images [product]="product"></product-images>
7     </div>
8     <div class="col-12 col-md-8">
9       <div class="card animated fadeIn" *ngIf="product">
10        <div class="card-body">
11          <div class="d-flex justify-content-between flex-wrap">
12            <h4>{{product?.Name}}</h4>
13            <span *ngIf="replacementRules?.length !== 0">
14              <span class="oi oi-warning mr-2"></span> This item has been repl
15            </span>
16          </div>
17
18          <div class="d-flex justify-content-between align-items-center">
19            <!-- <star-rating [starType]="icon" [rating]="product.Rating_Sco
20            <small>{{product?.ProductCode}}</small>
21
22            <small>{{product?.manufacturer}}</small>
23          </div>
24
25          <div class="mt-4 d-flex justify-content-between flex-wrap align-ite
26            <h3 class="d-flex justify-content-start align-items-center">
```

3. Your template displays the new custom field.

Contact Support

If you experience an issue with a product and need help, you can contact the Support Team. Before you contact the support team, prepare a brief description of the problem you are experiencing. Additionally, to enable us to resolve your problem at the earliest, provide the following important information:

- What is the environment in which you are experiencing the problem: Sandbox or Production?
- How many users are affected?

Which product versions are installed?

To determine version numbers:


1. Go to **Setup > App Setup > Installed Packages**.
2. In the Installed Packages section, all the installed packages are displayed. You can find the version numbers in the Version Number column.

Action	Package Name	Publisher	Version Number	Namespace Prefix	Status	Allowed Licenses	Used Licenses	Expiration
Uninstall	Salesforce Connected Apps	Salesforce.com	1.6	sf_com_apps	Free	N/A	N/A	N/A
Uninstall Manage Licenses	Apttus Quote/Proposal-Asset Integration	Apttus	6.13	Apttus_QPAsset	Active	20	19	1/1/2016
Uninstall	Apttus CPQ Api	Apttus	9.55	Apttus_CPQApi	Active	Unlimited	0	1/1/2016
Uninstall Manage Licenses	Apttus Quote/Proposal Approvals Management	Apttus	6.4	Apttus_QPApprov	Active	20	19	1/1/2016

What is your Salesforce.com Organization ID?

To determine the [Salesforce.com](#) organization ID:

1. Go to **Setup > Administration Setup > Company Profile > Company Information**.



2. From the Organization Detail pane, provide the [Salesforce.com](#) Organization ID.

Organization Detail		Edit	
Organization Name	Apttus	Phone	
Primary Contact		Fax	
Division		Default Locale	English (United States)
Address		Default Language	English
	US		
Fiscal Year Starts In	January	Default Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)
Allow Support to Activate Multiple Currencies	<input checked="" type="checkbox"/>	Currency Locale	English (United States) - USD
Newsletter	<input checked="" type="checkbox"/>	Used Data Space	723.7 MB (71%) View
Admin Newsletter	<input checked="" type="checkbox"/>	Used File Space	319.5 MB (31%) View
Hide Notices About System Maintenance	<input type="checkbox"/>	API Requests, Last 24 Hours	16 (25,000 max)
Hide Notices About System Downtime	<input type="checkbox"/>	Streaming API Events, Last 24 Hours	0 (10,000 max)
		Restricted Logins, Current Month	0 (0 max)
		Salesforce.com Organization ID	00Dd0000000eKuN

If you are having issues generating documents, what is your merge server end point?


To find the merge server end point:

1. Go to **Setup > App Setup > Develop > Custom Settings**.
2. Click **Manage** for Comply System Properties.
3. Click **System Properties**.
4. The Merge Webservice Endpoint field displays the setting. The <https://mergeserver.apttus.net:9876> portion of the setting is what will be helpful to customer support.

Grant Login Access of the affected user and an administrator.

To grant login access:

1. Go to **Setup > Personal Setup > My Personal Information > Grant Login Access**.



2. From the Apttus Support picklist, select an option for access duration.

Grant Access To	Access Duration
Your Company's Administrator	--No Access--
Salesforce.com Support	--No Access--
Apttus Support i	--No Access--
DocuSign, Inc. Support i	--No Access--
EchoSign, Inc. Support i	1 Day (exp. 10/30/2015)
salesforce.com Support i	3 Days (exp. 11/1/2015)
	1 Week (exp. 11/5/2015)
	1 Month (exp. 11/29/2015)

3. Click **Save**.

Partner Commerce for Users

This section describes how Partner Commerce works and how partners can quickly select products and checkout on behalf of the end customer, all the time having a seamless experience.

Topic	Description
What's Covered	This section is designed to provide users with information on features and related user interactions to be consumed within Partner Commerce. This section covers the most common use cases for users and assumes a level of familiarity with basic Salesforce.
Primary Audience	Partner users of an organization who want to place orders on behalf of end customers of the same organization.
IT Environment	For information pertaining to the requirements and recommendations, see System Requirements and Supported Platforms Matrix .
Updates	For a comprehensive list of updates for each release, see What's New in Partner Commerce Documentation .
Other Resources	<ul style="list-style-type: none"> • See Partner Commerce for Administrators for implementation and deployment procedure. • See Partner Commerce SDK for technical instructions on the installation and setup of a Partner Commerce storefront. • See Partner Commerce for REST API Developers for details of the CPQ REST APIs consumed by Partner Commerce. • See CPQ documentation for detailed information on setting up the master data.

This section describes the following tasks:

- General Administration
- Selecting Account for which the order is to be placed
- Browsing Catalog
- Managing Assets
- Product Configuration
- Applying Promotions
- Managing and checking out the cart
- Creating the draft order
- Generating the draft order document and presenting the same to the end customer

- [Confirming the order](#)

Select one of the following topics for more information:

- [Logging in to Partner Commerce](#)
- [Browsing Catalog](#)
- [Managing Accounts](#)
- [Managing Orders](#)
- [Managing Assets](#)
- [Product Configuration](#)
- [Applying Promotions on the Products in the Shopping Cart](#)
- [Managing the Cart](#)

Logging in to Partner Commerce

You must log in to use Partner Commerce. Every partner is provided with a unique Partner Commerce URL. Without logging in you cannot see the Partner Commerce self-service portal.


Prerequisites

- You must be a valid Salesforce user.

To log in to Partner Commerce

1. Open the URL in your system's browser.
2. Enter your username and password and click Login.

On successful authentication, if you are a licensed user, you are redirected to the Partner Commerce portal's home page.




To retrieve a forgotten password


1. If you've forgotten your password click **Forgot Password?** link.
2. Enter your username to receive the password reset link and click **Submit**.
3. You will receive the password reset link on your registered email address. Open the email and click the reset link.
4. Enter the new password and enter the password again to confirm and click **Submit**.

Your password is reset and you can log in with the new password.

To log out from Partner Commerce

1. From the Partner Commerce home page click the menu icon  from the upper left-hand side of the page.

2. From the left-hand side navigation panel click Log Out




Browsing Catalog


Product Catalog is a detailed list of the inventory of a store. You can view the products that your vendor supplies on the Catalog. The product catalog displays the products available for purchase and also displays their details like the product's name, price, specification. You can also add products to the cart from the catalog page. The product catalog has many features to make searching and selecting products easy for the users.

View Options


On the product catalog, you can view products in different ways. The bar on top of the catalog has two different view options:



- **List View:** To select the list view, click the list view icon from the bar above the product list. The list view displays the products in a list, under one another.




- **Grid View:** To select the grid view, click the grid view icon from the bar above the product list. The grid view displays the products side-by-side, like a grid.



Filtering Products in the Catalog

The catalog page can show the entire inventory, therefore, to find the right product you can use filters available on the catalog page. The following section describes the filters available on the catalog page.



- **Product Type:** You can filter the products according to the type of the product. You can choose from:
 - All: Choosing this option, displays all the products available in the store for purchase.
 - Assets: Choosing this option, displays the products that you have already purchased and that are your assets now.
- **Category Filtering:** Using the category hierarchy you can navigate to products through the list of related categories and their subcategories. The subcategories list is displayed only after you select a category. You can go to the Product Types section and select **All** to view all the categories available.
- **Product Family Filtering** - You can filter the products in the catalog by the product family that they belong to. In the product family field, use the type-ahead search to search and select the product families for filtering. You can choose multiple product families from the picklist.


Actions on the Product Catalog Page

- **Sorting:** You can sort the products in the product catalog page by choosing **Sort By**. You can sort the product according to **Name** or **Relevance**.

- **Pagination:** You can set how many products to see on a single page in the product catalog. To set pagination, go to the **Show** field on the top bar and select the value from, *4, 12, 20, and 50* products on one page.
- **Viewing product details:** To view the details of any product, like its description, configurations, specifications, features, or price, click the product's name or its image.
- **Adding a product to the cart:** You can click Add to Cart to add a product to your cart for purchasing. You can also specify the quantity in the Quantity field before adding the product to the cart.
- **Asset-based Ordering Actions:** If the product is an asset, or you have already purchased it, you will see the following asset-based ordering actions:
 - **Buy More:** Adds the products to the cart.
 - **Renew:** Renews the Asset.
 - **Terminate:** Terminates the asset.
 - **Change Configuration:** Lets you change the configuration of an already purchased asset.
- **Product Images** - While viewing product details, you can view product images and collateral under the Attachments tab.
- **Product Features** - You can view product features under the Specifications tab.

Searching for Products

The **Search** icon on the header allows you to quickly search and choose the product you are looking for.



There are two ways you can search for a product.

- Click the **Search** icon and use the text search to search and select a product.


- Click the **Search** icon and enter a few keywords or a whole keyword including space and press Enter on your keyboard. A list of products is displayed matching the entire keywords you entered.

You can select a product from the search results and click **Add to Cart** to add the product to the cart. If a product is configurable, you can configure a product with multiple options or attributes and then add the product configuration to the cart.


Viewing the Product Details

The Product Details page outlines the product attributes, options, and more. Click on a product name or product image to open the Product Details page. From this page, you can configure your product further with options and attributes.


- You can access the Product Details page from the Catalog, Cart, or Product Recommendation pages
- The details tab provides complete information about the features of the product, product images, attachments, and collateral



- View and configure complex products with product attributes and options



- View Price Summary for Selected Options



Adding Products to a Cart

While navigating the catalog, you may decide to purchase one or more products. You can add those products to the cart and revisit the cart later to see all your cart items.


To add a product to the cart

- On the catalog page, click the **Add to Cart** button for the product you want to purchase. You can choose as many products to be added to the cart.

- OR -

- From any product detail page, click **Add To Cart**.

The product is added to the cart and you can [view the complete list of products in the mini cart](#) by clicking the cart icon on the top right. If you have products selected, this icon displays the number of products added.



Managing Accounts

The Accounts section contains all the information of a customer or partner account on the Partner Commerce portal. You can access your account after signing in with your Partner Commerce credentials. To open your account details, from the left-hand navigation, click **My Account**. The My Account home page has the following tabs in the left-hand navigation:

My Orders
My Quotes
My Carts
Installed Products
Product Catalog
My Account Settings

- My Orders: This dashboard displays graphical information for Order by Status and Order Amount by Status. You can also edit existing quotes.
- My Quotes: View list of quotes and their details
- My Carts: Displays multiple in-progress carts with their status details. The primary cart has **Is Active** column selected. You can also delete a cart from this page.
- Installed Products: Displays the list of installed products or assets. You can select an asset and Renew or Terminate it.
- Product Catalog: Takes you to the product catalog page with the listing of all products.
- My Account Settings: Enables you to:
 - View or edit user information
 - View or edit account information
 - Change your password


Changing the Account

As a partner, you work with multiple customers and therefore, multiple accounts. From the top navigation bar, you can change the account you are working with. The My Account page shows the information for Orders based on the account selected by you. When you log in to Partner Commerce, you will see the account details pertaining to the account linked with your contact.

To change the account

1. From the top navigation bar, go to the Account Field.
2. Click the edit icon .

3. Use the type-ahead to search and select an account.



4. Click **Update** to finish account change.

Managing Orders

You can see the order details of your orders after logging into Partner Commerce. The Orders home page or **My Orders** page lists all the orders that you are working with for the selected account. The orders list shows the orders with the following details:

- Name
- Price List
- Bill To account
- Ship To account
- Order Amount
- Order creation date
- Order renewal date

Order Number	Title	Status	Price List	Bill To	Ship To	Order Amount	Created Date	Re
O-00002856	TechPubs Order 1	Pending	Tier 1 Hardware & Software	ABC Corporation	ABC Corporation	\$1,899.46	10/24/19, 11:30 PM	
O-00002857	n/a	Pending	Tier 1 Hardware & Software	Apttus	K-Club	\$11,016.00	10/24/19, 11:56 PM	
O-00002614	TechPubs Computers Order	Pending	Tier 1 Hardware & Software	ABC Corporation	ABC Corporation	\$626.00	9/24/19, 5:02 PM	
O-00002613	TechPubs Hardware Order	Draft	Tier 1 Hardware & Software	ABC Corporation	ABC Corporation	\$3,870.00	9/24/19, 4:59 PM	

From the My Orders page, you can:

- Select and view the details of an order
- Search an order
- View the price list and bill to and ship to account of the order

To filter order in the orders list

1. Go to My Orders page.
2. From the search bar in the type, type and search for the order using the order name.

You will see a list of the filtered orders.

Viewing Order Details

The order details page displays the order status and the actions you can take based on each status, as described in the table below:

Order Status	Actions
Draft	Confirm, Generate
Generated	Confirm, Present Order
Presented	Confirm
Pending, In Fulfillment - Not Paid	Make Payment
Pending, In Fulfillment - Paid	N/A
In Amendment	Discard Changes Confirm Changes

As a Partner Sales Representative or Order Desk User, you can create an order on behalf of a customer to help them in ordering products or services. You can create an order from the catalog page.

To create an order

1. From the home page, click **Product Catalog** in the left-hand navigation pane.
2. From the product catalog, select products, specify their quantity and click **Add to Cart**.
3. Click the cart icon in the top-right corner of the catalog page and click **View cart**.
4. From the cart page, click **Create Order**. This opens the Create Order form.
5. The create order pane shows an order with default values in the following fields:

Field Name	Description
Primary Contact	Shows the name of the primary contact of the logged-in partner. You can search and select another value to update this field.
Bill To	Shows the Bill To the location of the account associated with the primary contact. You can search and select another value to update this field.
Ship To	Shows the Ship To the location of the account associated with the primary contact. You can search and select another value to update this field.
Price List	Shows the name of the price list associated with the account selected. You cannot edit this field. If no value is present, this field shows the Default Storefront price list.
Sold To	Shows the name of the account associated with the primary contact. You cannot edit this field.
Order Name	Enter the name of the order. By default, this field is blank. This field is not mandatory.

6. Click **Create Order**.

You will see a success confirmation box. To see more information about the order click **View Your Order**. This opens the Order details page.

To view an order

1. Log in to the Partner Commerce portal.
2. From the left-hand navigation, click **My Orders**.
3. From the orders list click the **Order Number** link to view the details of the order.

The order details page shows the order information arranged in the following tabs:

- Order Summary
- Line Items
- Comments
- Attachments

The order details page also has a progress bar on the top of the page. This progress bar shows the current phase of the order based on the order status. The phases of the progress bar are color coded. The color and their status are described as follows:

- Blue color shows that the phase is incomplete.
- Green color shows that the phase is completed.
- Grey color shows that is phase has not yet started and is upcoming.

The screenshot displays the 'Order Details' page for order O-00002857, which is currently in the 'Draft' phase. At the top, a progress bar shows the following stages: Draft (blue), Generated, Presented, Pending, In Fulfillment, Fulfilled, and Activated. Below the progress bar, there are tabs for 'ORDER SUMMARY', 'LINE ITEMS', 'COMMENTS', and 'ATTACHMENTS'. The 'ORDER SUMMARY' tab is active, showing details such as 'Created Date: 10/24/19, 11:56 PM', 'Created By: Anubha Singh Partner', 'Primary Contact: Anubha Singh Partner', 'Account Name: ABC Corporation', 'Order Title: n/a', 'Ship To Account: K-Club', 'Ship To Address', 'Bill To Account: Apttus', and 'Bill To Address'. To the right, the 'Price Summary' section shows 'Total Price: \$11,016.00', 'Promotion(s) Applied: \$0.00', 'Estimated Tax: \$0.00', 'Sub Total: \$11,016.00', and 'Payment Status: Pending'. At the bottom, there is a 'LINE ITEMS' section with an 'Edit' button.

To generate an order

1. From the order details page, click **Generate Order**.
2. In the Generate Order dialog box, select the Template from the drop-down list.
3. Select the Output File Format of the order document from the drop-down list. You can choose either PDF or DOC.
4. Click **Generate**.

This generates an order document and sends an order generation notification email to the associated partner and customer. You will also see a notification in the Order Details page. The generated order document can also be viewed from the Attachments tab of the details page. To open the generated order document, you must login to Salesforce.


Presenting Orders

After generating an order you must present it to your customers.

To present an order

1. From the order details page, click **Present Order**.
2. In the Present Order dialog box, the Send Order To field is already populated with the email address of the primary contact. This field is not editable.
3. Enter the email addresses of the customers to be copied in the Cc field.
4. Click **Present**.

The order is sent to the customer and they receive an email notification. The order status changes from Generated to Presented.

 If you confirm an order right after drafting it, the document is automatically generated and present and directly reaches the Pending state.

Confirming Orders

As a partner, when a customer places an order or you place an order on behalf of a customer, you must confirm it to sync it with the cart and create the order line items. You can confirm an order which is in any of these three states: *Draft*, *Generated* and *Presented*.

To confirm an order

1. From the order details page, click **Confirm Order**.

On confirmation, the order status changes from Draft to Pending. When an order is confirmed it is automatically generated and presented. After confirmation is complete, the customer also receives an email notification.

Making Payment for an Order

After presenting an order to a customer, you can confirm the order. Without confirming the order you cannot make payment for that order.

Prerequisite:

- The order must be confirmed and its status must be *Pending*.

To make payment for an order

1. From the order details page, click **Make Payment**.
2. In the Make Payment dialog box, select the mode of order. You can choose from the following options:
 - Invoice Me Later: Choose this option to generate an invoice later.
 - PO Number: If you choose this option, you must enter the purchase order number in the PO Number field and click submit.
 - Pay Now: Choose this option to pay using a credit card or debit card. You can see a list of your saved card details. You can select any existing cards and pay or you can add a new card.
 - To add a new card click **Use new credit/debit card** and add the card details
 - After adding the card details if you want to save the card for future transactions, click **Save this card information for future payment**.
3. Click **Submit**.

After the payment is completed, the Payment Status on the order details page changes from *Pending* to *Processed*.

Managing Assets

Pre-requisite:

- Ensure that Enable ABO is set to true in the Storefront record to use a standard template.
- Asset Actions is set for Buy More, Change Configuration, Renew, or Terminate actions on the storefront object. This field is dependent on the Enable ABO flag.

As a Customer Service and Sales Representatives in your organization you can Renew and Terminate a customer's assets. You may even choose to Buy More for an existing asset. You can also change the configuration for an existing bundle subscription during renewal or mid-term assets from the cart.

Assets are the products or services that you have bought. You may need to modify the products that you have bought in terms of Quantity, Selling Term, or Duration. You can access all the products that you have bought from the Assets tab.

- Asset Filtering on the Catalog page
- View Installed Products for Account
- View the *Assets By Price Type* and *Asset Amounts By Price Type* charts on the Installed Product page

- Enable or Disable ABO on the Template
- Enable or Disable Renew or Terminate actions on the Template

Using the Standard Table and Chart Component on the Installed Product Page


The Installed Product page or Assets page lists all the installed products of the selected account. The Assets list shows the assets with the following details:

- Asset Name
- Selling Frequency
- Start Date
- End Date
- Net Price
- Quantity
- Asset Status
- Price Type

From the Assets page, you can:



- View Summary Charts for Assets
- Filter an Asset
- Search an Asset
- Renew an Asset
- Terminate an Asset
- Buy More Assets
- Change Configuration

You can also sort the asset list, set pagination, and set a bundled or unbundled view for the asset list.



Filtering Assets in the Installed Product Page

The Installed Product page can show the entire inventory of your assets; therefore, you can use the following filters available on the page to find a particular asset:

- Days to Renew
- Price Type
- Asset Action
- Product Family
- Advanced Filters ()
- Search Assets ()

 You can also use a combination of filters to refine your asset list.

Renewing an Asset

- Renew for a Standalone or a Bundle Asset from the Catalog page (Catalog, Recommendation, and Compare Products)
- Renew for a Standalone or a Bundle Asset from the Installed Product page
- Mass Renewal for Standalone or Bundle Assets

Terminating an Asset

- Terminate for a Standalone or a Bundle Asset from the Catalog page (Catalog, Recommendation, and Compare Products)
- Terminate for a Standalone or a Bundle Asset from the Installed Product page
- Mass Terminate for Standalone or Bundle Assets

Buy More Subscription (Increment Asset)

- Buy More for a Standalone Asset from the Catalog page (Catalog, Recommendation, and Compare Products)
- Buy More for a Standalone Asset from the List View Catalog
- Buy More for a Standalone Asset from the Installed Products page

Changing the Configuration for an Existing Asset


You can change the configuration for an existing bundle subscription during renewal or mid-term assets from the cart. You can change the configuration for Recurring Asset products (Bundles) and Usage Standalone Asset products from the cart with "Amended" status.

- The overall status for the primary bundle or standalone product is "Amended"
- You cannot change one-time options and the Line Status = "Existing"
- You can edit recurring options and Usage Standalone assets for: Quantity, Switch Options, Select Additional Options, and Attributes
- When you change the quantity or attributes for an option, the Line Status = "Amended"
- When you change an option, the existing option Line Status = "Cancelled" and the new selected option Line Status = "New". The Cart displays both the options with Line Status = "Cancelled" and "New" with the newly selected option within the option group.
- When you select a new option without switching an existing option, the newly-selected option is displayed in the Cart with Line Status = "New"

Product Configuration


If you have attributes or options associated with your products, you can configure them from the Catalog page. You can perform one or more of the following:

- Configure Standalone products with Attributes
- Configure Single Level Bundle
- View Selected Configuration
- Edit Configuration
- View & Select Options
- Minimum and Maximum validation of Options for Option Groups - available at the option group level only
- Minimum and Maximum validation of Product Quantity
- Configure Nested Bundles
- Add Default Configuration from Catalog
- Option Level Attribute Configuration
- Attribute-Based Configuration Rules
- Hide Option Groups and Options - You can completely hide an option group and its options within it from the user interface.
 - Select the **Is Hidden** flag from the Option Group Configuration page to hide option groups.
 - Use the exclusion type constraint rules to hide excluded options from the list. You must [set up the Action Intent as Hide in the Constraint Rule Action](#).
- Modify Option Groups and Options Within a Bundle Configuration - In a Bundle configuration, from the Option Group configuration, you can now select **Modifiable Type** setting with values Fixed and Variable.
 - Selecting Variable enables you to change the quantity of the option products while configuring the product.
 - Selecting Fixed restricts you from changing the quantity of the option products inside the parent option group.
 - Setting the modifiable type setting to Fixed or Variable impacts only on immediate options. There is no impact on the sub option groups. This setting has to be done on each level. This also overrides minimum and maximum validation. In case you select an option group with Modifiable Type as Fixed, the quantity input box of the immediate option(s) is disabled. The quantity displayed is the default value and in case you do not set the default value, the quantity is 1.
- Set the Required Checkbox for Options - When you select the **Required** flag for an option product in CPQ, it is considered in Partner Commerce. When you select the **Required** checkbox, it is selected by default in the configuration.

 If there is a minimum quantity of 0 specified on the required option, the minimum quantity is ignored. then we ignore the min qty. The default quantity is 1 and you cannot change the quantity to 0.

To set up the action intent as hide in the constraint rule action

1. Go to **Setup > Create > Objects > Constraint Rule Action** and **Action Intent**.
2. From the **Values** related list, click **New**.
3. Enter **Hide** as a picklist value and click **Save**.
4. On the Action Intent details page, from the **Picklist Options** related list > **Controlling Field** > click [**Change**] next to Action Type.
5. From the Exclusion column, double-click **Hide** and click **Save**.

 Do not select **Hide** for any other action types.

Supported Capabilities in Partner Commerce

Digital Commerce supports the following capabilities:

Product Attribute Rules

You can configure product attribute rules for attributes with the following action types and have them displayed on the product details page.

 The scope must be Product and Product Family. Criteria is not supported at present.

- Allow - To restrict the visibility of values on the target field.
- Default - To add a default value on the target attribute.
- Hidden - To hide the target attribute.
- Disabled - To make the target attribute a read-only field.
- Required - To make the target attribute a required field.
- Reset - To auto-populate a default value on the target attribute if the field is left blank.

Attribute Value Matrix

You can configure the attribute value matrix with the following application types and have them displayed on the product details page.

 The scope must be Product and Product Family. Expressions are not supported at present.

- Default - Enables you to select the picklist values, which you have configured as default values in Matrix View. The rest of the values are visible in the drop-down list, but you cannot select any of them on the Cart.
- Constraint - Enables you to select only those picklist values, which you have configured in Matrix View. All the other values are disabled in the drop-down list on the cart. This also works with the multi-select picklist.
- Force Set - Enables you to automatically set the picklist values, which you have configured in Matrix View (considering the last user selection). As soon as you change the attribute value for one attribute, the system sets values for other attributes.

Option Configuration

The minimum and maximum options configuration works at all levels of option groups. In Partner Commerce, only three levels are supported. Also, the minimum and maximum product quantity and total quantity validation work for all levels of option groups.

Constraint Rules

Constraint Rules are supported for standalone, bundle, and option products for basic inclusion, exclusion, and recommendation type rules.

Product level

When you click Add to Cart, Partner Commerce triggers the constraint rule on the Catalog page and product details page where a pop-up is displayed and applies the rule to a product. Moreover, when you hover the mouse on the Add to Cart button, Partner Commerce displays the rule dialog with inclusion and exclusion products. When the inclusion and exclusion rule is triggered, an error message is displayed on the Cart page. Clicking the warning icon against the error message displays the error message in a panel. The scope must be Product, Product Family, and Product Group in constraint rules conditions and constraint rules actions both.

 All rules are applied only when you have selected the Match in Primary checkbox.

Inclusion and Exclusion Rules


The following are the supported types of Action Intent:

- Auto Include
- Disable Selection
- Show Message
- Prompt (as per design, displays an error message) acts similarly as Show Message in the case of Catalog products.

The inclusion and exclusion rule matches when the scope is Product Family or Product Group. The minimum and maximum match rule for Inclusion must have Include All, Include Any, and Include Min/Max as the rule values. For exclusion type rules, the rule values must be Exclude All, Exclude After One, and Exclude After Max. Error and Warning both are supported. There is no message for successful inclusion of the product; the product is automatically included. In case of Disable Selection action intent, the **Add to Cart** button is disabled with a pop-up message.

Product Options level

The constraint rule is triggered on the product details page where a pop-up dialog is displayed upon selecting an option product. On the Cart page and product details page, an error message or warning is displayed when the product is added to the cart directly. The scope must be Product, Product Family, and Product Group in constraint rules conditions and constraint rules actions. Product Option Group is not supported at present.

 All rules are applied only when you have selected the Match in Options checkbox and a combination of the Match in Primary and Match in Options checkboxes.

The constraint rule matches when the scope is Product Family or Product Group. The minimum and maximum match rule for Inclusion must have Include all and Include Any. For exclusion type rules, the rule values must be Exclude all and Exclude any. Error and Warning both are supported. There is no message for the successful inclusion of the product. Multiple actions are not supported at present.

Sub-bundle

Sub-bundles created up to level 3 are performance compliant.

Recommendation Rule

Recommendation type rules are displayed on the product details page and cart page. Action Intent is not supported. Multiple AND conditions are supported only within condition association.

Application of Constraint Rules

Constraint Rules function in Native UI

Pre-requisite:

- Constraint rules must be working correctly in Order UI in standard CPQ
- Constraint Rule Execution Mode in custom settings must be set to 'Server'

Constraint Rules are configuration rules that are applied to a product or a set of products during the ordering process. Constraint rules are configured for the conditional addition of a product to an order or conditional blocker of product additions to an order. You may see Constraint Rules popups on mouse over on the catalog page.

For example, when Product A is added to the cart, Product B may be automatically added based on an auto-inclusion type rule. Similarly, when Product B is added users may be prevented from adding Product C.

You can set up multiple AND conditions in a Constraint Rules criteria, including bundle in any of the conditions. Only ALL is supported at present. You can associate an option with a bundle along with Match in Options, Match in Primary (in case of bundles), or both. Inclusion and Exclusion rules are also supported. For example: If [Option A] AND [Bundle X] (Parent Bundle] THEN Auto Include [Option B].

Inclusion type rule is used to add a product to the cart.

- Inclusion Rule for Standalone Products
- Inclusion Rule for Options Products

Exclusion type rule is used to exclude or prevent the addition of a product to the cart

- Exclusion Rules for Standalone Products
- Exclusion Rules for Options Products

Recommendation Rules for Option Products - With these rules set up, based on your selection, you may see product recommendations.

Minimum and Maximum Product Validation Support

The minimum and maximum options configuration now work at all levels of option groups. Also, the minimum and maximum product quantity validation now work for level 1 of option groups. The product details page and the Cart details page also show validation errors for the unfulfilled minimum and maximum options configuration. The **Add to Cart** button on the product details page and the **Place Order** button on the cart details page is disabled until you resolve all the validation errors.

Behavior of Constraint Rule when configuring Include Any for Scope = Product Group or Product Family

If you configure Include Any in Constraint Rule for Scope = Product Group or Product Family, an error message is displayed on adding more than one option from the selected product group or product family to the cart. The selected option is not displayed in the side navigation bar for resolving the error. You must manually resolve the error from the Product Details page.

Attribute Based Configuration Rules

Attribute-Based Configuration Rules consist of Attribute Constraint Rules and Attribute Value Matrix. It also supports the following to make navigation easier:

- Support Lookup Attributes for Product Configuration that allows to configure and select attributes of type lookup (reference fields) for standalone and bundle products/options
- Lookup component that can be used as an input field for single select or multi-select lookup fields. For example Account Selection, Product Selection, Primary Contact Selection, Ship to Selection, Bill To Selection (Single Select) and Lookup Attributes on the product details page
- Lookup Quick View Popup for Selected lookup Value shows a quick preview for lookup fields for the selected lookup values. For example Account Selection, Primary Contact Selection, Ship to Selection, Bill To Selection (Single Select), Order Header, Quote Header, and Product Details.

Attribute Constraint Rules

You can execute the Attribute-based constraint rules on the template for Standalone products and bundles that have attributes. This enables you to select the right configuration.

You can use one or more of the following Attribute Constraint Rules:

- Attribute Rules for Standalone product with attributes
- Attribute Rules for Bundle level attributes
- Attribute Rules for Bundle Option level attributes

The scope type for Attribute-Based Configuration Rules are:

- Product Family
- Product Group

- Product

The action type (constraint type) for Attribute-Based Configuration Rules are:

- Allow - Restricts the visibility of values on the target field.
- Default - Adds a default value on the target attribute. This value can be changed later.
- Hidden - Hides the target attribute.
- Disabled - Makes the target attribute as a read-only field.
- Required - Makes the target attribute as a required field.
- Reset - Auto-populates a default value on the target attribute if the field is left blank. This is the same as default and changes disabled.

Attribute Value Matrix

You can execute the Attribute Matrix-based constraint rules on the template for Standalone products and bundles that have attributes. This enables you to select the right configuration.

You can use one or more of the following Attribute Value Matrix criteria:

- Attribute Value Matrix for Standalone product with attributes
- Attribute Value Matrix for Bundle level attributes
- Attribute Value Matrix for Bundle Option level attributes

The scope type for Attribute Value Matrix is:


- Product Family
- Product Group
- Product

The application type for Attribute Value Matrix is:

- Default: Sets the default value of an attribute when criteria are met and the user selects the attributes
- Constraint: Restricts picklist, Multipicklist values of attributes based on the matrix
- ForceSet: Sets single or multiple values of the attributes based on the matrix

Supported Features in Partner Commerce With TurboPricing Integration

The following table lists the availability of features and capabilities certified with TurboPricing Integration. For detailed information on the listed features, refer to the *CPQ Administrator Guide*.

 Other TurboPricing features may work but they are not certified yet.

Feature		Sub-Feature	Available
Price Calculation	Bundle Pricing	Price included in bundle set at PLI	Yes
		Price included in bundle set at Bundle	Yes
		Price Adjustments at Bundle	Yes
		Rollup method Flat at Bundle level	No
		Rollup method Per Unit at Bundle level	No
		Auto sequencing of options	No
		Contract pricing when same option exists in multiple bundles	No
	Defaulting Quantity	Defaulting quantity for Bundles/Multiple Charges	Yes
		Defaulting quantity FROM Product Attribute	No
		Default quantity derived FROM Advanced Formula	No
Defaulting Term	Defaulting term for Bundles/Multiple Charges	No	

Feature		Sub-Feature	Available
	Selling Term	Selling Term <div style="border: 1px solid #ccc; padding: 10px;"> <p>i Use Case</p> <p>When using Selling term, Start Date, and End Date:</p> <ul style="list-style-type: none"> • If you want the selling term to be calculated based on the End Date, the Selling Term must be explicitly set to Null. • If you want the End Date to be calculated based on the Selling Term, you must only set the Selling Term and the Start Date. </div>	Yes (Limited) - Not supported with SDK integration
Price List Item	Price Method	Use of Tiered Rates	No
		Use of Per Unit Price method	Yes
		Use of Flat price Price method	Yes
	Frequency	Use of Daily Frequency	No
		Use of Weekly Frequency	No
		Use of Frequencies Monthly, Quarterly, Half Yearly, Yearly	Yes
		Use of any Custom Frequency	No
	Price Type	Use of Price Type - Included Usage	No
		Use of Price Type - One Time	Yes
		Use of Price Type - Per unit	Yes
		Use of Price Type - Usage	Yes

Feature		Sub-Feature	Available
		Use of Price Type - Recurring	Yes
	LineItem Update	Read-only quantity	No
		Read-only Selling term	No
Price Methods	Proration	Allow Proration set on PLI <div style="border: 1px solid #ccc; padding: 5px; background-color: #fff9c4; display: inline-block;">⚠ This works when the Selling Term = Null on the line item.</div>	Yes
	Price Method Per Unit	Use of Price Method Per Unit	Yes
	Price Method Flat Price	Use of Price Method Flat price	Yes
Pricing Methods	Min/Max Price	Min/Max Price applies to BasePrice	No
		Min/Max Price applies to BaseExtendedPrice	No
		Min/Max Price applies to ExtendedPrice	No
	Price Ramps	Use of Price Ramps	No
		Use of Auto Ramp creation	No
		Use of Price ramp overlap	No
		Use of Price Escalators	No
	Defer Pricing	Defer Pricing	No
Cost Models	Cost Models	No	
Conversions	Currency Conversion	Use of Multi-Currencies	No

Feature		Sub-Feature	Available
		Use of Dated Exchange Rates	No
		Disable Currency Conversion Rate for a Price List	No
		Currency conversion enabled at a rule see level	No
	UOM Conversion	Use of UOM Conversions	No
		Use of Product specific conversion rates	No
		Use of Product Family-specific conversion rates	No
Price Method	Price Method	Use of Price Method Percentage	No
Related Pricing	Related Pricing	Use of Related Price Lists in Pricing	No
		Source PLI set on Related Price List Item	No
		Source product and charge type set on Related Price List Item	No
		Source product group and charge type set on Related Price List Item	No
		Source product family and charge type set on Related Price List Item	No
		Source Custom Group and charge type set on Related Price List Item	No
	Adjustments in Related Pricing	Adjustment defined on PLI	No
		Adjustment defined on Related Price List Item	No

Feature		Sub-Feature	Available
Price Rule Set	Header Scope and Criteria	Use of Effectivity period and Active flag	No
		Use of Scope Fields - price list, charge type, product family, product category, product group	Yes (Except Product Category)
		Use of Advanced Criteria	No
		Use of Advanced Criteria with Line Item Reference Fields	No
		Use of Wildcards in Advanced Criteria	No
		Application Level Bundle or Line Item	Yes
		Application Level Aggregate	No
		Use of StopProcessingMoreRules flag	No
	Dimension based Price Rules	Use of StopProcessingMoreRules flag	No
		Use of Adjustment applies to - Base Price	Yes
		Use of Adjustment applies to - Base Extended Price	Yes
		Use of Adjustment applies to - Extended Price	Yes
	Criteria based Price Rules	Use of StopProcessingMoreRules flag	No
		Use of Adjustment applies to - Base Price	Yes
		Use of Adjustment applies to - Base Extended Price	Yes
		Use of Adjustment applies to - Extended Price	Yes

Feature		Sub-Feature	Available
		Match in Product Group	No
		Match in Asset	No
	Constraint Rule	Auto Include rules	Yes
		Replacement rules	No
		Recommendation rules	Yes
	Multiple Criteria	Multiple Rule Entry Criteria	Yes
	Price Matrix	Price Matrix	Yes
Price Dimension	Use of Un-supported Price Dimension Types	Use of Un-supported Price Dimension Types - any type Except Line Item, Product Attribute and Formula Field	No
	Use of Custom Price Dimension Types	Use of Custom Price Dimension Types	No
	Service CPQ	Service CPQ	No
Adjustments	Manual Adjustments	Line level adjustments	No
		Group adjustments	No
		Group adjustment spread	No
		Line-level adjustment of usage price tiers	No
		Usage Tier Modifiable	No
		Misc Charge Types	No
	Adjustments	Adjustment Bucketing	No
		Ability to create multiple Adjustments	No

Feature		Sub-Feature	Available
		Auto refresh Usage price tiers	No
	Bundle/Option level manual Adjustments	Line-level adjustments	No
	Bundle/Option level Adjustments	Group adjustments	No
Asset-Based Pricing	Assets	Assets	No
Incentives	Other application types except Promotion	Use of Price Program, Loyalty, Rebate, Milestone Incentive or Custom	No
	Promotions applied on Line Item and Summary Group	Promotions applied on Line Item and Summary Group	Yes (Except Summary Group)
	Promotions applied on other items	Promotions applied on other items except Line Item and Summary Group	No
	Promotion	Single Rate Type Promotion	Yes
		Apply Coupon	Yes
		Multiple Promotions	Yes
	Support for Promotion type - Buy X Get X and Buy X Get Y	Promotion with Product Scope as Include (AND)	Yes
		Single Rate Type Promotion	Yes
		Single Rate Type Promotion with Coupon	Yes

Feature		Sub-Feature	Available
		Single Rate Type Promotion with Different Adjustments Applies to values	Yes
		Single Rate Type Promotion with Criteria	Yes
	Support for other Promotion types - except Own every X Get Y, Support for Promotion types - except Own every X Get Y	Support for other Promotion types - except Own every X Get Y	No
	Incentive Limits	Support for Promotion Limits	No
	Incentive Coupons	Support for Coupon Limits	No
	Sales Promotions	Sales Promotions	No
	Advanced Criteria set in Price Ruleset	Support for Incentive Criteria on Price Ruleset	No
	Advanced Criteria with Reference Fields on Price Ruleset	Advanced Criteria with Reference Fields on Price Ruleset	No
Quotes	Quote collaboration	Quote collaboration	No
Carts	Favorite Configurations	Use of Favorite Configurations	No
	Smart Carts	Use of Smart Carts	No
	Submit for Approval	Submit for Approval	No
	Copy	Copy products	No
Cart Line Item	Revalidate	Revalidate	No

Feature		Sub-Feature	Available
Totaling and Summary Groups	Adhoc Totaling	Adhoc Totaling	No
Deal Guidance	Deal Guidance	Deal Guidance	No
Callbacks	Callbacks	Pricing Callback	No
		Validation Callback	No
		Cart Approval Callback	No
		Advanced Approval Callback	No
		Loyalty Cycle Callback	No
		Bulk Loyalty Point Callback Class	No
		Adjustment Spread Callback	No
		Loyalty Point Callback	No
		Related Pricing Callback	No
		Pricing Extension Callback	No
User Experience	Bundle-specific option line item update	Read-only quantity	No
		Read-only selling term	No
	LineItem Update	Line level adjustments	No
		Group adjustments	No

Applying Promotions on the Products in the Shopping Cart

Pre-requisite:

- Promotions must be working in core CPQ / Order Management Setup.
- Ensure that Enable Promotions is set to true in the Storefront record

A promotion is a marketing technique that you apply to reduce the list price of a product or a service. You can create such a promotion and restrict the scope, limit, and benefits so your sales representatives apply this promotion to specific products, for specific customers, and for a limited period.

- Apply Automated Promotions in Cart
- Apply Coupon Based Promotions in Cart
- Apply Multiple Promotions to a cart line item
- View all Applied promotions for a given Cart
- View Details of applied promotions for a line item in the cart
- View Promotion details at the line item level for a given promotion
- View Total Promotion Discount on the cart
- Enable/Disable Promotions on the Template

The promotions package is available as an add-on with the CPQ license and package. To install Promotion Management, see the *Implementation and Deployment Guide*.

You can define Promotions using Promotions admin. For details, refer to *Defining a Promotion* in the *CPQ on Salesforce Administrator Guide*.

Promotions may include discounts or offers that can be given to the customers to increase sales and promote the products. Promo Code is a code to activate discounts or offers, pertaining to a promotion, on your merchant's Webstore. Once you have finalized your cart, you can enter the Promo Code and activate a promotion.

For example, your merchant provides a 10% discount on your final price on Good Friday. You must enter the promo code provided by your merchant to avail 10% discount on your final price.


To apply promo code

1. After you have finalized your cart, in the Promotions section, enter the Promo Code.
2. Click **Apply**.

A given promotion can be applied to one or more line items in a cart. Promotion can be automatically applied to the cart line items on pricing or can be manually applied by providing coupon codes depending on the type of promotion.

Ensure the following custom Setting for Promotions for using Coupon Based Promotions under Incentive System Properties:

- **Allow User Override = False**



For Manually applied promotions, "Coupon Codes" are stored in the "Product Configuration" object. After setting the value in the "Coupon Codes" field and running the update price, promotions are applied. Each Line Item aggregates the total promo adjustment amount applied from one or multiple adjustment line items in the field "Incentive Adjustment Amount". If a single promotion is applied, the promotion code is also stored at the line item level, in the "Coupon Code" field. Details of the promotions applied are captured in the "Adjustment Line Item" object which is a child object of the "Line Item" object. It contains the following critical details: Promotion applied, which line item applied to, promotion amount, promotion code.

Managing the Cart

You can see the cart details after logging into the application. The Carts home page or My Carts page lists all carts that you have created for the selected account. The cart list shows the carts with the following details:

- Configuration Name
- Created Date
- Number of Items
- Is Active

- Total Amount
- Status

From the My Carts page, you can:


- **Create a cart:** You can create a cart by clicking **New Cart**.
- **Search a cart:** You can search for the cart to refine the cart list. Enter a keyword related to the configuration name. It displays all carts that contain that keyword.
- **Delete a cart:** Select a particular cart from the list and then:

Click the more icon > select **Delete** option.

or


Select a particular cart from the list > click the delete icon.

- **Set a cart as active:** Select a particular cart from the list > click the more icon > select the **Is Active** option to make that cart as a primary cart. The active cart is highlighted with a green color.
- **Sort the cart list:** You can sort the cart list by clicking the column names.
- **Set pagination:** You can set how many carts to be displayed on a single page. To set pagination, go to per page field on the top right bar and select the value from 10, 20, 30, and 40 carts per page.





Performing Asset Based Ordering actions for Installed Products on the Cart page

You can perform all the Asset Based Ordering action (Renew, Terminate, Buy More, and Change Configuration) for installed products on the Cart page.

 You cannot perform Asset Based Ordering (ABO) actions on Onetime products. By default, ABO actions are disabled for Onetime Products. You can perform only Buy More action for the Onetime products.

Mini Cart

While navigating the catalog, at any time if you want to quickly view your selected products, click the mini cart icon  on the top right of the storefront. The mini cart appears.



From the mini cart, you can:

- View selected products
- Delete items in cart
- Change quantity
- [View the full cart](#)

View Cart


Click the cart icon on the top right of the storefront and then click the **View Cart** button to view the full cart. You can do one or more of the following from the full cart:

- View the complete list of selected products
- Change quantities
- Change Start Date and End Date for Subscriptions
- Delete Items
- Navigate to the Product Details page
- View product summary/totals

- Update price
- View configuration details
- Minimum and Maximum validation of Options for Option Groups
- Minimum and Maximum validation of Product Quantity

Managing Payments

With the payment integration in place, you can manage payments for your purchases.



With payment integration, you can do the following:

- You can make direct payments for orders using a Credit or Debit card during checkout.
- You can view existing payment methods for a logged in user account.
- You can add or delete existing Payment Methods.
- Make payments using an existing payment method for the order.
- You can add card information for future payments. You can add as many cards as you want.

Viewing Tax Details

With the tax integration in place, you can:

- View Calculated tax summary details for Order on the Checkout page or on Order Summary.

- View Line Item level tax details on View Order Page.

Working with Multi-language Support

The default language is for your Partner Commerce storefront is English. You can change the Language to your preferred language from the User profile in Salesforce. Changing the User Profile language translates the following:

- Static labels and error messages
- Object fields are also known as field label translations
- Data (product, attribute groups, and categories)

To set the default language for a user

1. Go to **Setup > Administration Setup> Managed Users** and click **Users**.
2. Click **Edit** next to the User.
3. In **Locale**, select a locale. For example Spanish (Mexico).
4. In **Language**, select your preferred language for the user. For example Spanish.
5. Click **Save**.

Partner Commerce SDK

This section describes API and UI component references used to build a Partner Commerce storefront for your customers.

Topic	Description
What's Covered	This section is designed to provide information related to reference templates, base libraries, models, components that can be inherited and reused. This section also provides information related to Services that suffice most of the business logic. For example: Create Order, Create Quote, and more.
Primary Audience	The intended audience is the developer assigned for creating and maintaining new storefronts on a Salesforce org using Conga packages.
IT Environment	For information pertaining to the requirements and recommendations, see System Requirements and Supported Platforms Matrix .
Updates	For a comprehensive list of updates for each release, see What's New in Partner Commerce Documentation .
Other Resources	<ul style="list-style-type: none"> • See Partner Commerce for Administrators for implementation and deployment procedure. • See Partner Commerce for Users for basic admin tasks and end-user experience. • See Partner Commerce for REST API Developers for details of the CPQ REST APIs consumed by Partner Commerce. • See CPQ documentation for detailed information on setting up the master data.

This SDK outlines the following:

- Overview and dependencies
- Upgrade Information
- Modules
- Components
- Classes
- Injectables
- Guards

- Interfaces
- Pipes
- Miscellaneous

Before using Partner Commerce, you must be familiar with the following:

- Basic Salesforce administration
- Salesforce and Conga terms and definitions

Select one of the following topics for more information:

- [SDK Reference](#)

SDK Reference

Partner Commerce for REST API

Developers

This section covers information on how Partner Commerce works. This section also provides step-by-step instructions on how to install, implement and deploy Partner Commerce for your customers.

Topic	Description
What's Covered	This section is designed to provide administrators with information on setting up data to be consumed within Partner Commerce. This section covers the most common use cases for administration and assumes a level of familiarity with basic Salesforce.
Primary Audience	Admin users are responsible for installing, implementing, and deploying the Partner Commerce solution.
IT Environment	For information pertaining to the requirements and recommendations, see System Requirements and Supported Platforms Matrix .
Updates	For a comprehensive list of updates for each release, see What's New in Partner Commerce Documentation .
Other Resources	<ul style="list-style-type: none"> • See Partner Commerce for Administrators for implementation and deployment procedure. • See Partner Commerce for Users for basic admin tasks and end-user experience. • See Partner Commerce SDK for technical instructions on the installation and setup of a Partner Commerce storefront. • See CPQ documentation for detailed information on setting up the master data.

This section describes the following tasks:

- Setting up Communities
- Adding a Storefront record
- Cloning and installing the reference template
- Local Development Setup
- Server Deployment
- Post Deployment Community Setup

Before using Partner Commerce, you must be familiar with the following:

- Basic Salesforce administration
- Salesforce and Conga terms and definitions

Select one of the following topics for more information:

- [CPQ REST API Version 2](#)
- [CPQ REST API Version 3](#)

CPQ REST API Version 2

(Open API documentation is only available to view online)

CPQ REST API Version 3

(Open API documentation is only available to view online)

Partner Commerce Features by Release

Review the latest Partner Commerce Features by Release document.

- [Features by Release](#)

Features by Release

This document contains an overview of features introduced in each major release of Partner Commerce. For more information, see [Partner Commerce Features by Release](#).

Community & Learning Center Resources

The Conga Customer Community is your one-stop shop for success!

After registering as a new member you'll gain access to a wide variety of resources, including: further details regarding the onboarding process, access to the knowledge base, and product-specific discussion groups.


In addition, just a click away from Community is the Conga Learning Center: our comprehensive training portal well stocked with FREE self-paced courses complimented by virtual instructor-led sessions for more advanced and intensive training!

Ready to get started?

First download the [Salesforce Authenticator app](#); you'll need it as part of the login procedure.

Then create a Community account, or log in [here](#)!

Once you're logged in, navigate to the Resources dropdown menu and click Learning Center to reach the [Conga Learning Center](#)!



Conga Copyright Disclaimer

Copyright © 2022 Apttus Corporation (“Conga”) and/or its affiliates. All rights reserved.

No part of this document, or any information linked to or referenced herein, may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written consent of Conga. All information contained herein is subject to change without notice and is not warranted to be error free.

This document may describe certain features and functionality of software that Conga makes available for use under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not, in any form, or by any means, use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part of the software. Reverse engineering, disassembly, decompilation of, or the creation of derivative work(s) from, the software is strictly prohibited. Additionally, this document may contain descriptions of software modules that are optional and for which you may not have purchased a license. As a result, your specific software solution and/or implementation may differ from those described in this document.

U.S. GOVERNMENT END USERS: Conga software, including any operating system(s), integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Neither the software nor the documentation were developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Conga and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Apttus, AI Analyze, Conga, Conga AI, Conga AI Discover, Conga Batch, Conga Collaborate, Conga Composer, Conga Conductor, Conga Connect, Conga Courier, Conga Grid, Conga Mail Merge, Conga Merge, Conga Orchestrate, Conga Sign, Conga Trigger, Digital Document Transformation, True-Up, and X-Author are registered trademarks of Conga and/or its affiliates.

The documentation and/or software may provide links to web sites and access to content, products, and services from third parties. Conga is not responsible for the availability of, or any content provided by third parties. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Conga is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Conga is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

For additional resources and support, please visit <https://community.conga.com>.